

**LUNGEX II- ginkgo biloba, colon (suis), lung (suis), pancreas suis, germanium sesquioxide, cuprum metallicum, manganum metallicum, stannum metallicum, alpha-ketoglutaricum acidum, citricum acidum, fumaricum acidum, malic acid, pyruvic acid, succinicum acidum, naphthoquinone, arsenicum metallicum, calcarea carbonica, aconiticum acidum, cis, natrum oxalaceticum, phosphorus liquid**  
**Energique, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Drug Facts:**

### **ACTIVE INGREDIENTS:**

**(in each drop):** 33.30% Of Natrum Oxalaceticum 12X, 30X. 1.11% Of Alpha-Ketoglutaricum Acidum+ 8X, 12X, 30X; Citricum Acidum 8X, 12X, 30X, Pyruvic Acid 8X, 12X, 30X; Arsenicum Metallicum 12X, Calcarea Carbonica 12X, Cuprum Metallicum 12X, Manganum Metallicum 12X, Stannum Metallicum 12X; Colon (Suis) 12X, 30X, Fumaricum Acidum 12X, 30X, Lung (Suis) 12X, 30X, Malicum Acidum 12X, 30X, Pancreas Suis 12X, 30X, Phosphorus 12X, 30X, Succinicum Acidum 12X, 30X; Aconiticum Acidum, Cis- 30X, Naphthochinonum 30X, 0.01% Of Colon (Suis) 6X, Ginkgo Biloba 6X, Lung (Suis) 6X, Pancreas Suis 6X; Cuprum Metallicum 8X, Fumaricum Acidum 8X, Germanium Sesquioxide 8X, Malicum Acidum 8X, Manganum Metallicum 8X, Stannum Metallicum 8X, Succinicum Acidum 8X; Naphthochinonum 9X, 12X; Aconiticum Acidum, Cis- 12X.

### **INDICATIONS:**

May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

### **WARNINGS:**

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

### **KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

## DIRECTIONS:

Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 2 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

## INDICATIONS:

May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.\*\*

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

## INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

## QUESTIONS:

Dist. by Energique, Inc.

201 Apple Blvd.

Woodbine, IA 51579 **800-869-8078**

## PACKAGE LABEL DISPLAY:

### ENERGIQUE

SINCE 1987

### HOMEOPATHIC REMEDY

### LUNGEX II

1 fl. oz. (30 ml)

**WARNINGS:** If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

**DIRECTIONS:** Adults and children 5 to 10 drops orally, 3 times daily or as otherwise directed by a health care professional. If symptoms persist for more than 2 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

\*\*Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Dist. by Energique, Inc., 201 Apple Blvd.  
Woodbine, IA 51579 **800.869.8078**



HOMEOPATHIC REMEDY

LUNGEX II™

**INDICATIONS:** May temporarily relieve coughing, wheezing, diarrhea, abdominal pain, and bloating.\*\*

1 fl. oz. (30 ml) 20% Ethanol

#### Active Ingredients (in each drop):

33.30% of Natrum Oxalaceticum 12X, 30X.  
1.11% of alpha-Ketoglutar Ac, Citricum Ac, Pyruvic Acid 8X, 12X, 30X; Arsenicum Met, Calc Carb, Cuprum Met, Mang Met, Stannum Met 12X; Colon, Fumaricum Ac, Lung, Malic Ac, Pancreas, Phos, Succinicum Acidum 12X, 30X; Aconiticum Acidum, Cis-, Naphthochinonum 30X.  
0.01% of Colon, Ginkgo, Lung, Pancreas 6X; Cuprum Met, Fumaricum Ac, Germanium Sesquioxide, Malic Ac, Mang Met, Stannum Met, Succinicum Acidum 8X; Naphthochinonum 9X, 12X; Aconiticum Acidum, Cis- 12X.

#### Inactive Ingredients:

Demineralized water, 20% Ethanol.

LOT: XXXXXX

MFD: MM/YY



3 63113 70104 3

## LUNGEX II

ginkgo biloba, colon (suis), lung (suis), pancreas suis, germanium sesquioxide, cuprum metallicum, manganum metallicum, stannum metallicum, alpha-ketoglutaricum acidum, citricum acidum, fumaricum acidum, malic acid, pyruvic acid, succinicum acidum, naphthoquinone, arsenicum metallicum, calcarea carbonica, aconiticum acidum, cis, natrum oxalaceticum, phosphorus liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:44911-0439
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>GINKGO</b> (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	6 [hp_X] in 1 mL
<b>SUS SCROFA COLON</b> (UNII: 94J255A0UC) (SUS SCROFA COLON - UNII:94J255A0UC)	SUS SCROFA COLON	6 [hp_X] in 1 mL
<b>SUS SCROFA LUNG</b> (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	6 [hp_X] in 1 mL
<b>SUS SCROFA PANCREAS</b> (UNII: 9Y3J3362RY) (SUS SCROFA PANCREAS - UNII:9Y3J3362RY)	SUS SCROFA PANCREAS	6 [hp_X] in 1 mL
<b>GERMANIUM SESQUIOXIDE</b> (UNII: 96WE91N25T) (GERMANIUM SESQUIOXIDE - UNII:96WE91N25T)	GERMANIUM SESQUIOXIDE	8 [hp_X] in 1 mL
<b>COPPER</b> (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	8 [hp_X] in 1 mL
<b>MANGANESE</b> (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	8 [hp_X] in 1 mL
<b>TIN</b> (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	8 [hp_X] in 1 mL
<b>OXOGLURIC ACID</b> (UNII: 8ID597Z82X) (.ALPHA.-KETOGLUTARIC ACID - UNII:8ID597Z82X)	OXOGLURIC ACID	8 [hp_X] in 1 mL
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP) (ANHYDROUS CITRIC ACID - UNII:XF417D3PSL)	ANHYDROUS CITRIC ACID	8 [hp_X] in 1 mL
<b>FUMARIC ACID</b> (UNII: 88XHZ13131) (FUMARIC ACID - UNII:88XHZ13131)	FUMARIC ACID	8 [hp_X] in 1 mL
<b>MALIC ACID</b> (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	8 [hp_X] in 1 mL
<b>PYRUVIC ACID</b> (UNII: 8558G7RUTR) (PYRUVIC ACID - UNII:8558G7RUTR)	PYRUVIC ACID	8 [hp_X] in 1 mL
<b>SUCCINIC ACID</b> (UNII: AB6MNQ6J6L) (SUCCINIC ACID - UNII:AB6MNQ6J6L)	SUCCINIC ACID	8 [hp_X] in 1 mL
<b>1,2-NAPHTHOQUINONE</b> (UNII: 804K62F61Q) (1,2-NAPHTHOQUINONE - UNII:804K62F61Q)	1,2-NAPHTHOQUINONE	9 [hp_X] in 1 mL
<b>ARSENIC</b> (UNII: N712M78A8G) (ARSENIC - UNII:N712M78A8G)	ARSENIC	12 [hp_X] in 1 mL
<b>OYSTER SHELL CALCIUM CARBONATE, CRUDE</b> (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_X] in 1 mL
<b>ACONITIC ACID</b> (UNII: 93371T1BXP) (ACONITIC ACID - UNII:93371T1BXP)	ACONITIC ACID	12 [hp_X] in 1 mL
<b>SODIUM DIETHYL OXALACETATE</b> (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	12 [hp_X] in 1 mL
<b>PHOSPHORUS</b> (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	12 [hp_X] in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:44911-0439-1	30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/08/2017	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/08/2017	

**Labeler** - Energique, Inc. (789886132)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(44911-0439) , api manufacture(44911-0439) , label(44911-0439) , pack(44911-0439)

Revised: 3/2022

Energique, Inc.