ALLERGY RELIEF- diphenhydramine hydrochloride capsule, liquid filled Strive Pharmaceuticals Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

RIGHT REMEDIES Allergy Relief

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement to the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages

- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

adults and children 12 years and	1 to 2
older	softgels
children 6 to under 12 years	1 softgel
children under 6 years	do not use

Other information

- store at 25°C (77°F) in a dry place
- protect from light, heat and moisture

Inactive ingredients

edible white ink, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, povidone, purified water, sorbitol sorbitan solution

Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

Compare to the active ingredient in **BenadryI®** Dye-Free Allergy*

RIGHT REMEDIES

READ AND KEEP OUTER PACKAGE FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson&Johnson Corporation, owner of the registered trademark Benadryl® Dye-Free Allergy.

Distributed by: Strive Pharmaceuticals Inc., East Brunswick, NJ 08816 Product of United Arab Emirates

Packaging





DRUG FACTS TABLE

Drug Facts

Active ingredient (in each softgel)

Purpose Warnings (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as children even if you do not notice any signs or symptoms.

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

Diphenhydramine HCI 25 mg.....Antihistamine

- runny nose
- itchy,watery eyes
- sneezing
- itching of the nose or throat

temporarily relieves these symptoms due to the common cold:

- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement to the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

Drug Facts (continued)

adults and children 12 years and older	1 to 2 softgels
children 6 to under 12 years	1 softgel
children under 6 years	do not use

Other information

- store at 25°C (77°F) in a dry place
- protect from light, heat and moisture

Inactive ingredients

edible white ink, gelatin, glycerin, isopropyl alcohol, medium chain triglycerides, polyethylene glycol, providone, purified water, sorbitol sorbitan solution

Questions or comments?

1-888-577-8033 Monday-Friday 8am-4pm EST

ALLERGY RELIEF

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70692-780

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
,	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients		
Ingredient Name	Strength	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
SORBITAN (UNII: 6092ICV9RU)		

Product Characteristics			
Color	white (Transparent)	Score	no score
Shape	OVAL (oblong)	Size	15mm
Flavor		Imprint Code	780
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70692-780- 16	2 in 1 CARTON	04/06/2023	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	04/06/2023	

Labeler - Strive Pharmaceuticals Inc. (080028013)

Revised: 4/2023 Strive Pharmaceuticals Inc.