

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment
Health Mart

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Triple Antibiotic

Drug Facts

Active ingredients (each gram contains)	Purpose
Bacitracin zinc 400 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 5,000 units	First aid antibiotic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- in the eyes
- if you are allergic to any of the ingredients
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredient

white petrolatum

Questions?

Call **1-866-923-4914**

Distributed by McKesson

One Post Street, San Francisco, CA 94104

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Health Mart®
PHARMACY

compare to Neosporin®
active ingredients*

helps prevent infection in
minor cuts, scrapes, and burns.

triple antibiotic ointment

· bacitracin zinc · neomycin sulfate · polymyxin B sulfate

first aid antibiotic ointment

NET WT 1 oz (28.4 g)

NDC 62011-0098-1



Health Mart
PHARMACY

compare to Neosporin®
active ingredients*

helps prevent infection in
minor cuts, scrapes, and burns.

triple antibiotic ointment

• bacitracin zinc • neomycin sulfate • polymyxin B sulfate

first aid antibiotic ointment

NET WT 1 oz (28.4 g)



Distributed by McKesson
One Post Street, San Francisco, CA
Money Back Guarantee
www.healthmart.com/healthmart
Made in Canada.

MCKESSON

Apply a thin layer of ointment to the affected area (do not use on large areas or deep wounds).
• may be covered with a sterile bandage
• finger) on the area 1 to 3 times daily
• Other information
• To open: unscrew cap, pull tab to remove foil seal
• store at 20° to 25°C (68° to 77°F)
• see carton or tube crimp for lot number and expiration date
Inactive ingredient white petrolatum
Questions? Call 1-866-923-4914

Drug Facts

Active ingredients (each gram contains)

Bactracin zinc 400 units.....	First aid antibiotic
Neomycin sulfate 3.5 mg.....	First aid antibiotic
Polymyxin B sulfate 5,000 units.....	First aid antibiotic

Purpose

first aid to help prevent infection in minor: • cuts • scrapes • burns

Warnings For external use only.

- Do not use
- in the eyes
- if you are allergic to any of the ingredients

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- condition persists or gets worse
- you need to use longer than 1 week
- a rash or other allergic reaction develops


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.


Directions

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the Neosporin® registered trademark

CA 941 04 brand





TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62011-0098
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacitracin Zinc (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin Zinc	400 [USP'U] in 1 g
Neomycin Sulfate (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin Sulfate	3.5 mg in 1 g
Polymyxin B Sulfate (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B Sulfate	5000 [USP'U] in 1 g

Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0098-1	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/21/2012	

Labeler - Health Mart (177667227)

Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(62011-0098)