

ACETAMINOPHEN - acetaminophen tablet, extended release
Better Living Brands, LLC

Drug Facts

Active ingredient (in each extended-release tablet)

Acetaminophen USP 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 tablets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning).**

Adults:

- take 2 tablets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 tablets in 24 hours
- do not use for more than 10 days unless directed by a doctor.

Under 18 years of age:

- ask a doctor

Other information

- store at 20° to 25°C (68° to 77°F). Avoid excessive heat 40°C (104°F).
- **do not use if carton is opened or foil inner seal is broken**
- USP Dissolution test is pending

Inactive ingredients

colloidal silicon dioxide, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize), sodium starch

glycolate, titanium dioxide, triacetin

Questions or comments?

call **1-855-274-4122**

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com

MADE IN INDIA

CODE: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 650 mg (225 Tablets Bottle)

TO OPEN:

- 1. PUSH DOWN**
- 2. TURN CAP**

Signature

Care®

Quality

Guaranteed

**DO NOT USE
WITH OTHER
MEDICINES
CONTAINING
ACETAMINOPHEN**

**8 HOUR
ARTHRITIS
PAIN
RELIEVER
ACETAMINOPHEN**

NDC 21130-108-35

Extended-Release Tablets USP, 650 mg
Pain Reliever/Fever Reducer

**For the temporary relief of
minor arthritis pain**

**225
Extended-Release
Tablets**



Quality Guaranteed

TO OPEN:
1. PUSH DOWN
2. TURN CAP

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

8 HOUR

NDC 21130-108-35

ARTHRITIS PAIN RELIEVER

ACETAMINOPHEN

Extended-Release Tablets USP, 650 mg Pain Reliever/Fever Reducer

For the temporary relief of minor arthritis pain

225 Extended-release tablets

Do not use if foil inner seal is broken.

Active ingredient (in each extended-release tablet) Purpose

Acetaminophen USP 650 mg.....Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache ■ toothache ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 6 tablets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ If you are allergic to acetaminophen or any of the inactive ingredients in this product. Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms. Directions ■ do not take more than directed (see overdose warning). Adults: ■ take 2 tablets every 8 hours with water ■ swallow whole; do not crush, chew, split or dissolve ■ do not take more than 6 tablets in 24 hours ■ do not use for more than 10 days unless directed by a doctor. Under 18 years of age: ■ ask a doctor Other information ■ store at 20° to 25°C (68° to 77°F). Avoid excessive heat 40°C (104°F). ■ USP Dissolution test is pending Inactive ingredients colloidal silicon dioxide, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch (maize), sodium starch glycolate, titanium dioxide, triacetin

Questions or comments? call 1-855-274-4122

Contains No Aspirin

DISTRIBUTED BY BETTER LIVING BRANDS LLC
P.O. BOX 399, PLEASANTON, CA 94566-0099
1-888-723-3929 www.betterlivingbrandsllc.com
MADE IN INDIA CODE: TS/DRUGS/22/2009

P14-30430 LM-4895 02/21/18 52008

NVZ

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 650 mg (225 Tablets Container Carton)

Compare to Tylenol® 8HR Arthritis Pain active ingredient*

NDC 21130-108-35

Signature Care®

Quality Guaranteed

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

8 HOUR ARTHRITIS PAIN RELIEVER ACETAMINOPHEN

Actual Size 06

Extended-Release Tablets USP, 650 mg Pain Reliever/Fever Reducer

For the temporary relief of minor arthritis pain

225 Extended-release tablets



ACETAMINOPHEN

acetaminophen tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-108
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
HYDROXYETHYL CELLULOSE (140 MPA.S AT 5%) (UNII: 8136Y38GY5)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE B POTATO (UNII: 27NA468985)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	WHITE (White to Off-White)	Score	no score
Shape	CAPSULE (Caplet)	Size	19mm
Flavor		Imprint Code	I;06
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-108-07	1 in 1 CARTON	06/24/2022	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-108-35	1 in 1 CARTON	06/24/2022	
2		225 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207229	06/24/2022	

Labeler - Better Living Brands, LLC (009137209)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(21130-108) , MANUFACTURE(21130-108)

Revised: 1/2024

Better Living Brands, LLC