**FEXOFENADINE HYDROCHLORIDE- fexofenadine hydrochloride tablet**
**Strategic Sourcing Services, LLC**

---

**Fexofenadine HCl Tablets USP**

**Active ingredient (in each tablet)**

Fexofenadine HCl USP, 180 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of  overdose, get medical help or contact a Poison Control Center right away.

**Directions**

| | |
|---|---|
| adults and children 12 years of age and over | take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours |
| children under 12 years of age | do not use |
| adults 65 years of age  and older | ask a doctor |
| consumers with kidney disease | ask a doctor |

**Other information**

- safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing
- store between 20° and 25°C (68° and 77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 4

**Inactive ingredients**

colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titantium dioxide

**Questions?**

call **1-888-375-3784**

**Carton Label**

70ct Container and Container Carton labels


Drug Facts
Active Ingredient (in each tablet)
Purpose
Uses
Warnings
Directions
Other information
Inactive ingredients
Questions? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST
TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.
IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE. KEEP THE CARTON. IT CONTAINS IMPORTANT INFORMATION.
PACKAGE CONTAINS ONE BOTTLE
Foster & Thrive™
24 HOUR
Allergy Relief
Fexofenadine HCl
Tablets USP, 180 mg
ANTIHISTAMINE
NDC 70677-1009-3
COMPARE TO THE ACTIVE INGREDIENT IN ALLEGRA® ALLERGY 24 HOUR TABLETS*
Non-Drowsy
INDOOR/OUTDOOR ALLERGY RELIEF
• Sneezing • Itchy, Watery Eyes
• Runny Nose • Itchy Nose or Throat
ACTUAL SIZE
70 TABLETS
LOT
EXP


NDC 70677-1009-3
Foster & Thrive™
24 HOUR
Allergy Relief
Fexofenadine HCl
Tablets USP, 180 mg
ANTIHISTAMINE
Non-Drowsy
INDOOR/OUTDOOR ALLERGY RELIEF
• Sneezing • Itchy, Watery Eyes
• Runny Nose • Itchy Nose or Throat
70 TABLETS
TAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER CAP PRINTED WITH "SEALED FOR YOUR PROTECTION" IS BROKEN OR MISSING.
Drug Facts
Active ingredient (in each tablet)
Purpose
Fexofenadine HCl USP, 180 mg ..... Antihistamine
Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ itchy, watery eyes ■ sneezing
■ itching of the nose or throat
Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients. Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose. When using this product ■ do not take more than directed ■ do not take at the same time as aluminum or magnesium antacids ■ do not take with fruit juices (see Directions) Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).
Directions ■ adults and children 12 years of age and over take one 180 mg tablet with water once a day; do not take more than 1 tablet in 24 hours ■ children under 12 years of age do not use ■ adults 65 years of age and older ask a doctor ■ consumers with kidney disease ask a doctor
Other information ■ safety sealed: do not use if carton is opened or if printed foil inner seal on bottle is torn or missing ■ store between 20° and 25°C (68° and 77°F) ■ protect from excessive moisture ■ this product meets the requirements of USP Dissolution Test 4
Inactive ingredients colloidal silicon dioxide, corn starch, croscarmellose sodium, FD&C Red no. 40, hypromellose, iron oxide black, magnesium stearate, mannitol, polyethylene glycol, powder cellulose and titanium dioxide
Questions? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST
©2023 McKesson Corporation
Distributed by: McKesson Corp., via SSSI, Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com
Product of India
REV 03/23
150092411
LOT
EXP

## Carton


## Container Label

# FEXOFENADINE HYDROCHLORIDE

fexofenadine hydrochloride tablet

| Product Information | | | |
|---|---|---|---|
| **Product Type** | HUMAN OTC DRUG | **Item Code (Source)** | NDC:70677-1009(NDC:55111-784) |
| **Route of Administration** | ORAL | | |

| Active Ingredient/Active Moiety | | |
|---|---|---|
| **Ingredient Name** | **Basis of Strength** | **Strength** |
| **Fexofenadine Hydrochloride** (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V) | Fexofenadine Hydrochloride | 180 mg |

| Inactive Ingredients | |
|---|---|
| **Ingredient Name** | **Strength** |
| **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) | |
| **CROSCARMELLOSE SODIUM** (UNII: M28OL1HH48) | |
| **magnesium stearate** (UNII: 70097M6I30) | |
| **mannitol** (UNII: 3OWL53L36A) | |
| **POWDERED CELLULOSE** (UNII: SMD1X3XO9M) | |
| **FD&C RED NO. 40** (UNII: WZB9127XOA) | |
| **HYPROMELLOSE 2910 (6 MPA.S)** (UNII: 0WZ8WG20P6) | |
| **FERROSOFERRIC OXIDE** (UNII: XM0M87F357) | |

| | |
|---|---|
| **polyethylene glycol 400** (UNII: B697894SGQ) | |
| **TITANIUM DIOXIDE** (UNII: 15FIX9V2JP) | |
| **STARCH, CORN** (UNII: O8232NY3SJ) | |

## Product Characteristics

| | | | |
|---|---|---|---|
| **Color** | PINK | **Score** | no score |
| **Shape** | OVAL | **Size** | 7mm |
| **Flavor** | | **Imprint Code** | 194;R |
| **Contains** | | | |

## Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|---|---|---|---|
| **1** | NDC:70677-1009-2 | 1 in 1 CARTON | 05/05/2023 | |
| **1** | | 30 in 1 BOTTLE; Type 0: Not a Combination Product | | |
| **2** | NDC:70677-1009-1 | 3 in 1 CARTON | 05/05/2023 | |
| **2** | | 5 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| **3** | NDC:70677-1009-3 | 1 in 1 CARTON | 05/05/2023 | |
| **3** | | 70 in 1 BOTTLE; Type 0: Not a Combination Product | | |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---|---|---|---|
| ANDA | ANDA076502 | 09/09/2019 | |

## Labeler - Strategic Sourcing Services, LLC (116956644)

Revised: 4/2023 Strategic Sourcing Services, LLC