

**TYLENOL REGULAR STRENGTH- acetaminophen tablet**  
**Johnson & Johnson Consumer Inc.**

-----  
**TYLENOL**

**Regular Strength**

***Drug Facts***

**Active ingredient (in each tablet)**

Acetaminophen 325 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. The maximum daily dose of this product is 10 tablets (3,250 mg) in 24 hours for adults or 5 tablets (1,625 mg) in 24 hours for children. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours, which is the maximum daily amount
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert**

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if the user has** liver disease

**Ask a doctor or pharmacist before use if the user is** taking the blood thinning drug warfarin

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days in adults
- pain gets worse or lasts more than 5 days in children under 12 years
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"><li>▪ take 2 tablets every 4 to 6 hours while symptoms last</li><li>▪ do not take more than 10 tablets in 24 hours, unless directed by a doctor</li><li>▪ do not use for more than 10 days unless directed by a doctor</li></ul>
children 6 years	<ul style="list-style-type: none"><li>▪ take 1 tablet every 4 to 6 hours while symptoms last</li><li>▪ do not take more than</li></ul>

to under 12 years	5 tablets in 24 hours ▪ do not use for more than 5 days unless directed by a doctor
children under 6 years	ask a doctor

### **Other information**

- store between 20-25°C (68-77°F)
- **do not use if carton is opened. Do not use if foil inner seal imprinted with "TYLENOL" is broken or missing**

### **Inactive ingredients**

magnesium stearate, modified starch, powdered cellulose, pregelatinized starch, sodium starch glycolate

### **Questions or comments?**

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

### **PRINCIPAL DISPLAY PANEL**

NDC 50580-495-01


TYLENOL®

Acetaminophen  
Pain Reliever  
Fever Reducer

Regular Strength

Actual Size

100 Tablets  
325 mg each



## TYLENOL REGULAR STRENGTH

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-495
Route of Administration	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

**Inactive Ingredients**

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	

**Product Characteristics**

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	325;TYLENOL
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-495-01	1 in 1 CARTON	12/01/2019	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2019	

**Labeler** - Johnson & Johnson Consumer Inc. (878046358)

Revised: 1/2024

Johnson &amp; Johnson Consumer Inc.