AVEDANA HEMORRHOIDAL MAXIMUM STRENGTH- hemorrhoidal cream Unipack LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Avedana ® **Hemorrhoidal Pain Relief Cream**

Active Ingredients

Glycerin 14.4%

Phenylephrine HCL 0.25%

Pramoxine HCI 1%

White petrolatum 15%

Purpose

Protectant

Vasoconstrictor

Local anasthetic

Protectant

Uses

- -for temporary relief of pain, soreness, and burning.
- -helps relieve the local itching and discomfort associated with hemorrhoids.
- -temporarily shrinks hemorrhoidal tissue.
- -temporarily provides a coating for relief of anorectal discomforts.
- -temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful.

Warnings

For external use only.

Ask a doctor before use if you have

- -heart disease
- -high blood pressure
- -thyroid disease

- -diabetes
- -difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

- -do not exceed the recommended daily dosage unless directed by a doctor
- -do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- -bleeding occurs
- -condition worsens or does not improve within 7 days
- -an allergic reaction develops
- -the symptom being treated does not subside or if redness, irritation, swelling pain, or other symptoms develop or increase

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- -adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream. When first opening the tube, puncture foil seal with top end of cap. Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.
- -For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.
- -thoroughly cleanse dispensing cap after each use and replace cover.
- -children under 12 years of age: ask a doctor.

Directions

Apply externally or in the lower portion of the anal canal only. Apply to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement.

-For application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubrcate dispensing cap well, then gently insert dispensing cap partway into the anus.

Other information

store at 15°C - 30°C (59°F -86°F)

Inactive ingredients

Aloe barbadensis leaf extract, butylated hydroxytoluene, cetyl esters, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lanolin, methylparaben, mineral oil, polysorbate 60, propylene glycol, propylparaben, sodium citrate, stearic acid, stearyl alcohol, vitamin E, water


Avedana Hemorrhoidal Cream [®]
Maximum Strength w/ Aloe & Vitamin E
Tube Label

Tube Label 0.9oz



Avedana Hemorrhoidal Cream [®]
Maximum Strength w/ Aloe & Vitamin E
1 TUBE | NET WT 0.9 OZ (26 g)

0.9oz Carton Label



Avedana Hemorrhoidal Cream [®]
Maximum Strength w/ Aloe & Vitamin E
1 TUBE | NET WT 1.8 OZ (51 g)

1.8oz Tube Label

HEMORRHOIDAL

Pain Relief Cream



NDC 43749-470-04

MAXIMUM STRENGTH + ALOE & VITAMIN E CREAM

- · Rapid, soothing relief from painful burning, itching & discomfort
- Shrinks swollen hemorrhoidal tissue
- Protects irritated tissue

NET WT 1.8 OZ (51 g)

Active ingredients Glycerin 14.4%; Phenylephrine HCl 0.25%; Pramoxine HCl 1%; White Petrolatum 15%. Uses for temporary relief of pain, soreness and burning; helps relieve the local litching and discomfort associated with hemorrhoids; temporarily shrinks hemorrhoidal tissue; temporarily provides a coating for relief of anorectal discomforts; temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful Warnings
For external use only
Ask a doctor before use if you have heart disease; high blood pressure; thyroid disease; diabetes; difficulty in urination due to enlargement of the prostate gland.
Ask a doctor or pharmaciat before use if you are presently taking a prescription drug for high blood pressure or depression.
When using this product do not exceed the recommended daily dosage unless directed by a doctor, do not put this product on ton lexceed the rectum by using fingers or any mechanical device or applicator.

a doctor, of his put this product into the fectual by using inigers or any inectanical device or applicator.

Stop use and ask a doctor if bleeding occurs; condition worsens or does not improve within 7 days; an allergic reaction develops; the symptom being treated does not subside or if redness, irritation, swelling, pain or other symptoms develop or increase if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream; when first opening the tube, puncture foil seal with top end of cap; apply externally or in the lower portion of the anal canal only. Apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement. For application in the lower anal canal: remove cover from dispensing cap pattway into the anus. Thoroughly cleanse dispensing cap well, then gently insert dispensing cap partway into the anus. Thoroughly cleanse dispensing cap after each use and replace cover. Children under 12 years of age; ask a doctor.


Other information: store at 20-25°C (68-77°E) Inactive ingredients aloe barbadensis leaf extract, butylated hydroxyloluene, cetostearyl alcohol, cetyl esters, cetyl palmitate, glyceryl monostearate, isopropyl myristate, lancillar, miertal oil, polysorbate 60, propylene glycol, propylparaben, purified water, sodium citrate, stearic acid, tocopherol acetate

MANUFACTURED BY: UNIPACK, INC. PITTSBURGH, PA 15239. 100% SATISFACTION GUARANTEED

Avedana Hemorrhoidal Cream ® Maximum Strength w/ Aloe & Vitamin E 1 TUBE | NET WT 1.8 OZ (51 g)

1.8oz Carton Label





AVEDANA HEMORRHOIDAL MAXIMUM STRENGTH

hemorrhoidal cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:43749-470	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	150 mg in 1 g	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	144 mg in 1 g	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE -	PRAMOXINE	10 mg	

UNII:068X84E056)	HYDROCHLORIDE	in 1 g
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6MV)	PHENYLEPHRINE	25 mg in 1 g

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)				
MINERAL OIL (UNII: T5L8T28FGP)				
CETYL PALMITATE (UNII: 5ZA2S6B08X)				
ALOE (UNII: V5VD430YW9)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
LANOLIN (UNII: 7EV65EAW6H)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLPARABEN (UNII: Z8IX2SC10H)				

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:43749-470- 01	1 in 1 CARTON	11/04/2020		
1	NDC:43749-470- 03	25.5 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:43749-470- 02	1 in 1 CARTON	11/04/2020		
2	NDC:43749-470- 04	51 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part346	11/04/2020		

Registrant - Unipack LLC (009248480)

Establishment			
Name	Address	ID/FEI	Business Operations
Unipack LLC		009248480	manufacture(43749-470)

Revised: 1/2023 Unipack LLC