MEIJER NATURAL FIBER- psyllium husk powder MEIJER DISTRIBUTION INC

$Meijer_{\circledR}$ Natural Fiber 100% Natural Psyllium Husk 114 teaspoons $Drug\ Facts$

Active ingredient: (in each teaspoon)

Psyllium husk approximately 3.4 g

Purpose

Bulk-forming Laxative

Uses:

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 12-72 hours

Warnings:

Choking

Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy alert:

This product may cause allergic reaction in people sensitive to inhaled or ingested psyllium.

Ask a doctor before use if you have

- a sudden change in bowel habits persisting for 2 weeks
- abdominal pain, nausea or vomiting

Stop use and ask a doctor if

- constipation lasts more than 7 days
- rectal bleeding occurs

These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions:

Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Stir briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & Children	1 rounded TEASPOON in 8 oz of liquid at the first sign of			
12 years & older:	r: irregularity. Can be taken up to 3 times daily.			
Children 6 - 11	11 ½ adult dose in 8 oz of liquid, up to 3 times daily			
yrs :				
Children Under 6	Consult a doctor			
yrs:				

Bulk forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine.

New Users

Start with 1 serving per day; gradually increased to desired daily intake. You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information:

- each tablespoon contains: potassium 35 mg; sodium 5 mg
- contains a 100% natural, therapeutic fiber
- store at room temperature. Keep the container tightly closed to protect from humidity

Inactive ingredients

silica, sucrose

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

meijer_®

NDC 41250-414-11

Compare to the Metamucil® 4 in 1 MultiHealth Fiber!™ fiber content°

fiber powder

100% Natural Psyllium Husk

MultiHealth Daily Fiber Supplement

Therapy for Regularity

Original Coarse

- Helps you feel less hungry between meals**
- Helps maintain healthy blood sugar levels as part of your diet**
- Helps lower cholesterol to promote heart health**
- Promotes digestive health**

Gluten-Free

114 teaspoon‡ doses

‡Serving size varies. See DIRECTIONS on back panel for more information

NET WT 29 OZ (1.8 LBS) 822 g

FILL CONTROLLED BY WEIGHT, NOT VOLUME

†See back for information about soluble fiber and heart disease.

**These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure or prevent any disease.

DO NOT USE IF PRINTED INNER SEAL IS BROKEN OR MISSING

*This product is not manufactured or distributed by Procter & Gamble Company, Owner of the registered trademark Metamucil ® and 4 in 1 MultiHealth Fiber!™

SF SUGAR FREE

GF GLUTEN FREE

GLUTEN FREE.

If you have specific dietary needs, you should consult your doctor before consuming this product.

This product has a low glycemic index, a measure of the effect of dietary carbohydrates on blood sugar levels.


MEIJER PHARAMACISTS RECOMMEND

MONEY BACK GUARANTEE

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com



Serving Size Servings Per Container	2 rounded Abou		1 rounded About	
Amount Per Serving		%DV*		%DV*
Calories	50		25	
Total Carbohydrate	13 g	5%*	7 g	3%*
Dietary Fiber	6 g	21%*	3 g	11%*
Soluble Fiber	5 g	†	2 g	†
Total Sugars	7 g	†	4 g	†
Includes Added Sugars	7 g	14%*	4 g	8%*
Iron	1.4 mg	8%	0.7 mg	4%
Sodium	10 mg	<1%	5 mg	<1%
Potassium	70 mg	1%	35 mg	1%

† Daily Value (DV) not estaturence.

INGREDIENTS: Sucrose, Psyllium Husk, Silica.

NIGHEDIENTS: Sucrous, Psyllium Husk, Sillica.

Antice: Phil to see oproduct than a remyly glass, Mik this product will not least 6 ances in thill glass of flouid. Six briskly and drink promptly. Taking without panugh legal may cause choking. Do not take if you have difficulty swellbarking.

Aftery after: This product may cause allergic reaction in people sensitive to inhaled or inspetted pryllium. Contact your doctor BEFORE USNA this delays appelment if you have exemptly experienced a sudden change in bowel habits pensisting for 2 weeks, abdominal pain masses or vernifler; 570° USNAS this delays pupplement and six doctor if constiguistion lests more than? days or rectal bleeding occurs. These may be signed a services condition.

New Users: Start with 1 serving per day, gradually increase to desired dayly intible. Vou may intilled yeoprefered cathegain to be all habits or minor blobating, as your body adjusts to increased fiber intake.

When used as a daily fiber supplement:

Fiber Supplement Information

Fiber Supplement Information

USes & Directions:
For feeling less hungry between meals**
For feeling less hungry between meals**
Adults & children 12 yrs. and over? In oranded tespoors in
30 more ounce flegal with meals, up to 3 times daily.
For lowering cholesterol to promote heart health'
Adults & children 12 yrs. & over The rounded tespoor in
8 ounces of liquit, 3 times daily. Diets but in saturated fat and
cholesterol that lackle 2 grant of solide they are day from poplium
hask, as in this product, may reduce the risk of heart desises by
lowering children's Che serving of this product has 2.4 grants of this
solide flee. Crossift a doctor if you are considering use of this product
as part of a children's howering profiles. as a part of a cholesterol-lowering program.

For maintaining healthy blood sugar levels as part of

For maintaining nearmy uroos sugar here as a formal your diet*

Jour diet*

Adults & children 12 yrs. and over: One rounded tesspoon in Author & children 12 yrs. and over: One rounded tesspoon in a courset ly using medication to control your blood sugar levels.

For promoting and maintaining digestive health*

Adults & children 12 yrs. and over: One rounded tesspoon in 8 ounces of liquid up to 3 times daily for fiber supplementation.

In 8 ounces of liquid up to 3 times daily for fiber supplementation. on and to help pro For children under 12 yrs.: consult a doctor.

Drug Facts

Active ingredient (in each teaspoon)

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 12-72 hours

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus armay cause choking. Do not take this product if you have difficulty in swallowing, if you experience chest pain, vonting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

Allergy afert: This product may cause an allergic reaction in people sensitive to inhaled or ingested psyllium.

■ a sudden change in bowel habits persisting for 2 weeks ■ abdominal pain, nausea or vomiting

Stop use and ask a doctor if ■ constipation lasts more than 7 days ■ rectal bleeding occurs These may be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right

Directions Put one dose into an empty glass. Mix this product (child or adult dose) with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. Six briskly and drink promptly. If mixture thickens, add more liquid and stir.

Adults & children 12 years
1 rounded teaspoon in 8 ounces of liquid at the first sign of irregularity.
Can be taken up to 3 times daily.

Children 6-11 yrs: 1/2 adult dose in 8 ounces of liquid, up to 3 times daily

Children under 6 yrs: Consult a doctor Bulk-forming fibers like psyllium husk may affect how well other medicines work. If you are taking a prescription medicine by mouth, take this product at least 2 hours before or 2 hours after the prescribed medicine. New Users: Start with 1 serving per day; gradually increase to desred dayl intake, You may initially experience changes in bowel habits or minor bloating, as your body adjusts to increased fiber intake.

Other information

Other information

■ each teaspoon contains: potassium 35 mg, sodium 5 mg

■ store at room temperature. Keep the container tightly closed to protect from humidity

■ contains a 100% natural, therapeutic fiber

PSYLLIUM HUSK

Inactive ingredients silica, sucrose

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by The Procter & Gamble Co., owner of the trader MultiHealth Fiber!TM.

TAMPER EVIDENT: DO NOT USE IF PRINTED INNER SEAL



DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544

EXP:



511114MJRLR LOT:

3.4 g in 12 g

MEIJER NATURAL FIBER

psyllium husk powder

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41250-414

Route of Administration ORAL

Active Ingredient/Active Moiety

PSYLLIUM HUSK (UNII: 0SHO53407G) (PSYLLIUM HUSK - UNII:0SHO53407G)

Basis of Strength Ingredient Name Strength

Inactive Ingredients Ingredient Name Strength SILICON DIOXIDE (UNII: ETJ7Z6XBU4) SUCROSE (UNII: C151H8M554)

Product Characteristics					
Color	BROWN	Score			
Shape		Size			
Flavor	ORANGE	Imprint Code			
Contains					

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
		1368 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/14/2017				
Marketing Information							
	Marketing	Application Number or Monograph	Marketing Start	Marketing End			
	Category	Citation	Date	Date			
ОТ	C Monograph Dr	ua M007	03/14/2017				

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 10/2023 MEIJER DISTRIBUTION INC