

DIARALIA- arsenic trioxide, cinchona officinalis bark, podophyllum pellet Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Diaralia Pellets

Active ingredient** (in each pellet)

Arsenicum album 9C HPUS (0.15 mg) (contains less than 10^{-18} mg arsenic)

Cinchona officinalis 5C HPUS (0.15 mg)

Podophyllum peltatum 9C HPUS (0.15 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Arsenicum album 9C HPUS (0.15 mg) Relieves diarrhea with nausea, vomiting, and weakness

Cinchona officinalis 5C HPUS (0.15 mg) ... Relieves diarrhea with gas and bloating

Podophyllum peltatum 9C HPUS (0.15 mg) ... Relieves diarrhea with intestinal rumbling and pain

Uses*

temporarily relieves symptoms of diarrhea such as:

- traveler's diarrhea
- intestinal pain
- bloating
- gas
- nausea
- vomiting

Ask a doctor before us if you have

- fever
- bloody or black stool
- mucus in your stool.

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Drink plenty of clear fluids to help prevent dehydration cause by diarrhea.

- Adults and children 6 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear.
- Children under 6 years of age: Ask a doctor.
- do not use if glue carton end flaps are open or if pellet dispenser seal is broken
- contains 0.25 g of sugar per dose

Multi-symptom Diarrhea Relief*

Bloating, Nausea & Vomiting*

Meltaway Pellets

2 PORTABLE TUBES

APPROX. 80 PELLETS EACH

TOTAL 160 PELLETS

Contains approx. 80 pellets, 3.8 g (0.13 oz)

Do not use if pellet dispenser seal is broken.

Turn tube upside down

Twist until 5 pellets are dispensed

Remove cap and pour pellets under the tongue

Turn tube upside down & twist cap

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C,K,CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

lactose, sucrose

1-800-264-7661

Made in France

Distributed by Boiron, Inc.

Newtown Square, PA

19073

Drug Facts

Active ingredients** (in each pellet)	Purpose*
Arsenicum album 9C HPUS (0.15 mg) (contains less than 10** mg arsenic)	Relieves diarrhea with nausea, vomiting, and weakness
Cinchona officinalis 5C HPUS (0.15 mg)	Relieves diarrhea with gas and bloating
Podophyllum peltatum 9C HPUS (0.15 mg)	Relieves diarrhea with intestinal rumbling and pain

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves symptoms of diarrhea such as:

■ traveler's diarrhea	■ intestinal pain	■ bloating
■ gas	■ nausea	■ vomiting

Warnings

Ask a doctor before use if you have ■ fever
■ bloody or black stool ■ mucus in your stool.

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.

* CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Directions

■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear.
■ Children under 6 years of age: Ask a doctor.

Other

information

■ do not use if glued carton end flaps are open or if pellet dispenser seal is broken
■ contains 0.25 g of sugar per dose

Inactive

ingredients

lactose, sucrose

Questions or comments?

1-800-264-7861

NDC 0220-9097-42

MULTI-SYMPTOM DIARRHEA RELIEF*



Diaralia® — ON THE GO

HOMEOPATHIC MEDICINE

- Bloating, Nausea & Vomiting*
- Meltaway Pellets

2 PORTABLE TUBES
APPROX. 80 PELLETS EACH
TOTAL 160 PELLETS



BOIRON®

World Leader in
Homeopathic Medicines

DIARRHEA RELIEF NDC 0220-9097-41
Diaralia[®] ON THE GO
 Distributed by Boiron Inc. Made in France
 1-800-264-7661 BoironUSA.com

HOMEOPATHIC MEDICINE

Easy Dispensing Tube

ETL1180

Do not use if pellet dispenser seal is broken.
Peel for Drug Facts and Directions.

Boiron[®] Turn tube upside down & twist cap.
 Diaralia[®] On the Go Contains approx. 80 pellets, 3.8 g (0.13 oz)

Drug Facts

Active ingredients	Purpose
Arsenicum album 9C HPUS.....	Relieves diarrhea with nausea, vomiting, and weakness
Cinchona officinalis 5C HPUS.....	Relieves diarrhea with gas and bloating
Podophyllum peltatum 9C HPUS.....	Relieves diarrhea with intestinal rumbling and pain

Uses temporarily relieves symptoms of diarrhea such as:
 ■ traveler's diarrhea ■ intestinal pain ■ bloating
 ■ gas ■ nausea ■ vomiting

Warnings
Ask a doctor before use if you have ■ fever
 ■ bloody or black stool ■ mucus in your stool.

Stop use and ask a doctor if symptoms persist for more than 2 days or worsen.

If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
Drink plenty of clear fluids to help prevent dehydration caused by diarrhea.
 ■ Adults and children 6 years of age and older: At the onset of symptoms, dissolve 5 pellets under the tongue every 4 to 6 hours, up to 2 days maximum. Discontinue use as soon as symptoms disappear.
 ■ Children under 6 years of age: Ask a doctor.

Other information contains 0.25 g of sugar per dose
Inactive ingredients lactose, sucrose

DIARALIA

arsenic trioxide, cinchona officinalis bark, podophyllum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9097
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	9 [hp_C]
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)	CINCHONA OFFICINALIS BARK	5 [hp_C]
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	9 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	
Shape	ROUND	Size	4mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9097-42	2 in 1 BOX	05/09/2022	
1	NDC:0220-9097-41	80 in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/09/2022	

Labeler - Boiron (282560473)**Registrant** - Boiron, Inc. (014892269)**Establishment**

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9097)