ULTRA BALM- menthol and methyl salicylate ointment Ling Nam Medicine Factory (H.K.) Ltd.

Ultra Balm

Drug Facts

Active Ingredients	Purpose
Menthol 14%	Topical analgesic
Methyl Salicylate 23.2%	Topical analgesic

Uses

for temporary relief of minor aches and pains of muscles and joints associated with

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only

Do not use

• If prone to allergic reaction from aspirin or salicylates

When using this product

- avoid contact with eyes or mucous membranes
- do not apply to wounds, damaged or irritated skin
- do not bandage tightly or use with heating pad
- do not use 1 hour prior to bathing or 30 minutes after bathing

Stop use and ask a doctor if

- condition worsens
- skin irritation or redness develops
- pain persists for more than 7 days
- clear up and occur again within a few days

If pregnant or breastfeeding, ask health professional before use.

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact Poison Control Center right away. **Do not use otherwise than as directed.**

Directions

- for adults and children 12 years of age and over, apply to affected area not more than 3 to 4 times daily
- for children 12 years or younger, consult a doctor before use
- not intended for children under two years of age

Other information

Close cap tightly after use. Store in cool place.

Inactive ingredients

Eucalyptus Oil, Lanolin, Paraffin, Petroleum Jelly and Thyme Oil

Questions or comments?

Please call 1-888-915-6789.

PRINCIPAL DISPLAY PANEL - 19.8 g Jar Carton

NDC.No: 57598-888-07

ULTRA BALM

LING NAM®

EXTERNAL ANALGESIC

COOLING PAIN RELIEF

Ling Nam Medicine Factory (H.K.) Limited Tuen Mun, New Territories, Hong Kong, China U.S.A. Sole Distributor: TCM Herbalway Inc. Covina, CA 91724 U.S.A. www.tcmherbalway.com

Made in China Net Wt.0.7 oz (19.8g)



藥品簡介

主要成份

用途

薄荷腦 14%

外用止痛藥

水楊酸甲酯 23.2%......外用止痛藥 功能與主治 用於肌肉及關節上的輕微痛楚•背痛•關

節炎•扭傷•扯傷•挫傷

注意事項

外用搽劑

不可用於:

•對阿斯匹靈或水楊酸過敏

使用此產品時:

- •切勿觸及眼睛及黏膜
- •不可用在傷口、破損或發炎的皮膚上
- •不能包紮太緊或與加熱墊共同使用
- ●洗澡前1小時或洗澡後30分鐘不能使用

如有以下情况,請即停止使用及就醫:

- •情況轉壞 •皮膚過敏或發紅
- •痛楚持續7日以上 症狀暫消又重現

孕婦或銀哺母乳者,使用前請先詢問專業人仕意見。 勿放置兒童可取得處避免中毒。如意外吞服,請即求醫 或馬上聯絡毒物控制中心。遵醫囑及小心使用。

用法與用量

- ●12歲及以上人仕,每天不能使用超過3至4次 ●12歲或以下人仕,使用前請諮詢醫生意見
- •2歲以下人仕不適宜使用

其他資訊 使用後將瓶蓋蓋好。請存放於陰涼處

其他成份 桉油、羊毛脂、石蠟、白凡士林、百里香油

問題或意見 請致電 1-888-915-6789

802238



NDC.No : 57598-888-07



Drug Facts

Active Ingredients

Purpose

Menthol 14%..... Methyl Salicylate 23.2%.

Topical analgesic Topical analgesic

Uses for temporary relief of minor aches and pains of muscles and joints associated with • simple backache • arthritis • strains

· bruises · sprains. Warnings

For external use only

Do not use:

If prone to allergic reaction from aspirin or salicylates

When using this product:

- · avoid contact with eyes or mucous membranes
- · do not apply to wounds, damaged or irritated skin
- do not bandage tightly or use with heating pad
 do not use 1 hour prior to bathing or 30 minutes after bathing
- Stop use and ask a doctor if:

Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact Poison Control Center right away. Do not use otherwise than as directed.

Directions

- for adults and children 12 years of age and over, apply to affected area not more than 3 to 4 times daily
- for children 12 years or younger, consult a doctor before use
 not intended for children under two years of age

Other information Close cap tightly after use. Store in cool place.

Inactive ingredients
Eucalyptus Oil, Lanolin, Paraffin, Petroleum Jelly and Thyme Oil

Questions or comments? Please call 1-888-915-6789.

中國香港


淨重 0.7 安士 (19.8克)



嶺南萬應止痛膏 品名 Product Name Ling Nam Ultra Balm

批號 XXXXXX LOT NO.

使用期限 XXXXXXX EXP. DATE



PRINCIPAL DISPLAY PANEL - 65.1 g Jar Carton

NDC.No: 57598-888-23

ULTRA BALM

LING NAM®

EXTERNAL ANALGESIC


COOLING

PAIN

RELIEF

Ling Nam Medicine Factory (H.K.) Limited Tuen Mun, New Territories, Hong Kong, China

Made in China Net Wt.2.3 oz (65.1g)



藥品簡介

主要成份

用途

外用止痛薬 外用止痛薬

功能與主治 用於肌肉及關節上的輕微痛楚·背痛·關 節炎•扭傷•扯傷•挫傷

注意事項

外用搽劑

不可用於:

• 對阿斯匹靈或水楊酸過敏

使用此產品時:

• 切勿觸及眼睛及黏膜

• 不可用在傷口、破損或發炎的皮膚上

• 不能包紮太緊或與加熱墊共同使用

• 洗澡前1小時或洗澡後30分鐘不能使用

如有以下情況,請即停止使用及就醫:

情況轉壞 皮膚過敏或發紅

• 痛楚持續7日以上 • 症狀暫消又重現

孕婦或側哺母乳者,使用前請先詢問專業人仕意見。 勿放置兒童可取得處继免中毒。如意外吞服,請即求醫或 馬上聯絡毒物控制中心。遵醫囑及小心使用。

用法與用量■ 12歳及以上人仕・每天不能使用超過3至4次
■ 12歳或以下人仕・使用前請諮詢醫生意見

• 2歲以下人仕不適宜使用

其他資訊 使用後將瓶蓋蓋好。請存放於陰涼處

其他成份 桉油、羊毛脂 、石蠟、

問題或意見 請致電 1-718-857-0008





NDC.No : 57598-888-23





嶺南藥廠(香港)有限公司 中國香港新界屯門

中國香港

淨重 2.3安土 (65.1克)

Drug Facts

Active Ingredients

Purpose

Menthol 14% Methyl Salicylate 23.2%. Topical analgesic Topical analgesic

Uses for temporary relief of minor aches and pains of muscles and joints associated with * simple backache * arthritis * strains

Warnings

· bruises · sprains. For external use only

Do not use:

. If prone to allergic reaction from aspirin or salicylates

- When using this product :

 avoid contact with eyes or mucous membranes
- do not apply to wounds, damaged or irritated skin
 do not bandage tightly or use with heating pad
- do not use 1 hour prior to bathing or 30 minutes after bathing

Stop use and ask a doctor if:

- condition worsens
 skin irritation or redness develops
 pain persists for more than 7 days

pain persists for more tinal 7 days
 clear up and occur again within a few days
 If pregnant or breastfeeding, ask health professional before use.
 Keep out of reach of children to avoid accidental poisoning.
 If swallowed, get medical help or contact Poison Control Center right away. Do not use otherwise than as directed.

Directions

- for adults and children 12 years of age and over, apply to affected area not more than 3 to 4 times daily
 for children 12 years or younger, consult a doctor before use
 not intended for children under two years of age

Other information

Close cap tightly after use. Store in cool place

Inactive ingredients

Eucalyptus Oil, Lanolin, Paraffin, Petroleum Jelly and Thyme Oil

Questions or comments?

Please call 1-718-857-0008



品名 Product Name

嶺南萬應止痛膏 Ling Nam Ultra Balm

批號 LOT NO.

使用期限 EXP. DATE

U14XUBL2008

PRINCIPAL DISPLAY PANEL - 65.1 g Jar Carton - NDC 57598-888-88

NDC.No: 57598-888-88

ULTRA BALM


LING NAM®

EXTERNAL ANALGESIC

COOLING PAIN RELIEF

Ling Nam Medicine Factory (H.K.) Limited Tuen Mun, New Territories, Hong Kong, China U.S.A. Sole Distributor: TCM Herbalway Inc. Covina, CA 91724 U.S.A. www.tcmherbalway.com

Made in China Net Wt.2.3 oz (65.1g)



藥品簡介

主要成份

用缝

薄荷腦 14% 水楊酸甲酯 23.2%

外用止痛藥

功能與主治 用於肌肉及關節上的輕微痛楚•背痛•關 節炎 • 扭傷 • 扯傷 • 挫傷

注意事項 外用搽劑

不可用於:

• 對阿斯匹靈或水楊酸過敏

使用此產品時:

- 切勿觸及眼睛及黏膜
- 不可用在傷口、破損或發炎的皮膚上不能包紮太緊或與加熱墊共同使用
- 洗澡前1小時或洗澡後30分鐘不能使用
- 如有以下情況,請即停止使用及就醫:
- 皮膚過敏或發紅 情況轉壞
- 痛楚持續7日以上 症狀暫消又重現

孕婦或餵哺母乳者,使用前請先詢問專業人仕意見 勿放置兒童可取得處避免中毒·如意外吞服,請即求醫或 馬上聯絡毒物控制中心。遵醫囑及小心使用。

用法與用量

- 12歲及以上人仕,每天不能使用超過3至4次12歲或以下人仕,使用前請諮詢醫生意見
- 2歲以下人仕不適宜使用

其他資訊 使用後將瓶蓋蓋好

其他成份 桉油、羊毛脂、

問題或意見 請致電 1-888-915-6789。

805238



NDC.No: 57598-888-88





嶺南藥廠(香港)有限公司 全美總代理:寶薔藥業 Tel: +1-888-915-6789 www.tcmherbalway.com

中國香港 淨重 2.3安土 (65.1克)



Active Ingredients
Menthol 14%.....

Purpose

Methyl Salicylate 23.2%

Topical analgesic Topical analgesic

Uses for temporary relief of minor aches and pains of muscles and joints associated with • simple backache • arthritis • strains · bruises · sprains.

Warnings

For external use only

Do not use:

If prone to allergic reaction from aspirin or salicylates

- When using this product:

 avoid contact with eyes or mucous membranes

 do not apply to wounds, damaged or irritated skin

 do not bandage tightly or use with heating pad

 do not use 1 hour prior to bathing or 30 minutes after bathing
- Stop use and ask a doctor if:

 condition worsens

 skin irritation or redness develops

condition worsens
 • skin irritation or redness develops
 • pain persists for man 7 days
 • clear up and occur again within a few days

If pregnant or breastfeeding, ask health professional before use.

Keep out of reach of children to avoid accidental poisoning.

If swallowed, get medical help or contact Poison Control Center right away. Do not use otherwise than as directed.

- Directions
 for adults and children 12 years of age and over, apply to affected area to radults and children types of the form of more than 3 to 4 times daily
 for children 12 years or younger, consult a doctor before use
 not intended for children under two years of age

Other information

Close cap tightly after use. Store in cool place

Inactive ingredients
Eucalyptus Oil, Lanolin, Paraffin, Petroleum Jelly and Thyme Oil

Questions or comments?

Please call 1-888-915-6789.



嶺南萬應止痛膏 Product Name Ling Nam Ultra Balm

LOT NO.

XXXXXX

使用期限 EXP. DATE

XXXXXXX

U14XUBL2306

ULTRA BALM

menthol and methyl salicylate ointment

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57598-888
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Menthol, Unspecified Form (UNII: L7T10EIP3A) (Menthol, Unspecified Form - UNII:L7T10EIP3A)	Menthol, Unspecified Form	140 mg in 1 g		
Methyl Salicylate (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	Methyl Salicylate	232 mg in 1 g		

Inactive Ingredients			
Ingredient Name	Strength		
Eucalyptus Oil (UNII: 2R04ONI662)			
Lanolin (UNII: 7EV65EAW6H)			
Paraffin (UNII: 1900E3H2ZE)			
Petrolatum (UNII: 4T6H12BN9U)			
Thyme Oil (UNII: 2UK410MY6B)			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57598-888- 25	1 in 1 CARTON	08/01/2013	09/19/2017
1		70.8 g in 1 JAR; Type 0: Not a Combination Product		
2	NDC:57598-888- 07	1 in 1 CARTON	08/01/2013	
2		19.8 g in 1 JAR; Type 0: Not a Combination Product		
3	NDC:57598-888- 23	1 in 1 CARTON	09/19/2017	
3		65.1 g in 1 JAR; Type 0: Not a Combination Product		
4	NDC:57598-888- 88	1 in 1 CARTON	01/07/2022	
4		65.1 g in 1 JAR; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M017	08/01/2013	

Labeler - Ling Nam Medicine Factory (H.K.) Ltd. (667152748)

Establishment				
Name	Address	ID/FEI	Business Operations	
Ling Nam Medicine Factory (H.K.) Ltd.		667152748	MANUFACTURE(57598-888)	

Revised: 10/2023 Ling Nam Medicine Factory (H.K.) Ltd.