

AXIM ALLERGY- diphenhydramine hydrochloride capsule, liquid filled
VIVUNT LLC

Axim Allergy

Drug Facts

Active Ingredient (in each softgel)

Diphenhydramine HCl 25 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat
- temporarily relieves these symptoms due to the common cold:
- runny nose
- sneezing

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose Warning

In case of overdose, get medical help or contact a poison control center immediately.

Directions

- Take every 4 to 6 hours, or as directed by a doctor
- Do not take more than 12 Softgels in 24 hours for Adults and do not take more than 6 Softgels for children 6 to 12 years of age in 24 hours.

adults and children 12 years and over	1 or 2 Softgels
children 6 to under 12 years	1 Softgel
children under 6 years	do not use

Other information

- Store at 20° - 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper Evident: Do not use if the foil printed on the blister is torn or ripped.

Inactive ingredients

Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

PRINCIPAL DISPLAY PANEL 24

Compare to Benadryl® Allergy Liqui-Gels®

active ingredients*

NDC 82706-005-01

Antihistamine

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

DYE-FREE

Diphenhydramine HCl

24 SOFTGELS** **Liquid-filled capsules



Drug Facts

Active ingredient (in each softgel) Diphenhydramine HCl 25 mg Antihistamine

Purpose Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat ■ temporarily relieves these symptoms due to the common cold: ■ runny nose ■ sneezing

Warnings Do not use ■ to make a child sleep ■ with any other product containing diphenhydramine, even one used on skin. ■ Ask a doctor before use if you have ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma ■ trouble urinating due to an enlarged prostate gland. ■ Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. ■ When using this product do not exceed recommended dose ■ marked drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery ■ excitability may occur, especially in children. ■ Keep out of reach of children. ■ If pregnant or breast, ask a health professional before use. ■ Overdose warning: In case of overdose, get medical help or contact a Poison Control Center immediately.

Directions ■ take every 4 to 6 hours, or as directed by a doctor ■ do not take more than 12 softgels in 24 hours for adults and do not take more than 6 softgels for children 6 to 12 years of age in 24 hours. ■ adults and children over 12 years 1 or 2 softgels ■ children 6 to under 12 years 1 softgel ■ children under 4 years do not use

Other information ■ store at 20°-25°C (68°-77°F) ■ read all product information before using ■ Tamper evident: Do not use if the foil printed on the blister is torn or ripped.

axim

Allergy Relief

ANTIHISTAMINE

Compare to Benadryl® Allergy Liqui-Gels® active ingredients* NDC 82706-005-01

axim

Allergy Relief

ANTIHISTAMINE

- Runny Nose
- Sneezing
- Itchy, Watery Eyes
- Itchy Throat

DYE-FREE

Diphenhydramine HCl

24 SOFTGELS**

**Liquid-filled capsules

Product of India.
Distributed by:
VIVUNT PHARM LLC
8950 SW 74th Court, Suite 1901
Miami, Florida Z.C. 33156-3178

LOTXXXXXXXXXX EXPXX/XXXX

Allergy Relief

ANTIHISTAMINE

*This product is not manufactured or distributed by Johnson & Johnson Consumer INC. Benadryl® Allergy Liqui-Gels® are registered trademarks of Johnson & Johnson Consumer INC.

Drug Facts (continued)
Inactive ingredients Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide.

PRINCIPAL DISPLAY PANEL 6

Compare to Benadryl® Allergy Liqui-Gels®

active ingredients*

NDC 82706-005-02

Antihistamine

Runny Nose

Sneezing

Itchy, Watery Eyes

Itchy Throat

DYE-FREE

Diphenhydramine HCl

6 SOFTGELS** **Liquid-filled capsules



Allergy Relief

ANTIHISTAMINE




DYE-FREE

Diphenhydramine HCl

6 SOFTGELS**

**Liquid-filled capsules



*This product is not manufactured or distributed by Johnson & Johnson Consumer INC, owner of the registered trademarks Benadryl® Allergy Liquid-Gels®.

Lote/ence

Drug Facts
Active ingredient (in each softgel) Diphenhydramine HCl 25 mg Antihistamine
Purpose Diphenhydramine HCl 25 mg Antihistamine
Uses Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: <ul style="list-style-type: none"> runny nose sneezing itchy, watery eyes itching of the nose or throat temporarily relieves these symptoms due to the common cold: <ul style="list-style-type: none"> runny nose sneezing
Warnings <ul style="list-style-type: none"> Do not use <ul style="list-style-type: none"> to make a child sleep with any other product containing diphenhydramine, even one used on skin. Ask a doctor before use if you have <ul style="list-style-type: none"> a breathing problem such as emphysema or chronic bronchitis glaucoma trouble urinating due to an enlarged prostate gland. Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. When using this product do not exceed recommended dose marked drowsiness may occur avoid alcoholic drinks alcohol, sedatives, and tranquilizers may increase drowsiness be careful when driving a motor vehicle or operating machinery excitability may occur, especially in children.
Keep out of reach of children. If pregnant or breast-feeding, ask a health professional before use. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center immediately.
Directions <ul style="list-style-type: none"> take every 4 to 6 hours, or as directed by a doctor do not take more than 12 softgels in 24 hours for adults and do not take more than 6 softgels for children 6 to 12 years of age in 24 hours. adults and children over 12 years: 1 or 2 softgels children 6 to under 12 years: 1 softgel children under 6 years: do not use
Other information <ul style="list-style-type: none"> Store at 20°-25°C (68°-77°F) Read all product information before using Tamper evident: Do not use if carton or pouch is open.
Inactive ingredients Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide.

Barcode

VIVUNT
Product of India.
Distributed by:
VIVUNT PHARMA LLC
8950 SW 74th Court, Suite
1901 Miami, Florida Z.C.
33156-3178

AXIM ALLERGY

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-005
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
GELATIN (UNII: 2G86QN327L)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white (Transparent)	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82706-005-01	2 in 1 CARTON	05/09/2022	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:82706-005-02	3 in 1 CARTON	09/20/2023	09/20/2023
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	05/09/2022	

Labeler - VIVUNT LLC (045829437)

Revised: 6/2024

VIVUNT LLC