AXIM SINUS SEVERE MUCUS- acetaminophen, guaifenesin, phenylephine hcl capsule, liquid filled VIVUNT PHARMA LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

AXIM - Sinus Severe + Mucus

Drug Facts

| Active Ingredients (in each softgel) | Purpose | |
|--------------------------------------|-----------------------------|--|
| Acetaminophen 325 mg | Pain reliever-Fever reducer | |
| Guaifenesin 200 mg | Expectorant | |
| Phenylephrine HCl 5 mg | Nasal decongestant | |

Uses

Temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:

- sinus congestion and pressure
- headache
- nasal congestion
- minor aches and pains
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy Alert:

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition

Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose warning

In case of accidental overdose, seek professional assistance or contact a poison control center immediately.

Directions

- Take only as directed (see overdose warning)
- Do not take more than 8 softgels in 24 hours

| adults and children over 12 years | 2 softgels with water every 4 hours |
|-----------------------------------|-------------------------------------|
| children 4 to under 12 years | consult a doctor |
| children under 4 years | do not use |

Other information

- Store at 20° 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper Evident: Do not use if carton is open or blister unit is broken.

Inactive ingredients

D&C Red No. 33, FD&C Red No. 40, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

Product of India

Distributed by:

VIVUNT PHARMA LLC 8950 SW 74th. Court. Suite 1901

Miami, Florida. Z.C. 33156-3178

PRINCIPAL DISPLAY PANEL - AXIM Sinux Severe + Mucus 24

Compare Vicks [®] Sinex [™]

Severe All In One Sinus + Mucus™ LiquiCaps®

active ingredients*

NDC 82706-006-01

AXIM Sinus Severe + Mucus

Cough & Congestion

- Pain Reliever
- Fever Reducer
- Expectorant
- Nassal Decongestant

NON-DROWSY

Acetaminophen, Guaifenesin, Phenylephrine HCl

24 SOFTGELS** **24 Liquid-filled Capsules

*This product is not manufactured or distributed by

The Procter &Gamble Company, owner of the registered trademarks Vicks® Sinex ™ Severe All In One Sinus + Mucus™ LiquiCaps®



PRINCIPAL DISPLAY PANEL - AXIM Sinux Severe + Mucus 6

Compare Vicks® Sinex ™

Severe All In One Sinus + Mucus $^{\text{\tiny TM}}$ LiquiCaps $^{\text{\tiny R}}$

 $active \ ingredients \\ *$

NDC 82706-006-02

AXIM Sinus Severe + Mucus

Cough & Congestion

Pain Reliever

Fever Reducer

Expectorant

Nassal Decongestant

NON-DROWSY

Acetaminophen, Guaifenesin, Phenylephrine HCl

6 SOFTGELS** **24 Liquid-filled Capsules

*This product is not manufactured or distributed by

The Procter &Gamble Company, owner of the registered

trademarks Vicks® Sinex ™ Severe All In One Sinus + Mucus™ LiquiCaps®





DIFECTIONS
■ take only as directed (see overdose warning) ■ do not take more than 8 softgels in 24 hours ■ adults and children over 12 years: 2 softgels with water every 4 hours

Poison Control Center immediately.

If pregnant or breast-feeding, ask a health professional before use.

Overdose warming: In case of accidental overdose, seek professional assistance or contact a

Keep out of reach of children.

When using this product do not exceed recommended dose.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Ask a doctor before use if you have ■ liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ disbetes ■ trouble uninsting due to an enlarged prostate gland ■ persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema.

doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients.

eure whether a drug contains acetaminophen, ask a doctor or pharmacist

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

more than 4,000 mg of acetaminophen in 24 hours

with other drugs containing acetaminophen in 24 hours

while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

with a skin reaction occurs, stop use and seek medical help right away.

reddening

missh. If a skin reaction occurs, stop use and seek medical help right away.

Uses ■ Temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold: ■ sinus congestion and pressure ■ headache ■ nasal congestion ■ minor aches and pains ■ helps loosen phiegm (mucus) and thin bronchial secretions to make cough more productive ■ temporarily reduces fever.

Active ingredients (in each softget)

Expectorant

Expectoran

Drug Facts

Product of India.
Distributed by:
VIVUNT PHARMA LLC
8950 SW 74th Court, Suite 1901
Miami, Florida Z.C. 33156-3178

"This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademarks Vicks" Sinex" Severe All in One Sinus + Mucus" LiquiCaps".

AXIM SINUS SEVERE MUCUS

acetaminophen, guaifenesin, phenylephine hcl capsule, liquid filled

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:82706-006 Route of Administration ORAL

| Active Ingredient/Active Moiety | | | |
|---|--------------------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg | |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1W5297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg | |
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) | ACETAMINOPHEN | 325 mg | |

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| POVIDONE K30 (UNII: U725QWY32X) | | | | |
| METHYLPARABEN (UNII: A218C7H19T) | | | | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | | | | |
| D&C RED NO. 33 (UNII: 9DBA0SBB0L) | | | | |
| GELATIN (UNII: 2G86QN327L) | | | | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |

| Product Characteristics | | | | |
|-------------------------|------|--------------|----------|--|
| Color | red | Score | no score | |
| Shape | OVAL | Size | 22mm | |
| Flavor | | Imprint Code | axim | |
| Contains | | | | |

| P | Packaging | | | | |
|---|----------------------|---|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:82706- 006-01 | 2 in 1 CARTON | 05/09/2022 | | |
| 1 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |
| 2 | NDC:82706- 006-02 | 3 in 1 CARTON | 09/20/2023 | | |
| 2 | | 2 in 1 POUCH; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part341 | 05/09/2022 | | |
| | | | | |

Labeler - VIVUNT PHARMA LLC (045829437)

Revised: 9/2023 VIVUNT PHARMA LLC