AXIM DAYTIME- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled VIVUNT PHARMA LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

AXIM - DayTime Cold & Flu

Drug Facts

Active ingredients (in each softgel)	Purpose
Acetaminophen 325 mg	Pain reliever/fever reducer
Dextromethorphan HBr 10 mg	Cough suppressant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

Temporarily relieves common cold/flu symptoms:

- nasal Congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning

If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition

Keep out of reach of children.

If pregnant or breast-feeding

ask a health professional before use.

Overdose warning

In case of accidental overdose, seek professional assistance or contact a poison control

center immediately.

Directions

- Take only as directed (see overdose warning)
- Do not take more than 8 softgels in 24 hours.

adults and children 12 years and	2 softgels with water every 4
over	hours
children 4 to under 12 years	consult a doctor
children under 4 years	do not use

Other information

- Store at 20° 25 °C (68 °- 77 °F)
- Read all product information before using
- Tamper evident: Do not use if carton is open or blister unit is broken.

Inactive ingredients

FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sorbitol, Titanium Dioxide

Product of India

Distributed by:

VIVUNT PHARMA LLC 8950 SW 74th. Court. Suite 1901

Miami, Florida. Z,C. 33156-3178

PRINCIPAL DISPLAY PANEL - Axim DayTime Carton 24

Compare to

VICKS ® DayQuil®

Cold&Flu LiquiCaps®

active ingredients*

NDC 82706-001-01

AXIM - DayTime

COLD&FLU

Multi-Symptom Relief

- Pain Reliever
- Fever Reducer
- Cough Suppressant

Nasal Decongestant

Non-Drowsy

Acetaminophen, Phenylephrine HCl,

Dextromethorphan HBr

24 SOFTGELS** **Liquid-filled capsules

*This product is not manufactured or distributed by

The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® and LiquiCaps®.



PRINCIPAL DISPLAY PANEL - Axim DayTime Carton 6

Compare to

VICKS ® DayQuil®

 $\mathsf{Cold}\&\mathsf{Flu}\,\,\mathsf{LiquiCaps}\, \mathbb{8}$

active ingredients*

NDC 82706-001-02

AXIM - DayTime

COLD&FLU

Multi-Symptom Relief

Pain Reliever Fever Reducer Cough Suppressant Nasal Decongestant

Non-Drowsy

Acetaminophen, Phenylephrine HCl,


Dextromethorphan HBr

6 SOFTGELS** **Liquid-filled capsules

*This product is not manufactured or distributed by

The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® and LiquiCaps®.





COLD & FLU

Multi-Symptom Relief

NON-DROWSY

Acetaminophen

Dextromethorphan HBr Phenylephrine HCI

6 SOFTGELS**

**Liquid-filled capsules



Inactive ingredients FD&C Red No. 40, FD&C Yellow No. 6, Gelatin, Glycerin, Methylparaben, Polyethylene Glycol 400, Povidone K30, Propylene Glycol, Propylparaben, Purified Water, Sohbitol, Titanium Dioxide.

evident: Do not use if carton or pouch is open.

■ Store at 20°- 25°C (68- 77°F) ■ Read all product information before using ■ Tamper

Other information

Drug Facts (continued)



12 years: consult a doctor ■children under 4 years: do not use

■ adults and children over 12 years: 2 softgels with water every 4 hours ■children 4 to under

■ do not take more than 8 softgels in 24 hours

Directions = take only as directed (see overdose warning)

a Poison Control Center immediately.

Keep out of reach of children.
If pregnant or breast-feeding, ask a health professional before use.

Overdose warning: In case of accidental overdose, seek professional assistance or contact

rash or headache that lasts. These could be signs of a serious condition.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough get worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back or occurs with

When using this product do not exceed recommended dose.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

smoking, asthma, or emphysema.

Ask a doctor before use if you have m inver disease m high blood pressure mish too much philegm (mucus) m persistent or chronic cough as occurs with the mind provided prostate gland m cough that occurs with the mind provided prostate gland mount in the mind provided prostate gland mount philegm (mucus) metalistent or chronic cough as occurs with

doctor or pharmaciat before taking this product.

If you have ever had an allergic reaction to this product or any of its ingredients.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for it you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a

scetaminophen 3 or more alcoholic drinks every day while using this product.

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin rededioning blisters areash. If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headsche, rash, nausea, or vomiting, consult a doctor promptly.

Liver warming: This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing

OSCS Temporarily relieves common coloring symbolins. ■ riskal congestion ■ cough due to minor throat and bronchial irritation ■ sore throat ■ headache ■ minor aches and pains ■ fever

Active ingredients (in each soffgel)

Dextromethopian HBr 10 mg

Dextromethopian HBr 10 mg

Dextromethorine HCl 5 mg

Nasal Deconnection

Drug Facts

Barcod

Product of India.

Distributed by:
VIVUNT PHARMA LLC
8950 SW 74th Court, Suite 1

This product is not manufactured by The Procter & Gamble Company, owner of the orgistered trademarks Vicks[®] DayQuil[®] Cold & Fluinglane.

ote/vence

AXIM DAYTIME

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82706-001
i i odaci i ype		icem code (Source)	

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
METHYLPARABEN (UNII: A2I8C7HI9T)	
GLYCERIN (UNII: PDC6A3C0OX)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POVIDONE K30 (UNII: U725QWY32X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics			
Color	orange	Score	no score
Shape	OVAL	Size	22mm
Flavor		Imprint Code	axim
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:82706-001- 01	3 in 1 CARTON	05/09/2022		
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product			
	NDC 02700 001				

2	NDC:β2/Uβ-UU1-	3 in 1 CARTON	09/20/2023		
2		2 in 1 POUCH; Type 0: Not a Combination Product			
M	Marketing Information				

lication Number or Monograph Citation	Marketing Start Date	Marketing End Date
	05/09/2022	
	Citation	Citation Date

Labeler - VIVUNT PHARMA LLC (045829437)

Revised: 9/2023 VIVUNT PHARMA LLC