

LORATADINE- loratadine tablet
Major Pharmaceuticals

Loratadine tablets

Active ingredient

Loratidine USP 10 mg

Purpose

Antihistamine

Use

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies, runny nose, itchy, watery eyes, sneezing, itching of the nose and throat.

Warning

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

liver or kidney disease. You doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

Pregnancy/breast-feeding warning

Ask a health professional before use.

Keep out of reach of children

in case of overdose, get medical help or contact a poison control center right away.

Directions

Adults and children 6 and over: 1 tablet daily not more than 1 tablet in 24 hours

Children under 6 years of age: ask a doctor

Consumers with liver or kidney disease: ask a doctor

Other information

Store at 20° - 25°C (68° -77°F); excursions permitted to 15° - 30° C (59° - 86° F). [See USP Controlled Room Temperature]

Protect from excessive moisture.

Inactive ingredients

Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions?

Questions or comments? (800) 616-2471

Distributed by:

MAJOR® PHARMACEUTICALS

31778 Enterprise Drive, Livonia, MI 48150 USA

Re-Order No. 301592

PRINCIPAL DISPLAY PANEL LORATADINE TABLETS, USP 10MG



PHARMACEUTICALS

NDC 0904-6074-61

Unit Dose

**LORATADINE
TABLETS, USP**

10 mg.

ANTI-HISTAMINE

Relief of: Sneezing, Runny Nose,
Itchy, Watery Eyes, Itchy Throat or Nose

100 TABLETS



NDC 0904-6074-61

Unit Dose

LORATADINE 10mg Tablets

Drug Facts

Active ingredient (in each tablet)	Purpose
Loratadine USP, 10mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies. ■ runny nose ■ itchy, watery eyes ■ sneezing ■ itching of the nose and throat.

Warnings Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs, seek medical help right away.

If pregnant or breast feeding, ask a health professional before use
Keep out of reach of children, in case of overdose, get medical help or contact a Poison Control Center right away.

Directions	
adults and children 6 and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information ■ Store at 20°-25°C (68°-77°F); excursions permitted to 15°-30°C (59°-86°F). [See USP Controlled Room Temperature] ■ protect from excessive moisture.

Inactive ingredients: Corn starch, lactose monohydrate, magnesium stearate, pregelatinized starch.

Questions or comments? (800) 616-2471

PN: 1049 Distributed by Rev. 04/12
M-59 MAJOR® PHARMACEUTICALS
31778 Enterprise Drive, Livonia, MI 48150 USA
Re-Order No. 301592



LORATADINE

loratadine tablet

Product Information				
Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:0904-6074(NDC:51660-526)	
Route of Administration	ORAL	DEA Schedule		
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LORATADINE (LORATADINE)	LORATADINE	10 mg		
Inactive Ingredients				
Ingredient Name	Strength			
STARCH, CORN				
LACTOSE MONOHYDRATE				
MAGNESIUM STEARATE				
Product Characteristics				
Color	WHITE	Score	no score	
Shape	ROUND	Size	6mm	
Flavor		Imprint Code	RX526	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6074-61	100 in 1 BOX, UNIT-DOSE; Combination Product Type = C112160	06/15/2010	08/31/2017
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076134	06/15/2010		

Labeler - Major Pharmaceuticals (191427277)