

**ACETAMINOPHEN- acetaminophen tablet, film coated, extended release**  
**Chain Drug Marketing Association Inc.**

-----  
**Acetaminophen**

***Drug Facts***

**Active ingredient (in each caplet)**

Acetaminophen USP, 650 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - muscular aches
  - backache
  - minor pain of arthritis
  - toothache
  - premenstrual and menstrual cramps
  - headache
  - the common cold
- temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if you have** liver disease.

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> <li>▪ take 2 caplets every 8 hours with water</li> <li>▪ swallow whole; do not crush, chew, split or dissolve</li> <li>▪ do not take more than 6 caplets in 24 hours</li> <li>▪ do not use for more than 10 days unless directed by a doctor</li> </ul>
children under 12 years	<ul style="list-style-type: none"> <li>▪ do not use</li> </ul>

**Other information**

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

**Inactive ingredients**

croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

**Questions?**

call **1-800-406-7984**

Distributed by C.D.M.A., Inc.©  
43157 W. Nine Mile  
Novi, MI 48376-0995

**PRINCIPAL DISPLAY PANEL - 50 Caplet Bottle Carton**

NDC 63868-091-50

QUALITY  
CHOICE

†Compare to  
Active Ingredient in  
TYLENOL® 8 Hour


Last up to 8 Hours | Use Only as Directed

8 Hour Pain Relief  
Acetaminophen Extended-release Tablets USP, 650 mg

Pain Reliever | Fever Reducer

For up to 8 Hours Relief of Minor Muscle Aches & Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN  
50 CAPLETS\* (\*capsule-shaped tablets)



ACETAMINOPHEN			
acetaminophen tablet, film coated, extended release			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-091
Route of Administration	ORAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	650 mg	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>		<b>Strength</b>		
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
STARCH, CORN (UNII: O8232NY3SJ)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
<b>Product Characteristics</b>				
<b>Color</b>	white	<b>Score</b>	no score	
<b>Shape</b>	OVAL (Capsule Shaped)	<b>Size</b>	19mm	
<b>Flavor</b>		<b>Imprint Code</b>	cor116	
<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-091-50	50 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	
2	NDC:63868-091-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/30/2002	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA076200	04/30/2002		

**Labeler** - Chain Drug Marketing Association Inc. (011920774)

**Registrant** - Sun Pharmaceutical Industries Inc. (146974886)

### Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(63868-091)