

ACETAMINOPHEN- acetaminophen tablet, film coated, extended release
Chain Drug Marketing Association Inc.

Drug Facts

ACTIVE INGREDIENT (IN EACH CAPLET)

Acetaminophen USP, 650 mg

PURPOSE

Pain reliever/fever reducer

USES

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - headache
 - minor pain of arthritis
- temporarily reduces fever

WARNINGS

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

Liver disease.

Ask a doctor or pharmacist before use if you are

Taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	take 2 caplets every 8 hours with water swallow whole - do not crush, chew, split or dissolve do not take more than 6 caplets in 24 hours do not use for more than 10 days unless directed by a doctor
children under 12 years	do not use

OTHER INFORMATION

- store at 20 - 25° C (68 - 77° F). Avoid excessive heat 40° C (104° F).
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

INACTIVE INGREDIENTS

Croscarmellose sodium, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

QC QUALITY CHOICE®

NDC 63868-091-50

†Compare to the active ingredient in Tylenol® 8 Hour

Lasts up to 8 HOUR

Use only as directed.

See New Warnings Information

Acetaminophen

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

EXTENDED-RELEASE TABLETS, USP 650 mg

Pain Reliever/Fever Reducer

For up to 8 Hour Relief of Minor Muscular Aches & Pain

50 CAPLETS* 650 mg EACH

(* capsule-shaped tablets)

©DISTRIBUTED BY QUALITY CHOICE

5097971/R0812

Non Varnish Area

Batch No. Expiration Date:

6 355151 95859 3

NDC 63868-091-50

Use only as directed,
See New Warnings Information

* Compare to
TYLENOL® 8 Hour
active ingredient

Last up to 8 Hours

Acetaminophen Extended-Release Tablets, USP 650 mg

Pain Reliever/Fever Reducer

For up to 8 Hour Relief of Minor Muscular Aches & Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

50 CAPLETS* 650 mg EACH
(*capsule-shaped tablets)

NDC 63868-091-50

Last up to 8 Hours

Acetaminophen Extended-Release Tablets, USP 650 mg

Drug Facts (continued)

Other information

- store at 20°-25° C (68°-77° F). Avoid excessive heat 40° C (104° F).
- see and panel for batch number and expiration date

Inactive ingredients

croscarmellose sodium, hydroxypropylcellulose, magnesium stearate, microcrystalline cellulose, polydioxane, pregelatinized starch, propylene glycol, sodium lauryl sulfate, stearic acid, titanium dioxide

Questions? call 1-800-406-7884

Contains No Aspirin

Keep the carton.
It contains important information.

*This product is not manufactured or distributed by McKel Consumer Healthcare, Inc. The owner of the registered trademark Tylenol® is The Tylenol Company.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

Distributed by C.D.M.A., Inc.
 43757 VA, Nine Mile
 Novi, MI 48376-0985
www.qualitychoice.com
 Questions: 248-449-9300

R0812

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- take 2 caplets every 8 hours with water
- swallow whole – do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor
- do not use

children under 12 years

Drug Facts

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - headache
 - minor pain of arthritis
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount.

- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood-thinning drug warfarin.

5097971

5097971

ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-091
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (Capsule Shaped)	Size	19mm
Flavor		Imprint Code	cor116
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-091-50	50 in 1 BOTTLE		
2	NDC:63868-091-01	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076200	04/30/2002	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		184769029	manufacture(63868-091)

Revised: 10/2012

Chain Drug Marketing Association Inc.