

**HERS MINERAL SUNSCREEN MULTI-SCREEN- zinc oxide lotion  
HIMS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**hers mineral sunscreen multi-screen**

**hers mineral sunscreen multi-screen**



# HERS MINERAL SUNSCREEN MULTI-SCREEN

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71730-901
<b>Route of Administration</b>	TOPICAL		

sun and blue light protection

broad spectrum SPF 50+

blocks 98% of UV rays

lightweight, fragrance-free



**hers**



mineral sunscreen  
**multi-screen**

the more-than-sun screen  
made with zinc oxide to shield  
harmful light, inside and out

**SPF 50+**

30 mL / 1 FL OZ

**protect skin whether  
you're working or playing**

Zinc oxide, plant-based  
squalane, and glycerin work  
to protect your skin and  
reduce signs of aging. This  
mineral sunscreen shields  
from harmful UVA/UVB rays  
and blue light.

**Directions:** Apply in the  
morning, after moisturizing  
your skin. Reapply every two  
hours for continued protection  
against sun and blue light.

- cruelty-free
- fragrance-free
- mineral sunscreen

**hers**

take care of you. all of you.  
forhers.com

### Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by sun.

**Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center immediately.

**Directions**

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10 a.m. – 2 p.m.
  - Wear long sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months of age: ask doctor.

**Inactive ingredients**

Water (Aqua), Caprylic/Capric Triglyceride, Isoamyl Laurate, Squalane, Butyloctyl Salicylate, Jojoba Esters, Glycerin, Caprylyl Glycol, Cetyl Alcohol, Glyceryl Stearate, Silica, Polyglyceryl-2 Dipolyhydroxystearate, PEG-75 Stearate, Methylpropanediol, Allantoin, Pyrus Malus (Apple) Fruit Extract, Lysolecithin, Sclerotium Gum, Lecithin, Ceteth-20, Phenylpropanol, Steareth-20, Pullulan, Xanthan Gum, Bisabolol, Aloe Barbadensis Leaf Juice Powder, Maltodextrin, Tetrasodium Glutamate Diacetate, Phenoxethanol, Ethylhexylglycerin, Hexylene Glycol, Tocopherol, Sodium Hydroxide

**Other information**

Protect this product from excessive heat and direct sun.

**Questions or comments?**  
Phone 1-800-368-0038 for reporting serious adverse events associated with use of this product, or visit us at forhers.com.



recycle after you've enjoyed.  
separate components in recycling  
bin for best chance of recyclability.  
discard pump.



MADE IN THE USA WITH US AND IMPORTED MATERIALS.  
DISTRIBUTED BY HIMS, INC.,  
2269 CHESTNUT STREET #523, SAN FRANCISCO, CA 94123

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ISOAMYL LAURATE (UNII: M1SLX00M3M)	
HEXYLENE GLYCOL (UNII: KEH0A3F75J)	
TOCOPHEROL (UNII: R0ZB2556P8)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERIN (UNII: PDC6A3C0OX)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
WATER (UNII: 059QF0KO0R)	
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CETETH-20 (UNII: I835H2IHHX)	
PULLULAN (UNII: 8ZQ0AYU1TT)	
SQUALANE (UNII: GW89575KF9)	
STEARETH-20 (UNII: L0Q8IK9E08)	
CYCLODEXTRINS (UNII: 7E6SK9QDT8)	

**Product Characteristics**

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71730-901-02	1 in 1 CARTON	10/04/2021	
1	NDC:71730-901-01	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

**Marketing Information**

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC monograph not final	part352	10/04/2021	

**Labeler** - HIMS (080678637)

**Registrant** - Nanophase Technologies Corporation (623502044)

### Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	manufacture(71730-901) , pack(71730-901)

Revised: 3/2023

HIMS