IODIP 1000- iodine liquid ProActive Solutions USA, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

IoDip 1000

lodip 1000

IoDip-1000™ is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS:

Use full strength.

Pre-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted **IoDip-1000**™. Allow 5-30 seconds of contact time. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted **IoDip-1000™**. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.

Caution:

Hazard statement(s):

May be harmful if swallowed. May cause eye irritation.

Precautionary statement(s):

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and

face protection.

Hazards not otherwise classified: None Known

First Aid:

General Advice: May cause eye irritation with corneal injury and result in impairment of vision.

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

Internal: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth,

then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

Inhalation of vapors: Should not occur with proper use of this product.

Most important symptoms/effects, acute and delayed: None known

Immediate medical attention and special treatment needed, if any: None

IoDip 1000



IoDip-1000™



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

 $\textbf{IoDip-1000}^{\intercal M}$ is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS: Use full strength.

Describing the state of the st

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted IoDip-1000™. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.

Active Ingredients: lodine.....1.0%

Contains Skin Emollients

Hazard statement(s):
May be harmful if swallowed. May cause eye irritation.
Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.
Hazards not otherwise classified: None Known

General Advice: May cause eye irritation with conneal injury and result in impairment of vision.

External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing before pures.

least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internat: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Should not occur with proper use of this product. Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: None known

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com



IoDip-1000™

Sanitizing lodine Teat Dip



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

 $\textbf{IoDip-1000}^\intercal \textbf{M}$ is a sanitizing iodine teat dip to aid in the prevention of the spread of mastitis causing organisms.

USE INSTRUCTIONS: Use full strength.

Use full strengtm.

Per-Dipping: Just before milking, make sure the teats are clean and dry. Dip each teat in undiluted IoDip-1000¹⁴. Allow 15-30 seconds of contact time. Dry with a single service towel and attach milker units.

Post-Dipping: Immediately after removing inflations, dip each teat in undiluted IoDip-1000¹⁴. Allow teat to air dry. Do not wipe. Replace the solution if it becomes visibly dirty.

Active Ingredients: lodine.....1.0%

Contains Skin Emollients

Hazard statement(s):
May be harmful if swallowed. May cause eye irritation.
Precautionary statement(s):
Do not eat, drink or smoke while using this product. Wear protective clothing,

General Advice: May cause eye irritation with conneal injury and result in impairment of vision. External: If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash

least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

Eyes: Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart. Internat: Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person. Inhalation of vapors: Should not occur with proper use of this product. Most important symptoms/effects, acute and delayed: None known Immediate medical attention and special treatment needed, if any: None known

FOR CHEMICAL EMERGENCIES: CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303 800.279.7761 www.proactivesolutionsusa.com



iodine liquid

Product Information

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:63927-4215

Route of Administration TOPICAL

Active Ingredient/Active Moiety

	Ingredient Name	Basis of Strength	Strength	
ı	IODINE (LINII), 0670TC07VA) (IODINE LINII),0670TC07VA)	IODINE	1 kg in 100 kg	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63927- 4215-1	15.60 kg in 1 CASE		
2	NDC:63927- 4215-2	19.50 kg in 1 JUG		
3	NDC:63927- 4215-6	58.50 kg in 1 DRUM		
4	NDC:63927- 4215-7	214.51 kg in 1 DRUM		
5	NDC:63927- 4215-8	1072.29 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information

	Marketing	Application Number or Monograph	Marketing Start	Marketing End
	Category	Citation	Date	Date
ottei	unapproved drug other		07/06/2006	

Labeler - ProActive Solutions USA, LLC (029368225)

Registrant - ProActive Solutions USA, LLC (029368225)

Establishment Name Address ID/FEI Business Operations

ProActive Solutions USA, LLC 029368225 api manufacture, manufacture, pack, relabel