

EMULSIVIT E AD- tocopherol vitamin a vitamin d3 injection
Durvet, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Vitamin E+AD

Vitamin E+AD

Injectable Tocopherol + AD

(Vitamin A, D₃, and E)

INTRAMUSCULAR OR SUBCUTANEOUS INJECTION ONLY

Indications: Vitamin E+AD AD is a clear, sterile, non-aqueous solution of vitamin A, vitamin D₃, and vitamin E. The product is intended as a supplemental source of vitamins A, D and E in cattle.

Natural vitamin A (carotenes), and tocopherols can be destroyed in feedstuffs through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze in lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and Vitamin E status of animals.

Each mL contains:

ACTIVE INGREDIENTS: 300IU's vitamin E (as d-alpha-tocopherol, a natural source of vitamin E); 100,000 IU's Vitamin A Propionate; 10,000 IU's Vitamin D₃.

INACTIVE INGREDIENTS: 2% benzyl alcohol (preservative) in a water emulsifiable base.

Caution:

Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines. Administration of this product to well nourished animals may cause hypervitaminosis D which may result in hypercalcemia.

Warning:

Do not add water to solution.

FOR USE IN ANIMALS ONLY

KEEP OUT OF REACH OF CHILDREN

TAKE TIME

OBSERVE LABEL DIRECTIONS

Store between 15°–30°C (59°–86°F) in a dark place.

ADMINISTRATION AND DOSAGE:

Intramuscular or Subcutaneous Administration Only. May be repeated. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

SUGGESTED DOSAGE: mL

CATTLE (Dairy and Beef)

Cows and Heifers

2-3 wks pre-partum 8-10

At calving 8-10

End of lactation 8-10

Calves

At birth 4-6

At weaning 4-6

Yearlings 5-6

SUGGESTED DOSAGE: mL

CATTLE (Dairy and Beef)

Cows and Heifers

2-3 wks pre-partum 8-10

At calving 8-10

End of lactation 8-10

Calves

At birth 4-6

At weaning 4-6

Yearlings 5-6

FOR USE IN ANIMALS ONLY

ADMINISTRATION AND DOSAGE:

Intramuscular or subcutaneous administration only. If dose is greater than 5 mL, equally divide the dose and inject at two different sites.

SUGGESTED DOSAGE:

CATTLE (Dairy and Beef)	mL
Cows and Heifers	
2-3 wks pre-partum	8-10
At calving	8-10
End of lactation	8-10
Calves:	
At birth	4-6
At weaning	4-6
Yearlings	5-6

CAUTION: Do not exceed recommended dosage. Occasionally, reactions of an anaphylactic or allergic nature may occur. Should such reactions occur, treat immediately with injection of epinephrine or antihistamines. Administration of this product to well nourished animals may cause hypervitaminosis D which may result in hypercalcaemia.

WARNING: Do not add water to solution.

Manufactured for:
DURVET, INC.
Blue Springs, Missouri 64014
www.durvet.com



NDC 30798-695-13



Vitamin E+AD

INJECTABLE TOCOPHEROL + AD
(Vitamin A, D₃, and E)

**INTRAMUSCULAR OR
SUBCUTANEOUS INJECTION ONLY**



**NET CONTENTS:
250 mL
(8.5 FL. OZ.)**

**KEEP OUT OF REACH
OF CHILDREN**

Each mL contains:

ACTIVE INGREDIENTS: 300 IU's of Vitamin E (as d-alpha-tocopherol, a natural source of Vitamin E); 100,000 IU's Vitamin A Propionate; 10,000 IU's Vitamin D₃.

INACTIVE INGREDIENTS: 2% Benzyl Alcohol (preservative) in a water emulsifiable base.

INDICATIONS: Vitamin E+AD is a clear, sterile, non-aqueous solution of Vitamin A, Vitamin D₃, and Vitamin E. The product is intended as a supplemental source of vitamin A, D, and E in cattle.

Natural Vitamin A (carotenes), and tocopherols in feedstuffs can be destroyed through processing, ensiling and storage. Due to these losses, reduced intakes of fat-soluble vitamins can occur in animals maintained in continual confinement compared to animals allowed to graze lush pasture. Intramuscular or subcutaneous injections offer an efficient and rapid method to increase vitamin A, vitamin D and vitamin E status of animals.

Store between 15° and 30° C (59°-86° F) in a dark place.

V-3234-05 REV 08-16

Lot No.:	EXP. DATE:
----------	------------



EMULSIVIT E AD

tocopherol vitamin a vitamin d3 injection

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-695
Route of Administration	INTRAMUSCULAR, SUBCUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
.ALPHA.-TOCOPHEROL, D- (UNII: N9PR3490H9) (.ALPHA.-TOCOPHEROL, D- - UNII:N9PR3490H9)	.ALPHA.-TOCOPHEROL, D-	201 mg in 1 mL
VITAMIN A (UNII: 81G40H8B0T) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	3.6 mg in 1 mL
VITAMIN D (UNII: 9VU1KI44GP) (CHOLECALCIFEROL - UNII:1C6V77QF41)	VITAMIN D	2.5 mg in 1 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-695-13	250 mL in 1 VIAL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug		08/10/2016	

other

08/10/2018

Labeler - Durvet, Inc. (056387798)

Revised: 12/2023

Durvet, Inc.