

**DAYWEAR ANTI OXIDANT 72H-HYDRATION SORBET CREME BROAD SPECTRUM
SPF 15- avobenzone, homosalate, octisalate, and octocrylene cream
ESTEE LAUDER INC**

**DAYWEAR ANTI OXIDANT 72H-HYDRATION SORBET CREME BROAD SPECTRUM
SPF 15**

Drug Facts

| <i>Active ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| Avobenzone 2.0% | Sunscreen |
| Homosalate 4.0% | Sunscreen |
| Octisalate 4.5% | Sunscreen |
| Octocrylene 2.0% | Sunscreen |

Use

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • glycerin • alcohol denat. • pentylene glycol • caprylyl
methicone • biosaccharide gum-1 • ammonium acryloyldimethyltaurate/vp
copolymer • cucumis sativus (cucumber) fruit extract • sodium hyaluronate • thermus
thermophilus ferment • ethylbisiminomethylguaiacol manganese
chloride • ergothioneine • tocopheryl acetate • tetrahexyldecyl
ascorbate • cyclodextrin • psidium guajava (guava) fruit extract • caffeine • narcissus tazetta
bulb extract • polygonum cuspidatum root extract • algae extract • helianthus annuus
(sunflower) seed extract • vitis vinifera (grape) seed extract • triticum vulgare (wheat)
germ extract • hordeum vulgare (barley) extract/extrait d'orge • gentiana lutea (gentian)
root extract • linoleic acid • cholesterol • glycyrrhetic acid • saccharomyces lysate
extract • palmitoyl hydroxypropyltrimonium amylopectin/glycerin crosspolymer • artemia
extract • propylene glycol
dicaprate • ethylhexylglycerin • tocopherol • propanediol • squalane • glucose • acrylates/c10-
30 alkyl acrylate crosspolymer • butylene glycol • lecithin • citric acid • sodium
hydroxide • fragrance (parfum) • disodium edta • bht • sodium
benzoate • phenoxyethanol • blue 1 (ci 42090) <iln48747>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

ESTÉE LAUDER

DayWear

Anti-Oxidant 72H-Hydration Sorbet Creme

Broad Spectrum SPF 15

Normal/Combination Skin

POIDS NET WT. 1.7 OZ./50 ml e



ESTÉE LAUDER

DayWear
Anti-Oxidant 72H-Hydration Sorbet Creme
Broad Spectrum SPF 15

Normal/Combination Skin

POIDS NET WT. 1.7 OZ./50ml e

Anti-Oxidant 72H-Hydration Sorbet Creme
Broad Spectrum SPF 15
For Normal/Combination Skin

Hydra-light. Hydra-fresh. This whipped sorbet creme drenches skin on contact. Intensely hydrates for 72 hours. Powerful SPF protection in an innovative ultra-light texture absorbs quickly. Our proprietary Super Anti-Oxidant Complex helps defend against environmental assaults including pollution. Skin feels refreshed, smoother, with a healthy-looking glow. Oil-free. Dermatologist-tested. Non-acnegenic.

© ESTÉE LAUDER, DIST. NEW YORK, N.Y. 10022
WLB LTD, GU32 3DD, UK • WLB NV, Oevel BE-2260
NEW YORK • LONDON • PARIS
MADE IN U.K. P3N1 esteeauder.com



Drug Facts

Active ingredients

Avobenzone 2%
Homosalate 4%
Octisalate 4.5%
Octocrylene 2%

Purpose

Sunscreen
Sunscreen
Sunscreen
Sunscreen

Use

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses

Drug Facts (continued)

- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • glycerin • alcohol denat. • pentylene glycol • caprylyl methicone • biosaccharide gum-1 • ammonium acryloyldimethylsulfate/vp copolymer • cucumis sativus (cucumber) fruit extract • sodium hyaluronate • thermus thermophilus ferment • ethylbisiminomethylgualacol manganese chloride • ergothioneine • tocopheryl acetate • tetrahexyldecyl ascorbate • cyclodextrin • psidium guajava (guava) fruit extract • caffeine • narcissus tazetta bulb extract • polygonum cuspidatum root extract • algae extract • helianthus annuus (sunflower) seed extract • vitis vinifera (grape) seed extract • triticum vulgare (wheat) germ extract • hordeum vulgare (barley) extract/extrait d'orge • gentiana lutea (gentian) root extract • linoleic acid • cholesterol • glyceryl stearate • saccharomyces lysate extract • palmitoyl hydroxypropyltrimonium amylopectin/glycerin crosspolymer • artemia extract • propylene glycol dicaprate • ethylhexylglycerin • tocopherol • propanediol • squalane • glucose • acrylates/c10-30 alkyl acrylate crosspolymer • butylene glycol • lecithin • citric acid • sodium hydroxide • fragrance (parfum) • disodium edta • bht • sodium benzoate • phenoxethanol • blue 1 (ci 42090) <ln48747>

Other information

protect the product in this container from excessive heat and direct sun

FPO/U/PC

P3N1-01-1113



DAYWEAR ANTI OXIDANT 72H-HYDRATION SORBET CREME BROAD SPECTRUM SPF 15

avobenzone, homosalate, octisalate, and octocrylene cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11559-055 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 20 mg in 1 mL |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S) | HOMOSALATE | 40 mg in 1 mL |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 45 mg in 1 mL |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 20 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| WATER (UNII: 059QF0KO0R) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PENTYLENE GLYCOL (UNII: 50C1307PZG) | |
| BIOSACCHARIDE GUM-1 (UNII: BB4PU4V09H) | |
| AMMONIUM ACRYLOYLDIMETHYLTAURATE/VP COPOLYMER (UNII: W59H9296ZG) | |
| CUCUMBER (UNII: YY7C30VXJT) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| THERMUS THERMOPHILUS LYSATE (UNII: 775R692494) | |
| ETHYLBISIMINOMETHYLGUAIACOL MANGANESE CHLORIDE (UNII: SM5YJ88LTU) | |
| ERGOTHIONEINE (UNII: BDZ3DQM98W) | |
| TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ) | |
| GUAVA (UNII: 74O70D6VG0) | |
| CAFFEINE (UNII: 3G6A5W338E) | |
| HELIANTHUS ANNUUS SEEDCAKE (UNII: 482WYF7XLC) | |
| GRAPE (UNII: 6X543N684K) | |
| WHEAT (UNII: 4J2I0SN84Y) | |
| BARLEY (UNII: 5PVM7YLI7R) | |
| LINOLEIC ACID (UNII: 9KJL21T0QJ) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| ENOXOLONE (UNII: P540XA09DR) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| PROPANEDIOL (UNII: 5965N8W85T) | |

| |
|--|
| SQUALANE (UNII: GW89575KF9) |
| BUTYLENE GLYCOL (UNII: 3XUS85KORA) |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) |
| EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) |
| SODIUM BENZOATE (UNII: OJ245FE5EU) |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO) |
| GLUCOSE 1,6-BISPHOSPHATE (UNII: DRX17R6AM2) |
| TOCOPHEROL (UNII: ROZB2556P8) |
| BRINE SHRIMP (UNII: 3ID50N77DH) |
| TRIMETHYLPENTANEDIOL/ADIPIC ACID/GLYCERIN CROSSPOLYMER (25000 MPA.S) (UNII: 587WKM3S9Q) |
| SACCHAROMYCES LYSATE (UNII: R85W246Z1C) |
| GENTIANA LUTEA ROOT (UNII: S72O3284MS) |
| AGAR, UNSPECIFIED (UNII: 89T13OHQ2B) |
| REYNOUtria JAPONICA ROOT (UNII: 7TRV45YZF7) |
| NARCISSUS TAZETTA BULB (UNII: K17762966S) |
| .BETA.-CYCLODEXTRIN SULFOBUTYL ETHER (UNII: H1HJ8WR7WG) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) |
| ALCOHOL (UNII: 3K9958V90M) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:11559-055-01 | 1 in 1 CARTON | 12/01/2018 | |
| 1 | | 50 mL in 1 JAR; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 12/01/2018 | |

Labeler - ESTEE LAUDER INC (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

| Name | Address | ID/FEI | Business Operations |
|---------------------------|---------|-----------|---|
| Whitman Laboratories Ltd. | | 216866277 | manufacture(11559-055) , pack(11559-055) , label(11559-055) |

Revised: 11/2023

ESTEE LAUDER INC