

BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE- liquid bandage liquid

Target Corporation

Target Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious bleeding
- diabetes
- poor circulation
- serious burns

When using this product

- do not store at temperature above 120°F

Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Stop use and ask a doctor if

- condition persists or gets worse
- infection occurs

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- Clean affected area
- apply a small amount on the area 1-3 times daily
- let dry
- a second coating may be applied for extra protection
- to remove, apply more Liquid Bandage and quickly wipe off
- finger nail polish remover may dissolve Liquid Bandage

Other information

- **cap bottle tightly**
- store at room temperature away from heat
- may temporarily sting upon application
- do not allow to come in contact with floors, countertops, or other finished surfaces - will stain

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

antiseptic

liquid

bandage

helps prevent infection

for small cuts and wounds

invisible, flexible, waterproof, easy to use

UP & UP

NET WT 1 FL OZ (29.6 mL)

DO NOT USE IF NECKBAND IS BROKEN

Active ingredients: Benzethonium Chloride 0.2% and Dyclonine Hydrochloride 0.75%. **Purpose:** First aid antiseptic and topical analgesic. **Uses:** First aid to prevent bacterial contamination in minor cuts, scrapes, and burns. For the temporary relief of pain. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. Do not use in eyes, over large areas of the body, and longer than 1 week unless directed by a doctor.

NDC 11673-629-10

liquid bandage

benzethonium chloride 0.2%
dyclonine hydrochloride 0.75%
first aid antiseptic,
topical analgesic

protects small cuts
and wounds
helps prevent infection
flexible sealing,
breathable healing



1 FL OZ (29.6 mL)

Ask a doctor before use if you have deep or puncture wounds, deep cuts, animal bites and serious burns.

When using this product avoid contact with eyes.

Stop use and ask a doctor if condition persists or gets worse, symptoms persist for more than 7 days or clear up and occur again within a few days, and infection occurs.

KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help or call a Poison Control Center right away.

Directions: For adults and children 2 years of age and older. Clean affected area. Apply a small amount on the area 1 to 3 times daily and let dry. A second coating may be applied for extra protection.

Other information: Cap bottle tightly. Store between 20° to 25°C (68° to 77°F). May temporarily sting upon application. To remove, apply more Liquid Bandage and quickly wipe off.

Inactive ingredients: acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions? Call 1-800-910-6874.

245 07 0553 R00 C-000703-01-024

Distributed by Target Corporation

Minneapolis, MN 55403

Made in U.S.A. with U.S. and imported parts

TM & ©2018 Target Brands, Inc.

50-033TG

NDC 11673-629-10



Compare to New-Skin® Liquid Bandage*

liquid bandage

benzethonium chloride 0.2%
dyclonine hydrochloride 0.75%
first aid antiseptic, topical analgesic

protects small cuts and wounds
helps prevent infection
flexible sealing, breathable healing



1 FL OZ (29.6 mL)



53-033TG



BENZETHONIUM CHLORIDE PLUS DYCLONINE HYDROCHLORIDE

liquid bandage liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-629
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q300)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y2I9G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-629-10	10 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	12/01/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	12/01/2017	

Labeler - Target Corporation (006961700)

Revised: 2/2024

Target Corporation