

**CARBONEUM SULPHURATUM- carboneum sulphuratum pellet**  
**Hahnemann Laboratories, INC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 30C

**Min. net wt: 1g**

HOMEOPATHIC

MEDICINE HPUS

**Active ingredient:**

Listed above

**Use:**Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 100C

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

**Active ingredient:**  
Listed above

**Use:** Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 200C

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

**Active ingredient:**

Listed above

**Use:** Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 500C

**Min. net wt: 1g**

HOMEOPATHIC

MEDICINE HPUS

**Active ingredient:**

Listed above

**Use:**Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 1M

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

**Active ingredient:**  
Listed above

**Use:** Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# CARBONEUM SULPHUR.

## 10M

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

**Active ingredient:**  
Listed above

**Use:** Traditional use  
such as headache.

**Keep out of reach  
of children**

**Directions:** Take 5  
pellets orally once

**Inactive ingredients:**  
sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.  
**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# CARBONEUM SULPHURATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic uses such as for headache.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901  
TWIST TO OPEN - USE ONLY IF SEALED

## CARBONEUM SULPHURATUM

carboneum sulphuratum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0180
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CARBON DISULFIDE</b> (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	500 [hp_C]

**Inactive Ingredients**

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0180-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0180-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0180-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0180-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

**CARBONEUM SULPHURATUM**

carboneum sulphuratum pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37662-0183
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CARBON DISULFIDE</b> (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	1 [hp_Q]

Inactive Ingredients				
Ingredient Name			Strength	
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0183-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic			05/26/2022	

CARBONEUM SULPHURATUM				
carboneum sulphuratum pellet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0179	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)		CARBON DISULFIDE	200 [hp_C]	
Inactive Ingredients				
Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
Product Characteristics				
Color	white	Score	no score	

Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0179-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0179-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0179-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0179-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic			05/26/2022	

CARBONEUM SULPHURATUM			
carboneum sulphuratum pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0176
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)		CARBON DISULFIDE	12 [hp_C]
Inactive Ingredients			
Ingredient Name		Strength	
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0176-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0176-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0176-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic			05/26/2022	

CARBONEUM SULPHURATUM						
carboneum sulphuratum pellet						
Product Information						
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0178		
Route of Administration		ORAL				
Active Ingredient/Active Moiety						
Ingredient Name			Basis of Strength	Strength		
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)			CARBON DISULFIDE	100 [hp_C]		
Inactive Ingredients						
Ingredient Name			Strength			
SUCROSE (UNII: C151H8M554)						
Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains						
Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		

1	NDC:37662-0178-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0178-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0178-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0178-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

## CARBONEUM SULPHURATUM

carboneum sulphuratum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0177
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	30 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0177-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0177-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	

3	NDC:37662-0177-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0177-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

CARBONEUM SULPHURATUM			
carboneum sulphuratum pellet			

  

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0181
Route of Administration	ORAL		

  

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)		CARBON DISULFIDE	1 [hp_M]

  

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

  

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

  

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0181-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0181-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0181-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0181-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

## CARBONEUM SULPHURATUM

carboneum sulphuratum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0182
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBON DISULFIDE (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	10 [hp_M]

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0182-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0182-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0182-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
4	NDC:37662-0182-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

## CARBONEUM SULPHURATUM

carboneum sulphuratum pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0175
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CARBON DISULFIDE</b> (UNII: S54S8B99E8) (CARBON DISULFIDE - UNII:S54S8B99E8)	CARBON DISULFIDE	6 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37662-0175-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/26/2022	
2	NDC:37662-0175-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	
3	NDC:37662-0175-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/26/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/26/2022	

**Labeler** - Hahnemann Laboratories, INC. (147098081)

## Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0175, 37662-0176, 37662-0177, 37662-0178, 37662-0179, 37662-0180, 37662-0181, 37662-0182, 37662-0183)

Revised: 5/2022

Hahnemann Laboratories, INC.