

OXYGEN - oxygen gas
Oxarc, Inc.

oxygen label

OXYGEN, COMPRESSED USP UN1072 OXYGEN 2 CAS: 7782-44-7

OXARC 4003 E BROADWAY SPOKANE, WA 99202 1-800-536-9272 www.oxarc.com

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS GAS UNDER

PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

DO NOT REMOVE THIS PRODUCT LABEL

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction. Size Contents Size Contents M6 170 Liters K 6910 Liters M9 248 Liters LO AND 415 Liters HC ANE 682 Liters Other Liters

**OXYGEN,
COMPRESSED
USP
UN1072**



C.A.S. NO. 7782-44-7



oxarc

4003 E. BROADWAY
SPOKANE, WA 99202
1-800-536-9272

www.oxarc.com



⚠ DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE: MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **DO NOT REMOVE THIS PRODUCT LABEL.**

⚠ WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Size	Contents	Size	Contents
<input type="checkbox"/> M6	170 Liters	<input type="checkbox"/> K	6910 Liters
<input type="checkbox"/> M9	248 Liters	<input type="checkbox"/> LO	
<input type="checkbox"/> AND	415 Liters	<input type="checkbox"/> HC	
<input type="checkbox"/> ANE	682 Liters	<input type="checkbox"/> Other	_____ Liters

OXYGEN REFRIGERATED LIQUID, USP UN1073 OXYGEN 2
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction. Keep out of reach of children. Federal law requires that this container be filled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

DANGER: MAY CAUSE OR INTENSIFY FIRE; OXYDIZER. CONTAINS REFRIGERATED GAS;

MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire; Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills, Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

CAS: 7782-44-7 FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. Lot Number: Contents: Expiration Date: OXARC 4003 E BROADWAY SPOKANE, WA 99202 1-800-536-9272 www.oxarc.com DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN

REFRIGERATED LIQUID, USP

UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

USP

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

Keep out of reach of children; and Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

DANGER

MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position.



IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

Lot Number:

Contents:

Expiration Date:

REV. 9/2015



oxarc

4003 E. BROADWAY
SPOKANE, WA 99202
1-800-536-9272

www.oxarc.com

PRINTED BY WATERMAIN MFG., INC.
www.watermain.com

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

oxygen gas

Product Information

Product Type

PRESCRIPTION ANIMAL DRUG

Item Code (Source)

NDC:34057-011

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:34057-011-01	113 L in 1 CYLINDER		
2	NDC:34057-011-02	198 L in 1 CYLINDER		
3	NDC:34057-011-03	254 L in 1 CYLINDER		
4	NDC:34057-011-04	311 L in 1 CYLINDER		
5	NDC:34057-011-05	396 L in 1 CYLINDER		
6	NDC:34057-011-06	566 L in 1 CYLINDER		
7	NDC:34057-011-07	651 L in 1 CYLINDER		
8	NDC:34057-011-08	1132 L in 1 CYLINDER		
9	NDC:34057-011-09	1557 L in 1 CYLINDER		
10	NDC:34057-011-10	1699 L in 1 CYLINDER		
11	NDC:34057-011-11	1982 L in 1 CYLINDER		
12	NDC:34057-011-12	2350 L in 1 CYLINDER		
13	NDC:34057-011-13	2831 L in 1 CYLINDER		
14	NDC:34057-011-14	3511 L in 1 CYLINDER		
15	NDC:34057-011-15	3992 L in 1 CYLINDER		
16	NDC:34057-011-16	4360 L in 1 CYLINDER		
17	NDC:34057-011-17	5776 L in 1 CYLINDER		
18	NDC:34057-011-18	6399 L in 1 CYLINDER		
19	NDC:34057-011-19	7050 L in 1 CYLINDER		
20	NDC:34057-011-20	7957 L in 1 CYLINDER		
21	NDC:34057-011-21	9542 L in 1 CYLINDER		
22	NDC:34057-011-22	14271 L in 1 CYLINDER		
23	NDC:34057-011-23	62297 L in 1 CYLINDER		
24	NDC:34057-011-24	127425 L in 1 CYLINDER		
25	NDC:34057-011-25	141867 L in 1 CYLINDER		
26	NDC:34057-011-26	144132 L in 1 CYLINDER		
27	NDC:34057-011-27	154326 L in 1 CYLINDER		
28	NDC:34057-011-28	155742 L in 1 CYLINDER		
29	NDC:34057-011-29	184370 L in 1 CYLINDER		
30	NDC:34057-011-30	185475 L in 1 CYLINDER		
31	NDC:34057-011-31	202465 L in 1 CYLINDER		
32	NDC:34057-011-32	207505 L in 1 CYLINDER		
33	NDC:34057-011-33	295911 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141387	01/01/1977	

Labeler - Oxarc, Inc. (045704400)**Establishment**

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		023413843	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		603889721	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		612414425	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		005126375	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		169175390	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		609558051	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		783197932	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		027588227	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		122450901	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		153901876	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Oxarc, Inc.		611947086	manufacture
-------------	--	-----------	-------------

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		859257297	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		054029207	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		051866802	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		168319150	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Oxarc, Inc.		079397943	manufacture