PROTECTIVE FOUNDATION SUNSCREEN SPF 15 404 LIGHT BEIGE- sunscreen, avobenzone, octinoxate emulsion Sunrider Manufacturing L.P.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Protective Foundation Sunscreen SPF 15

USES:

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreased the risk of skin cancer and early skin aging caused by the sun.

RECOMMENDATION: PLACE A SMALL AMOUNT ON A SPONGE, BLEND EVENLY OVER FACE

DIRECTIONS:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin againg. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, expecially from 10 a.m. 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses
- Children under 6 months: Ask a doctor

ACTIVE INGREDIENTS:

OCTINOXATE 6% AVOBENZONE 2%

OTHER INGREDIENTS:

Water (Deionized)
Glycereth-26
Caprylic/Capric/Myristic/Stearic Triglyceride
Isopropyl Palmitate
Kaolin
Propylene Glycol
Polysorbate 20
Glyceryl Stearate
Stearic Acid (Veg. Origin)
Dimethicone
Prunus Amygdalus Dulcis (Sweet Almond) Oil
Simmondsia Chinensis (Jojoba) Seed Oil
Ahnfeltia Concinna Extract
Sodium Hyaluronate
Tocopherol

Sorbitan Stearate
Sorbitan Palmitate
Cetyl Alcohol
Bis-Diglyceryl Polyacyladipate-2
Phenoxyethanol
Triethanolamine
Magnesium Aluminum Silicate
Oleth-20
Squalane (Veg. Origin)
Corn Starch Modified
Cellulose Gum
Citric Acid
Trisodium EDTA
Butylene Glycol
Ethylhexylglycerin

WARNINGS:

FOR EXTERNAL USE ONLY

Do not use on damaged or broken skin

When using this product keep oout of eyes. Rinse with water to remove.

Sto use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN. If product is swallowed, get medical help or contact a Poison Control Center right away.

US K Pro Found SPF 15 1oz pump lbl



PROTECTIVE FOUNDATION SUNSCREEN

SPF 15



NET WT. 1 fl. oz./30 mL WARNINGS: KEEP OUT OF REACH OF CHILDREN. FOR EXTERNAL USE ONLY. IF SWALLOWED, SEEK MEDICAL HELP OR CONTACT A POISON CONTROL CENTER IMMEDIATELY. IF CONTACT WITH EYES OCCURS, RINSE THOROUGHLY WITH WATER. DISCONTINUE USE AND CONSULT A DOCTOR IF PERSISTENT SIGNS OF IRRITATION OR RASH APPEAR.

PRODUCT INQUIRY: 1-310-781-8096



MANUFACTURED BY SUNRIDER MANUFACTURING, L.P. TORRANCE, CALIFORNIA 90501 MADE IN USA US S846510534

Production Note: Gold Foil is fixed and locked. Please do not move.

Pro Found SPF 15 1oz CI Pro Found SPF 15 1oz CI





US S801440434

US_K Pro Found SPF 15 1oz PF_BOX



PROTECTIVE FOUNDATION SUNSCREEN SPF 15 404 LIGHT BEIGE

sunscreen, avobenzone, octinoxate emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-404
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	0.02 g in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	0.06 g in 1 g

-	
Ingredient Name Streng	th
water (UNII: 059QF0KO0R)	
ALMOND OIL (UNII: 66YXD4DKO9)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
GLYCERETH-26 (UNII: NNE56F2N14)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
KAOLIN (UNII: 24H4NWX5CO)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
OLETH-20 (UNII: YTH167I2AG)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITAN MONOPALMITATE (UNII: 77K6Z421KU)	
SORBITAN MONOSTEARATE (UNII: NVZ 4I0H58X)	
SQUALENE (UNII: 7QWM220FJH)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TRICAPRIN (UNII: O1PB8EU98M)	
TRICAPRYLIN (UNII: 6P92858988)	
TROLAMINE (UNII: 903K93S3TK)	
AHNFELTIOPSIS CONCINNA (UNII: SMF2K46G8D)	
CAPRYLIC/CAPRIC/PALMITIC/STEARIC TRIGLYCERIDE (UNII: ZF29F7IK5I)	
JOJOBA OIL (UNII: 724GKU717M)	
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)	
CORN STARCH 3-E-DODECENYL SUCCINIC ANHYDRIDE MODIFIED (UNII: QG4MW19XYX)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

Other Ingredients			
Ingredient Kind	Ingredient Name	Quantity	
May contain	TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

May contain	BROWN IRON OXIDE (UNII: 1N032N7MFO)	

Packaging				
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-404- 04	1 in 1 PACKAGE	09/01/2016	
1	-	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	09/01/2016	

Labeler - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2021 Sunrider Manufacturing L.P.