### CHELIDONIUM MAJUS- chelidonium majus pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### CHELIDONIUM MAJUS 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## CHELIDON. MAJUS 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEALI

## CHELIDONIUM MAJUS 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### CHELIDONIUM MAJUS 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### CHELIDON. MAJUS 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C./
TWIST TO OPEN - USE ONLY IF SEALE

### CHELIDONIUM MAJUS 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### CHELIDONIUM MAJUS 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### CHELIDONIUM MAJUS 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## CHELIDON. MAJUS 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, C

## CHELIDONIUM MAJUS 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## CHELIDONIUM MAJUS 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## CHELIDONIUM MAJUS 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## CHELIDON. MAJUS 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

### CHELIDONIUM MAJUS 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### CHELIDONIUM MAJUS 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### CHELIDONIUM MAJUS 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### CHELIDON. MAJUS 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, (

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

### CHELIDONIUM MAJUS 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

### CHELIDON. MAJUS 10M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, CA

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

### CHELIDONIUM MAJUS 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

### CHELIDONIUM MAJUS 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



## TWIST TO OPEN - USE ONLY IF SEALED

### CHELIDONIUM MAJUS 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

### CHELIDONIUM MAJUS LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

#### **CHELIDONIUM MAJUS**

chelidonium majus pellet

_				
_	roo	шст	Intorm	STION
г.	IUU	IULL	Inform	alivii

Product Type HUMAN OTC DRU

HUMAN OTC DRUG Item Code (Source)

NDC:37662-0236

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0236-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022				
2	NDC:37662- 0236-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022				
3	NDC:37662- 0236-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022				
4	NDC:37662- 0236-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022				

		Marketing Information					
olication Number or Monograph Citation	Marketing Start Date	Marketing End Date					
	05/31/2022						
	_ ·	Citation Date					

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0234		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		

CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS -	CHELIDONIUM MAJUS	6 [hp_C]
(	•	- · <b>-</b> -

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0234-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022			
2	NDC:37662- 0234-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			
3	NDC:37662- 0234-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			

Marketing Application Number or Monograph Category Citation Date Date	Marketing Information				
unapproved	End				
unapproved homeopathic 05/31/2022					

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0235		
Route of Administration	ORAL				

Active Ingredient/Active Moiety					
Ingredient Name	Basis of Strength	Strength			
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	12 [hp_C]			

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0235-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022			
2	NDC:37662- 0235-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			
3	NDC:37662- 0235-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			

Marketing Information				
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
	05/31/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0237		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	100 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0237-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022			
2	NDC:37662- 0237-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022			
3	NDC:37662- 0237-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			
4	NDC:37662- 0237-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		05/31/2022			

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0239
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	500 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0239-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022		
2	NDC:37662- 0239-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022		
3	NDC:37662- 0239-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022		
4	NDC:37662- 0239-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/31/2022	

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0238
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0238-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022		
2	NDC:37662- 0238-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022		
3	NDC:37662- 0238-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022		
4	NDC:37662- 0238-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		05/31/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0242	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)	CHELIDONIUM MAJUS	1 [hp_Q]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	1mm	
Flavor Imprint Code				

#### **Contains**

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0242-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		05/31/2022		

### **CHELIDONIUM MAJUS**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0240	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII: 7E889U5RNN)	CHELIDONIUM MAJUS	1 [hp_M]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

l	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:37662-	200 in 1 VIAL, GLASS; Type 0: Not a Combination	05/21/2022			

	<b>1</b> 0240-1 Product		03/31/2022		
2		NDC:37662- 0240-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022	
	3	NDC:37662- 0240-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022	
	NDC:37662- 0240-4 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		05/31/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/31/2022	

chelidonium majus pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0241

**Route of Administration** ORAL

## Active Ingredient/Active Moiety Ingredient Name Basis of Strength CHELIDONIUM MAJUS (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN) CHELIDONIUM MAJUS (UNII: 7E889U5RNN) CHELIDONIUM MAJUS (UNII: 7E889U5RNN)

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging					
# Item Code Package Descript		Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0241-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	05/31/2022		
٦	NDC:37662-	500 in 1 VIAL, GLASS; Type 0: Not a Combination	05/21/2022		

4	0241-2	Product	05/51/2022	
		3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022	
4	NDC:37662- 0241-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	05/31/2022	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		05/31/2022		
		05/31/2022		

### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0234, 37662-0235, 37662-0236, 37662-0237, 37662-0238, 37662-0239, 37662-0240, 37662-0241, 37662-0242)

Revised: 5/2022 Hahnemann Laboratories, INC.