

**OPTIMV ANTI-ITCH MAXIMUM STRENGTH- benzocaine, resorcinol cream
Pharmadel**

OptimV Anti-Itch Maximum Strength Cream (KENIL)

Drug Facts

Drug Facts

Active ingredients

Benzocaine 20%

Resorcinol 3%

Active ingredients

Benzocaine 20%

Resorcinol 3%

Purpose

External analgesic

External analgesic

Use

Temporarily relieves itching.

Warnings

For external use only. Avoid contact with the eyes.

Do not use

- this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other -caine anesthetics
- over large areas of the body
- if you have unusual or abnormal vaginal discharge except under the supervision of a physician

Stop use and ask doctor if

- condition worsens
- symptoms persist for more than 7 days, or clear up and occur again within a few days

If pregnant or breastfeeding,

seek professional advice before taking this product.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **adults and children 12 years and older:** apply a finger tip amount to the affected areas not more than 3 to 4 times daily
- **children under 12 years:** ask a doctor

Other Information

- do not use if foil seal under cap is punctured or missing
- store at 20°-25°C (68°F-77°F)

Inactive ingredients

aloe, carbomer 1342, cetyl alcohol, cholecalciferol (vitamin D), corn oil, dl-alpha-tocopherol (vitamin E), edetate disodium, fragrance, glyceryl monostearate, isopropyl myristate, isopropyl palmitate, lanolin, methylparaben, mineral oil, PEG-100 stearate, propylene glycol, retinol (vitamin A), stearic acid, stearyl alcohol, trolamine, water.

Principal Display Panel

Optim[®]

Anti- Itch Cream

Crema Anti-Picazón

Benzocaine 20% & Resorcinol 3%
• Benzocaína 20% y Resorcinol 3%



Helps soothe irritated skin with Vitamin A,D, E plus Aloe.

Fast & long lasting Relief for

- ✦ Intense itch, including itch from yeast infections
- ✦ Painful, burning & irritations

Alivio rápido y de larga duración para

- ✦ Picazón intensa, incluida la picazón de las infecciones por levaduras
- ✦ Doloridos, ardores e irritaciones

Ayuda a calmar la piel irritada con vitamina A, D, E y Aloe.

Optim[®]

Maximum Strength / Fuerza Máxima

NET WT/ PESO NETO 1 OZ (28g)

OPTIMV ANTI-ITCH MAXIMUM STRENGTH

benzocaine, resorcinol cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-300
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	20 g in 100 g
RESORCINOL (UNII: YUL4LO94HK) (RESORCINOL - UNII:YUL4LO94HK)	RESORCINOL	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
MINERAL OIL (UNII: T5L8T28FGP)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
RETINOL (UNII: G2SH0XKK91)	
CORN OIL (UNII: 8470G57WFM)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
CARBOMER 1342 (UNII: 809Y72KV36)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
TROLAMINE (UNII: 9O3K93S3TK)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LANOLIN (UNII: 7EV65EAW6H)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-300-07	1 in 1 CARTON	06/01/2022	06/01/2022
1		20 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:55758-300-01	1 in 1 CARTON	06/01/2022	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	06/01/2022	

Labeler - Pharmadel (030129680)

