

EQUALINE CLEARLAX- polyethylene glycol 3350 powder, for solution
Supervalu Inc

SuperValu Inc. Clearlax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- **do not take more than directed unless advised by your doctor**
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- ensure that the powder is fully dissolved before drinking
- do not drink if there are any clumps
- use once a day
- use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-855-423-2630

Principal Display Panel

compare to MiraLAX[®] active ingredient

clearlax[®]

polyethylene glycol 3350

powder for solution

osmotic laxative

- relieves occasional constipation/irregularity
- softens stool

● unflavored grit free powder

7 ONCE-DAILY DOSES

NET WT 4.1 OZ (119g)

NDC 41163-306-01

EQUALINE®

compare to MiraLAX® active ingredient*

clearlax®

polyethylene glycol 3350 powder for solution osmotic laxative


- relieves occasional constipation/irregularity
- softens stool
- unflavored grit free powder

7 ONCE-DAILY DOSES

NET WT 4.1 OZ (119g)

: 306D9 EL FL

← Peel Here



0 4 1163 46743 9

Drug Facts

Active ingredient (in each dose) Polyethylene Glycol 3350, 17 g (cap filled to line).....**Purpose** Osmotic Laxative

Use ■ relieves occasional constipation (irregularity) ■ generally produces a bowel movement in 1 to 3 days

Warnings
Allergy alert: Do not use if you are allergic to polyethylene glycol
 Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking ◀ a prescription drug

Distributed by UNFI Providence, RI 02908 USA

100% Quality GUARANTEED

Like it or let us make it right. That's our quality promise. 855-423-2630

: 306D9 EL BL

ADHESIVE AREA NO COPY

Drug Facts (continued)

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

ADHESIVE AREA NO COPY

Drug Facts (continued)

Directions ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ use once a day ■ use no more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F) ■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients none

Questions or comments? 1-855-423-2630

• Sugar Free • Gluten Free

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark MiraLAX®.

EQUALINE CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-306
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-306-01	119 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
2	NDC:41163-306-02	238 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
3	NDC:41163-306-03	510 g in 1 BOTTLE; Type 0: Not a Combination Product	10/07/2009	
4	NDC:41163-306-52	10 in 1 CARTON	08/10/2012	11/25/2015
4		17 g in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/07/2009	

Labeler - Supervalu Inc (006961411)

Revised: 4/2021

Supervalu Inc