CITALOPRAM- citalopram pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CITALOPRAM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CITALOPRAM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CITALOPRAM

30C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

sucrose

00000

Inactive ingredients:

CITALOPRAM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



TWIST TO OPEN - USE ONLY IF SEALED

CITALOPRAM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CITALOPRAM

100C

sucrose

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

Inactive ingredients:

CITALOPRAM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CITALOPRAM

200C

sucrose

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

Inactive ingredients:

TWIST TO OPEN - USE ONLY IF SEALED

CITALOPRAM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CITALOPRAM

500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional homeopathic use. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

CITALOPRAM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CITALOPRAM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CITALOPRAM

1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use: Traditional
homeopathic use.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

mann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALEI

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CITALOPRAM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CITALOPRAM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

CITALOPRAM

citalopram pellet

| _ | | | _ | | | |
|---|----|-----|------|------|---|--------|
| D | ra | Aı. | ICT. | Int. | nm | ation. |
| г | ıv | uч | | 1111 | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | ation |

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-0339

Active Ingredient/Active Moiety

| | Ingredient Name | Basis of Strength | Strength |
|----|---|--------------------------|------------|
| CI | ITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) | CITALOPRAM | 100 [hp_C] |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | | | | |
|-------------------------|-------|--------------|----------|--|--|--|
| Color | white | Score | no score | | | |
| Shape | ROUND | Size | 2mm | | | |
| Flavor | | Imprint Code | | | | |
| Contains | | | | | | |

| P | Packaging | | | | | | |
|---|---------------------------------|---|-------------------------|-----------------------|--|--|--|
| # | # Item Code Package Description | | Marketing Start Date | Marketing End Date | | | |
| 1 | NDC:37662- 0339-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | | |
| 2 | NDC:37662- 0339-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | | |
| 3 | NDC:37662- 0339-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | | |
| 4 | NDC:37662- 0339-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | | |

| Marketing Information | | | | | | |
|---------------------------|---|-------------------------|-----------------------|--|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | |
| unapproved homeopathic | | 06/06/2022 | | | | |
| unapproved homeopathic | | 06/06/2022 | | | | |

citalopram pellet

| Product Information | | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-0343 | | | |
| Route of Administration | ORAL | | | | | |

| Active Ingredient/Active Moiety | | | | | | |
|--|--------------------------|----------|--|--|--|--|
| Ingredient Name | Basis of Strength | Strength | | | | |
| CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) | CITALOPRAM | 1 [hp_Q] | | | | |
| | | | | | | |

| Inactive Ingredients | | | | | |
|----------------------------|----------|--|--|--|--|
| Ingredient Name | Strength | | | | |
| SUCROSE (UNII: C151H8M554) | | | | | |

| Product Characteristics | | | | | | |
|-------------------------|-------|--------------|----------|--|--|--|
| Color | white | Score | no score | | | |
| Shape | ROUND | Size | 1mm | | | |
| Flavor | | Imprint Code | | | | |
| Contains | | | | | | |

| l | P | Packaging | | | | | |
|---|---|----------------------|---|-------------------------|-----------------------|--|--|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| | | NDC:37662- 0343-1 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | |

| Marketing Information | | | | | |
|---------------------------|---|-------------------------|-----------------------|--|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | |
| unapproved homeopathic | | 06/06/2022 | | | |
| | | | | | |

citalopram pellet

| Product Information | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-0337 | | |
| Route of Administration | ORAL | | | | |

| Active Ingredient/Active Moiety | | | | |
|--|-------------------|-----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) | CITALOPRAM | 12 [hp_C] | | |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | |
|-------------------------|-------|-------|----------|
| Color | white | Score | no score |

| Shape | ROUND | Size | 3mm |
|----------|-------|--------------|-----|
| Flavor | | Imprint Code | |
| Contains | | | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:37662- 0337-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |
| 2 | NDC:37662- 0337-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |
| 3 | NDC:37662- 0337-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |

| Marketing Information | | | | | |
|---|--|------------|--|--|--|
| Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date | | | | | |
| unapproved homeopathic | | 06/06/2022 | | | |

citalopram pellet

| Product Information | | | | | |
|-------------------------|----------------|--------------------|----------------|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-0336 | | |
| Route of Administration | ORAL | | | | |

| Active Ingredient/Active Moiety | | |
|--|--------------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) | CITALOPRAM | 6 [hp_C] |

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characteristics | | | | | |
|----------------------------|-------|--------------|-----|--|--|
| Color white Score no score | | | | | |
| Shape | ROUND | Size | 3mm | | |
| Flavor | | Imprint Code | | | |
| Contains | | | | | |
| | | | | | |

| P | Packaging | | | | |
|---|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:37662- 0336-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |
| 2 | NDC:37662- 0336-2 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |
| 3 | NDC:37662- 0336-3 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | |

| Marketing In | nformation | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 06/06/2022 | |

citalopram pellet

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-0338 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V)

CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V)

| Inactive Ingredients | |
|----------------------------|----------|
| Ingredient Name | Strength |
| SUCROSE (UNII: C151H8M554) | |

| Product Characterist | ics | | |
|-----------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 3mm |
| Flavor | | Imprint Code | |
| Contains | | | |

| Pä | ackaging | | | |
|----|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | NDC:37662- 0338-1 | 80 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |

| _ | NDC:37662- 0338-2 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
|---|----------------------|--|------------|--|
| | NDC:37662- 0338-3 | 1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| 4 | NDC:37662- 0338-4 | 4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |

| Marketing Ir | larketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| unapproved homeopathic | | 06/06/2022 | | |
| | | | | |

citalopram pellet

Product Information

| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:37662-0340 |
|--------------|----------------|--------------------|----------------|
|--------------|----------------|--------------------|----------------|

Route of Administration ORAL

Active Ingredient/Active Moiety

| ı | . , | | |
|---|--|--------------------------|------------|
| | Ingredient Name | Basis of Strength | Strength |
| | CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) | CITALOPRAM | 200 [hp_C] |

Inactive Ingredients

| Ingredient Name | Strength |
|----------------------------|----------|
| SUCROSE (UNII: C151H8M554) | |

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code Contains

| P | ackaging | | | |
|---|----------------------|--|-------------------------|-----------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:37662- 0340-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| 2 | NDC:37662- 0340-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| 3 | NDC:37662- 0340-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |

| 4 | | 10000 in 1 BOTTLE, GLASS; Type 0: Not a | 06/06/2022 |
|---|--------|---|------------|
| - | 0340-4 | Combination Product | 00/00/2022 |

| Marketing Information | | | |
|---|---------------------------------|---|--|
| Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| | 06/06/2022 | | |
| | Application Number or Monograph | Application Number or Monograph Marketing Start Citation Date | |

citalopram pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0341

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength
CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V)

CITALOPRAM (UNII: 0DHU5B8D6V) CITALOPRAM 500 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

ColorwhiteScoreno scoreShapeROUNDSize2mmFlavorImprint Code

| l | Packaging | | | | |
|---|-----------|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:37662- 0341-1 | 200 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| | 2 | NDC:37662- 0341-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| | 3 | NDC:37662- 0341-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| | 4 | NDC:37662- 0341-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | |
| П | | | | | |

| Marketing Information | | | |
|---------------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| unapproved homeopathic | | 06/06/2022 | |

citalopram pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0342

Route of Administration ORAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------|
| CITAL ORDAM (LINII), ODULUEDODONA (CITAL ORDAM LINII), ODULUEDODONA | CITALODDAM | 1 Flam N41 |

CITALOPRAM (UNII: 0DHU5B8D6V) (CITALOPRAM - UNII:0DHU5B8D6V) CITALOPRAM 1 [hp_M]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

| Color | white | Score | no score |
|----------|-------|--------------|----------|
| Shape | ROUND | Size | 2mm |
| Flavor | | Imprint Code | |
| Contains | | | |

Packaging

| ı | P | Packaging | | | | | |
|---|---|----------------------|---|-------------------------|-----------------------|--|--|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date | | |
| | 1 | NDC:37662- 0342-1 | | | | | |
| | 2 | NDC:37662- 0342-2 | 500 in 1 VIAL, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | |
| | 3 | NDC:37662- 0342-3 | 3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | |
| | 4 | NDC:37662- 0342-4 | 10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product | 06/06/2022 | | | |

| Marketing | Information |
|-----------|--------------------|
| | |

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
| Category | Citation | Date | Date |

| unapproved homeopathic | 06/06/2022 | |
|---------------------------|------------|--|
| | | |

Labeler - Hahnemann Laboratories, INC. (147098081)

| Establishment | | | |
|---------------------------------|---------|-----------|---|
| Name | Address | ID/FEI | Business Operations |
| Hahnemann Laboratories, INC. | | 147098081 | manufacture(37662-0336, 37662-0337, 37662-0338, 37662-0339, 37662-0340, 37662-0341, 37662-0342, 37662-0343) |

Revised: 6/2022 Hahnemann Laboratories, INC.