

**MEDISTIK PROFESSIONAL DUAL ACTION- methyl salicylate, menthol spray**  
**Natureteq Inc.**

-----  
**Natureteq (as PLD) - MEDISTICK PROFESSIONAL DUAL ACTION SPRAY**  
**(50231-521)**

**ACTIVE INGREDIENTS**

Methyl Salicylate 12%

Menthol 10%

**PURPOSE**

Topical Analgesic

**USES**

Provides temporary soothing relief of sore muscles associated with strains and sprains, backaches, lumbago, pain of tendons and/or ligaments as well as arthritic or rheumatic pain

**WARNINGS**

For external use only. Avoid contact with the eyes and mucous membranes. Do not apply to wounds or damaged skin. Do not tightly bandage. Do not inhale. Do not apply with external heat, such as an electric heating pad, as this may result in excessive skin irritation or skin burn. Keep out of the reach of children. If overdose or accidental ingestion occurs, call a Poison Control Center immediately. Consult your health care practitioner prior to use if you are pregnant or breastfeeding or if you are taking anti-coagulant medications or if you are taking medication or natural health products that cause dilation of blood vessels. Rashes and/or burning discomfort and hypersensitivity such as allergy have been known to occur; in which case; discontinue use.

**DIRECTIONS**

For use on adults and children over 12 years of age. For children (12 years old): Application should be supervised by an adult. Apply thinly and evenly to affected area up to 3 to 4 times per day. Rub and/or massage into skin until solution vanishes. A stinging or burning sensation will be experienced during the first few minutes as the formula begins working. For arthritis or muscle pain of the hands, retain for at least 10 minutes then wash hands. Consult your health care practitioner for use beyond 7 days

**INACTIVE INGREDIENTS**

Isopropyl alcohol, Water, MSM, Boswellia serrata extract, Ilex paraguariensis leaf extract, Glucosamine sulphate, Chondroitin sulphate.

KEEP OUT OF REACH OF CHILDREN

**22%**  
**MEDICINAL  
 INGREDIENTS**



ALSO INCLUDES:  
 MENTHOL  
 MSM  
 ILEX  
 GLUCOSAMINE  
 CHONDROITIN  
 BOSWELLIA

**Greaseless,  
 non-staining,  
 colour and  
 paraben-free**

**MEDISTIK<sup>®</sup>**  
**PROFESSIONAL**  
**DUAL ACTION**  
 RELIEF FOR PAIN & INFLAMMATION

118mL



<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Menthol 10%.....	Topical Analgesic
Methyl Salicylate 12%.....	Topical Analgesic
<b>Uses</b> Temporarily relieves minor aches and pains of muscles and joints associated with ■ simple backache ■ arthritis ■ strains ■ sprains ■ bruises ■ cramps	
<b>Warnings For external use only</b>	
<b>Allergy alert:</b> If prone to allergic reaction from aspirin or salicylates, ask a doctor before use	
<b>When using this product</b> ■ use only as directed ■ avoid getting into the eyes and mucous membranes ■ do not bandage tightly or use with a heating pad ■ do not apply to wounds or damaged skin	
<b>Stop use and ask doctor if</b> ■ condition worsens ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ excessive skin irritation or redness occurs	
If pregnant or breast-feeding, ask a health professional before use.	
<b>Keep out of reach of children to avoid accidental ingestion.</b> If swallowed, get medical help or contact a Poison Control Center immediately.	
<b>Flammable:</b> Keep away from excessive heat or open flame. Store in a cool dry place with lid or cap closed tightly	
<b>Directions</b> ■ <b>adults and children 12 years of age and older:</b> spray product on affected area , not more than 4 times daily ■ <b>children under 12 years of age:</b> ask a doctor	
<b>Inactive Ingredients</b> ■ Isopropyl alcohol, Water, MSM, Boswellia serrata extract, Ilex paraguariensis leaf extract, Glucosamine sulphate, Chondroitin sulphate	

Distr. by Natureteq Inc. 5-62 Alness St, Toronto, ON, Canada M3J 2H1 | 855-347-0226 | Made in Canada | [MEDISTIK.com](http://MEDISTIK.com)

**MEDISTIK PROFESSIONAL DUAL ACTION**

methyl salicylate, menthol spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50231-521
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	10 g in 100 mL
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	12 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
------------------------	-----------------

<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BOSWELLIA SERRATA WHOLE</b> (UNII: X7B7P649WQ)	
<b>ILEX PARAGUARIENSIS LEAF</b> (UNII: 1Q953B4O4F)	
<b>GLUCOSAMINE SULFATE</b> (UNII: 1FW7WLR731)	
<b>CHONDROITIN SULFATE (CHICKEN)</b> (UNII: 7VZ9466BAB)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50231-521-11	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/19/2016	

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/19/2016	

**Labeler** - Natureteq Inc. (243737371)

Revised: 1/2024

Natureteq Inc.