SLEEP AID- diphenhydramine hcl capsule Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

 adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Other information

• store between 15-30°C (59°-86°F)

Inactive ingredients

FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitol, sorbitan, white ink

Principal Display Panel

MAXIMUM STRENGTH

Nighttime

Sleep Aid

Diphenhydramine HCL 50 mg

Softgels

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE, GOODLETTSVILLE, TN 37072

Package Label

MAXIMUM STRENGTH

Nighttime Sleep Aid

MAXIMUM STRENGTH

Nighttime Sleep Aid

Diphenhydramine HCI 50 mg



MAXIMUM STRENGTH

Nighttime Sleep Aid

Diphenhydramine HCI 50 mg

Actual Size



Softgels

Lot No.:

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN

Visit us at: Rexall.com or call 1-866-4-REXALL

DISTRIBUTED BY OLD EAST MAIN CO. 100 MISSION RIDGE, GOODLETTSVILLE, TN 37072.

Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.

PLD-D633A FC006345 KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.



CINESTIONS OF COMMENTS? Call toll free 1-866-4-REXALL

INACTIVE INGREDIENTS FD&C blue #1, gelatin, glycerin, polyethylene glycol, purified water, sorbitan, sorbitol, white ink

Other information a store between 15-30°C (59-86°F)

■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

DILCCHOILS

Directions	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children . In case of overdose, get medical help or contact a Polson Control Cente right away.	(1-800-222-1222)
Stop use and ask a doctor it sleeplessness persists continuously for more than 2 weeks. Insomnia ma underlying medical illness.	suohes a tymptom of a serious
When using this product, avoid alcoholic drinks.	- AU
Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.	
Ask a doctor betore use it you have a breathing problem such as emphysema or chronic bronchitis a plaucoma trouble urinating due to an enlarged prostate gland	
Warnings Do not use • for children under 12 years of age • with any other product containing diphenhydramine, even one used on skin	
Use For relief of occasional sleeplesaness.	
Active ingredient (in each softgel) pm 02 IDH snimsibydnarlqid	Purpose bis-qsele sleep-aid
Drug Facts	

REXALL Maximum Strength Nighttime Sleep Aid

SLEEP AID

diphenhydramine hcl capsule

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-894	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg	

Inactive Ingredients				
Ingredient Name	Strength			
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
WATER (UNII: 059QF0KO0R)				
SORBITAN (UNII: 6092ICV9RU)				
SORBITOL (UNII: 506T60A25R)				

Product Characteristics				
Color	blue	Score	no score	

Shape	OVAL	Size	13mm
Flavor		Imprint Code	P50
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:55910-894- 16	16 in 1 CARTON	03/18/2021			
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M010	03/18/2021		

Labeler - Dolgencorp, Inc. (DOLLAR GENERAL & REXALL) (068331990)

Revised: 2/2024 Dolgencorp, Inc. (DOLLAR GENERAL & REXALL)