

**BUSCAPINA- acetaminophen, caffeine, pyrilamine maleate tablet, coated  
OPMX LLC**

-----  
**Buscapina**

***Drug Facts***

***Active ingredients (in each caplet)***

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine Maleate 15 mg

***Purpose***

Acetaminophen 500 mg . . . . . Pain reliever

Caffeine 60 mg . . . . . Diuretic

Pyrilamine Maleate 15 mg . . . . . Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- cramps
- bloating
- water-weight gain
- headache
- backache
- muscle aches
- fatigue

***Warnings***

***Liver Warning:***

This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 6 caplets in 24 hours, which is the maximum daily amount for this product.
- with other drugs containing acetaminophen.
- 3 or more alcoholic drinks every day while using this product

***Allergy alert:***

acetaminophen may cause severe skin or severe allergic reactions, Symptoms may include:

- skin reddening
- blisters
- rash
- hives
- facial swelling

- asthma (wheezing)
- shock

If a skin or general allergic reactions occurs, stop use and seek medical help right away

### **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen ask a doctor or pharmacist
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- liver disease
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- you may get drowsy
- avoid alcoholic drinks
- excitability may occur, especially in children
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages because too much caffeine may cause nervousness, irritability sleeplessness, and, occasionally rapid heartbeat. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms appear
- redness or swelling is present
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days

**If pregnant or breast-feeding**, ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- **do not exceed recommended dosage**
- adults and children 12 years and over:
  - take 2 caplets with water. Repeat every 6 hours, as needed.
- do not exceed 6 caplets per day
  - children under 12 years: consult a doctor

**Other information**

- store at room temperature 68-77°F (20-25°C)
- TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF POUCH IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING

**Inactive ingredients**

Colloidal silicon dioxide, corn starch, hydroxypropyl methylcellulose, lactose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, purified water, sodium starch glycolate, stearic acid, talc, titanium dioxide

**Questions or comments?**

**Call toll free 619-600-5632**

Monday through Friday 9AM - 5PM EST

**Principal Display Panel - Buscapina 144 Caplets**

Buscapina

Acetaminophen, Caffeine, Pyrilamine Maleate Tablets

NDC 69729-131-72

Acetaminophen 500 mg . . . . . Pain reliever

Caffeine 60 mg . . . . . Diuretic

Pyrilamine Maleate 15 mg . . . . . Antihistamine

- Cramps / Colicos
- Bloating / Hinchzon
- Fatigue / Fatiga
- Heacache

Dolor de Cabeza

- Backache

Dolor de Espalda

144 Caplets

72 packs of 2 Caplets

Made in India

Exclusively distributed by:

OPMX

San Diego, CA 92154


**Phone: 619-600-5632**



**Buscapina**  
Acetaminophen, Caffeine, Pyrilamine Maleate Tablets

Drug Facts	Drug Facts (Continued)
<p><b>Active Ingredients (in each caplet)</b></p> <ul style="list-style-type: none"> <li>Acetaminophen 500 mg.....Pain Reliever</li> <li>Caffeine 60 mg.....Diuretic</li> <li>Pyrilamine Maleate 15 mg.....Antihistamine</li> </ul> <p><b>Uses</b> For the temporary relief of these symptoms associated with menstrual periods: ■ cramps ■ bloating ■ headache ■ backache ■ fatigue</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take: ■ more than 6 caplets in 24 hours, which is the maximum daily amount for this product. ■ other drugs containing acetaminophen. ■ 3 or more alcoholic drinks every day while using this product.</p> <p><b>Other warnings:</b> Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include: ■ skin reddening ■ rash ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock. If a skin or general allergic reaction occurs, stop use and seek medical help right away.</p> <p><b>Directions</b> Take 2 caplets every 6 hours as needed. Do not exceed 6 caplets per day. Do not use if you are under 12 years of age.</p> <p><b>Other Information</b> ■ Do not use if you are under 12 years of age. ■ Avoid excessive heat &amp; humidity. ■ TAMPER EVIDENT: DO NOT USE IF POUCH IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING.</p> <p><b>Questions or comments?</b> Call toll free 818-600-5632. Identify through Friday, 9AM - 5PM EST.</p>	<p>Do not use if you are under 12 years of age.</p> <p>Avoid excessive heat &amp; humidity.</p> <p>TAMPER EVIDENT: DO NOT USE IF POUCH IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING.</p> <p>Do not use if you are under 12 years of age.</p> <p>Avoid excessive heat &amp; humidity.</p> <p>TAMPER EVIDENT: DO NOT USE IF POUCH IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING.</p>

Code No. - GJ1-DRUGS/G/25/1878    Made for: **OPMX**    San Diego, CA 92154    Phone: 619-600-5632



**Buscapina**  
Acetaminophen, Caffeine, Pyrilamine Maleate Tablets NDC-69729-131-50

**Buscapina**

Cramps • Bloating  
Fatigue • Headache • Backache  
Relief medicine

**Buscapina**

Cramps • Bloating  
Fatigue • Headache • Backache  
Relief medicine

**144 Caplets**    **72 packs of 2 Caplets**



**Buscapina**

**ACTIVE INGREDIENTS (in each caplet)**    **PURPOSES**

Acetaminophen 500 mg.....Pain reliever

Caffeine 60 mg.....Diuretic

Pyrilamine Maleate 15 mg.....Antihistamine

- Cramps / Cólicos
- Bloating / Hinchazón
- Fatigue / Fatiga
- Headache / Dolor de Cabeza
- Backache / Dolor de espalda

**2 Caplets**



**Buscapina**

**Uses:** ■ for the temporary relief of these symptoms associated with menstrual periods: ■ cramps ■ bloating ■ headache ■ backache ■ fatigue

**Warnings**  
**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 6 caplets in 24 hours, which is the maximum daily amount for this product ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

**Allergy Alert:** Acetaminophen may cause severe skin or severe allergic reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash ■ hives ■ facial swelling ■ asthma (wheezing) ■ shock. If a skin or general allergic reactions occurs, stop use and seek medical help right away.

**Directions** ■ do not exceed recommended dosage  
■ adults and children 12 years and over:  
■ take 2 caplets with water every 6 hours as needed  
■ do not exceed 6 caplets per day  
■ children under 12 years: do not use

**Other information:** ■ store between 15-30°C (59-86°F)  
■ avoid excessive heat & humidity.

**READ AND KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

Made for: **OPMX**    San Diego, CA 92154    Phone: 619-600-5632

Item #: RRC013    Rev: 03/2022

Code No. - GJ1-DRUGS/G/25/1878

8 10053 1 18057 0

**TAMPER EVIDENT: DO NOT USE IF POUCH IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING**

**Principal Display Panel - Buscapina 100 Caplets**

NDC 69729-131-50

Buscapina

Acetaminophen 500 mg


Caffeine 60 mg

Pyrilamine Maleate 15 mg

Pain Reliever

Cramps/Cólicos

Bloating/Hinchazón  
 Fatigue/Fatiga  
 Headache/Dolor de Cabeza  
 Backache/Dolor de Espalda  
 100 Caplets/ 50 packs of 2 Caplets



# BUSCAPINA

acetaminophen, caffeine, pyrilamine maleate tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69729-131
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	60 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	score with uneven pieces
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	V1
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69729-131-72	72 in 1 CARTON	06/06/2022	
1		2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:69729-131-50	50 in 1 CARTON	12/05/2023	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/06/2022	

**Labeler** - OPMX LLC (029918743)

## Establishment

Name	Address	ID/FEI	Business Operations
Vovantis Laboratories Private Limited		650502151	manufacture(69729-131)

Revised: 1/2024

OPMX LLC