

MILKHOUSE BRAND SPRAYABLE CHG TEAT DIP- chlorhexidine gluconate liquid
Stearns Packaging Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Sprayable CHG Teat Dip

APPLICATION:

SPRAYABLE CHG TEAT DIP is a chlorhexidine based teat dip with glycerin developed for automated spray and/or manual dipping applications for dairy cows. Formulated for use as an aid in reducing the spread of organisms which may cause mastitis.

APLICACIÓN:

SPRAYABLE CHG TEAT DIP es un clorhexidina basada sellador con glicerina desarrollado por pulverización automatizado y / o aplicaciones de inmersión manuales para las vacas lecheras. Este producto está formulado para uso como una ayuda en la reducción de la propagación de organismos que pueden causar mastitis.

SPECIFICATIONS:

Active Ingredient.....	0.45% Chlorhexidine Digluconate
Isopropyl Alcohol.....	4.25%
Glycerin.....	2.0%
pH as is.....	4.6 - 6.0
Color.....	Blue
Form.....	Liquid
Freezing Temperature.....	27°F
NPE Free.....	Yes

DIRECTIONS FOR USE:

Use as is: do not dilute. Immediately after milking, dip or spray entire teat in undiluted **SPRAYABLE CHG TEAT DIP**. Allow to air dry. Always use fresh, full strength **SPRAYABLE CHG TEAT DIP**. If product in dip cup becomes visibly cloudy or dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to original container. Before next milking, wash cow's udder and teats with clean individual paper towel.

INSTRUCCIONES DE USO IMPORTANTES:

Use este product con toda su fuerza. Inmediatamente después del ordeño, sumerja o rocíe toda la tetina en **SPRAYABLE CHG TEAT DIP** sin dilucion. Deje que se seque al aire. Utilice siempre fresca, toda su fuerza **SPRAYABLE CHG TEAT DIP**. Si el producto en la copa de inmersión vuelve visiblemente turbia o sucia, deseche el contenido y reponga con producto fresco. No vuelva a usar o devolver el producto no utilizado al envase original. Antes de la próxima ordeño, lave la ubre y los pezones de la vaca con una toalla de papel limpia.

STORAGE & DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before discarding in a safe

manner.

ALMACENAMIENTO Y ELIMINACIÓN:
BIEN ACLARADO TODOS LOS DISPOSITIVOS DE MEDICIÓN Y TIENDA FUERA DEL ALCANCE DE LOS NIÑOS. Evite la contaminación de alimentos o piensos. Evite almacenar cerca del calor o del fuego. Mantenga el envase bien cerrado cuando no esté en uso. No vuelva a usar el envase vacío. Enjuague el contenedor vacío antes de descartarlo de una manera segura.

TAKE TIME
OBSERVE
LABEL DIRECTIONS

FIRST-AID:

EYES: If contact with eyes occurs, flush with plenty of cool water for 15 minutes. Consult a physician.

INTERNAL: May be harmful if swallowed. If ingested, drink large amounts of water. DO NOT induce vomiting. Get medical attention immediately.

PRIMEROS AUXILIOS:

OJOS: Si ocurre contacto con los ojos, lavar con abundante agua fría durante 15 minutos. Consulte a un médico.

INTERNO: Puede ser nocivo en caso de ingestión. Beba grandes cantidades de agua si se ingiere este producto. NO induzca el vómito. Obtenga atención médica inmediatamente.

24 HOUR EMERGENCY CONTACT
24 horas servicio telefónico de repuesta a emergencias:
1-800-255-3924

MILKHOUSE BRAND
Sprayable CHG Teat Dip
CHLORHEXIDINE TEAT DIP/SPRAY
A SANITIZING TEAT DIP
For use in automated spray and/or manual dipping applications for dairy cows.
NPE-Free aid in reducing the spread of organisms which may cause mastitis
KEEP OUT OF THE REACH OF CHILDREN
See side panel for Precautionary Statements.
NET CONTENTS: 1 U.S. FL. GALLON (3.78 LITERS)
STEARNS PACKAGING CORPORATION
4200 Sycamore Ave. (53714), PO Box 3216, Madison, WI 53704
(800) 655-5008

DIRECTIONS FOR USE:
Use as is; do not dilute. Immediately after milking, dip or spray entire teat in undiluted SPRAYABLE CHG TEAT DIP. Allow to air dry. Always use fresh, full strength SPRAYABLE CHG TEAT DIP. If product in dip cup becomes visibly cloudy or dirty, discard contents and replenish with fresh product. Do not reuse or return unused product to original container. Before next milking, wash cow's udder and teats with clean individual paper towel.

APPLICATION:
SPRAYABLE CHG TEAT DIP is a chlorhexidine based teat dip with glycerin developed for automated spray and/or manual dipping applications for dairy cows. Formulated for use as an aid in reducing the spread of organisms which may cause mastitis.

STORAGE & DISPOSAL:
THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contamination of food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. Do not reuse empty container. Rinse empty container before discarding in a safe manner.

SPECIFICATIONS:
Active Ingredient: 0.45% Chlorhexidine Digluconate
Isopropyl Alcohol: 4.25%
Glycerin: 2.5%
pH as is: 4.8 - 8.0
Color: Blue
Form: Liquid
Freezing Temperature: 77°F
NPE Free: Yes



CHLORHEXIDINE TEAT DIP/SPRAY
A SANITIZING TEAT DIP
For use in automated spray and/or manual dipping applications for dairy cows.
NPE-Free aid in reducing the spread of organisms which may cause mastitis

KEEP OUT OF THE REACH OF CHILDREN
See side panel for Precautionary Statements

NET CONTENTS: 1 U.S. FL. GALLON (3.78 LITERS)

STEARNS PACKAGING CORPORATION
4200 Sycamore Ave. (53714), PO Box 3216, Madison, WI 53704
(800) 655-5008



FIRST-AID:
EYES: If contact with eyes occurs, flush with plenty of cool water for 15 minutes. Consult a physician.
INTERNAL: May be harmful if swallowed. If ingested, drink large amounts of water. DO NOT induce vomiting. Get medical attention immediately.

PRIMEROS AUXILIOS:
OJOS: Si ocurre contacto con los ojos, lavar con abundante agua fría durante 15 minutos. Consulte a un médico.
INTERNO: Puede ser nocivo en caso de ingestión. Beba grandes cantidades de agua si se ingiere este producto. NO induzca el vómito. Obtenga atención médica inmediatamente.

24 HOUR EMERGENCY CONTACT
24 horas servicio telefónico de repuesta a emergencias:
1-800-255-3924

#1200873
(ST-87)
REORDER NUMBER



LOT NO.:
EXP. DATE:

INSTRUCCIONES DE USO IMPORTANTES:
Use este product con toda su fuerza. Inmediatamente después del ordeño, sumerja o rocíe toda la tetina en SPRAYABLE CHG TEAT DIP en dilución. Deje que se seque al aire. Utilice siempre fresco, toda su fuerza SPRAYABLE CHG TEAT DIP. Si el producto en la copa de inmersión vuelve visiblemente turbio o sucio, deseche el contenido y reponga con producto fresco. No vuelva a usar o devolver el producto no utilizado al envase original. Antes de la próxima ordeño, lave la ubre y los pezones de la vaca con una toalla de papel limpia.

APLICACIÓN:
SPRAYABLE CHG TEAT DIP es un clorhexidina basada sellador con glicerina desarrollado por pulverización automatizado y / o aplicaciones de inmersión manuales para las vacas lecheras. Este producto está formulado para uso como una ayuda en la reducción de la propagación de organismos que pueden causar mastitis.

ALMACENAMIENTO Y ELIMINACIÓN:
BIEN ACLARADO TODOS LOS DISPOSITIVOS DE MEDICIÓN Y TIENDA FUERA DEL ALCANCE DE LOS NIÑOS. Evite la contaminación de alimentos o piensos. Evite almacenar cerca del calor o del fuego. Mantenga el envase bien cerrado cuando no está en uso. No vuelva a usar el envase vacío. Enjuague el contenedor vacío antes de descartarlo de una manera segura.

MILKHOUSE BRAND SPRAYABLE CHG TEAT DIP

chlorhexidine gluconate liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:60282-1087
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	4.5 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	20 g in 1 L
ISOPROPYL ALCOHOL (UNII: ND2M416302)	42.5 g in 1 L
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:60282-1087-1	3.78 L in 1 BOTTLE, PLASTIC		
2	NDC:60282-1087-2	18.93 L in 1 PAIL		
3	NDC:60282-1087-3	56.78 L in 1 DRUM		
4	NDC:60282-1087-4	208.2 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/10/2000	

Labeler - Stearns Packaging Corporation (006069256)

Registrant - Stearns Packaging Corporation (006069256)

Establishment

Name	Address	ID/FEI	Business Operations
Stearns Packaging Corporation		006069256	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Lab Express International		800875106	api manufacture

