## CHROMIUM BROMATUM- chromium bromatum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## CHROMIUM BROMATUM 6C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

**Directions:** Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## CHROMIUM BROMATUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

sucrose

00000

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael
TWIST TO OPEN - USE ONLY IF SEA

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 30C

Min. net wt: 5g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 30C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## **CHROMIUM BROMATUM** 100C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CHROMIUM BROMATUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## **CHROMIUM BROMATUM** 200C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 200C

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CHROMIUM BROMATUM 200C

Min. net wt: 100g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## **CHROMIUM BROMATUM** 500C

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use:Traditional use such as diarrhea. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

# CHROMIUM BROMATUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# CHROMIUM BROMATUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



### Hahnemann Labs Inc.

## CHROMIUM BROMATUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as diarrhea.
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

# Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



# Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

# CHROMIUM BROMATUM 1M

Min. net wt: 30g of pellets

### HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## CHROMIUM BROMATUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for diarrhea.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

### **CHROMIUM BROMATUM**

chromium bromatum pellet

100		104	ori	2	-10	210
				116		

Product Type HUMAN OTC DRUG

Item Code (Source)

NDC:37662-0390

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

Ingredient Name	Basis of Strength	Strength
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	500 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

F	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0390-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0390-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0390-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
4	NDC:37662- 0390-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date				
	06/08/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0385	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0385-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0385-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0385-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date					
unapproved homeopathic		06/08/2022			

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0386
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	12 [hp_C]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0386-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022			
2	NDC:37662- 0386-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022			
3	NDC:37662- 0386-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		06/08/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0387	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0387-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0387-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0387-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
4	NDC:37662- 0387-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		06/08/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0388		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	100 [hp_C]		

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:37662- 0388-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022			
2	NDC:37662- 0388-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022			
3	NDC:37662- 0388-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022			
4	NDC:37662- 0388-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		06/08/2022			

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0389		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score

Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0389-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0389-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0389-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
4	NDC:37662- 0389-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing E Category Citation Date Date				
unapproved homeopathic		06/08/2022		

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0391
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			

### Contains

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0391-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
2	NDC:37662- 0391-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
3	NDC:37662- 0391-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		
4	NDC:37662- 0391-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing Er Category Citation Date Date					
	06/08/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

### **CHROMIUM BROMATUM**

<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0392
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHROMIC BROMIDE (UNII: WZB719DDER) (CHROMIC BROMIDE - UNII: WZB719DDER)	CHROMIC BROMIDE	1 [hp_Q]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
ColorwhiteScoreno score					
Shape	ROUND	Size	1mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0392-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		06/08/2022			

### Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0385, 37662-0386, 37662-0387, 37662-0388, 37662-0389, 37662-0390, 37662-0391, 37662-0392)	

Revised: 6/2022 Hahnemann Laboratories, INC.