CHROMIUM MURIATICUM- chromium muriaticum pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CHROMIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9496 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CHROMIUM MURIATICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as colds.
Keep out of reach
of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael,

CHROMIUM MURIATICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CHROMIUM MURIATICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as colds.
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

CHROMIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CHROMIUM MURIATICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as colds.
Keep out of reach
of children

pellets orally once Inactive ingredients: Sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, CA
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CHROMIUM MURIATICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as colds.
Keep out of reach
of children

pellets orally once Inactive ingredients: sucrose

00000

nemann Labs Inc. 1940 Fourth St. San Rafael, C

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CHROMIUM MURIATICUM 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as colds.
Keep out of reach

of children

Directions: Take 5
pellets orally once
Inactive ingredients:
sucrose

00000

emann Labs Inc. 1940 Fourth St. San Rafael, TWIST TO OPEN - USE ONLY IF SEA

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 949 TWIST TO OPEN - USE ONLY IF SEALED

CHROMIUM MURIATICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CHROMIUM MURIATICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CHROMIUM MURIATICUM LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for colds.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

CHROMIUM MURIATICUM

chromium muriaticum pellet

Product Information

Route of Administration

Product Type HUMAN OTC DRUG

ORAL

Item Code (Source)

NDC:37662-0414

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION 500 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

SUCROSE (UNII: C151H8M554)

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0414-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
2	NDC:37662- 0414-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
3	NDC:37662- 0414-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		
4	NDC:37662- 0414-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	06/08/2022		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

CHROMIUM MURIATICUM

chromium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0411	
Route of Administration	ORAL			

Active Ingredient/Active Moie

Ingredient Name	Basis of Strength Stren

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION 30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0411-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
2	NDC:37662- 0411-2	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
3	NDC:37662- 0411-3	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		
4	NDC:37662- 0411-4	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/08/2022	

chromium muriaticum pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0415	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name Basis of Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION 1 [hp_M]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0415-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
2	NDC:37662- 0415-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022		
3	NDC:37662- 0415-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		
4	NDC:37662- 0415-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/08/2022	

chromium muriaticum pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0416
Route of Administration	ORAL		

Active Ingredient/Active Moiety Ingredient Name CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) | CHROMIC CATION | 1 [hp_Q]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging

	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l		NDC:37662- 0416-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022	

i idi keting iii o	Marketing Information			
Marketing A Category	pplication Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/08/2022		

chromium muriaticum pellet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0410

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION

ION 12 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

_			-	
Pa		$oldsymbol{\nu}$	α	na
Га	ч	Na	м	нч

Hom Code Package Description Marketing Start Marketing End

#	item code	Раскаде резсприон	Date	Date
1	NDC:37662- 0410-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022	
2	NDC:37662- 0410-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022	
3	NDC:37662- 0410-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022	

Marketing Information				
Marketing Application Number or Monograph Category Citation		Marketing End Date		
	06/08/2022			
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date		

chromium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0412

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION

100 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Contains

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code

Packaging Marketing Start Marketing End # Item Code **Package Description Date** Date 1 NDC:37662-200 in 1 VIAL, GLASS; Type 0: Not a Combination 06/08/2022 0412-1 Product 2 NDC:37662-500 in 1 VIAL, GLASS; Type 0: Not a Combination 06/08/2022 0412-2 **Product** NDC:37662-3000 in 1 BOTTLE, GLASS; Type 0: Not a UE/UB/2U22

3	0412-3	Combination Product	UU/UO/ZUZZ	
4	NDC:37662- 0412-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022	

Marketing Information					
Marketing Application Number or Monograph Category Citation		Marketing End Date			
	06/08/2022				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

chromium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0413

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION 200 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics Color white Score no score Shape ROUND Size 2mm Flavor Imprint Code Contains

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0413-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0413-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0413-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
4	NDC:37662- 0413-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved homeopathic		06/08/2022			

chromium muriaticum pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0409

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

CHROMIC CHLORIDE (UNII: KB1PCR9DMW) (CHROMIC CATION - UNII:X1N4508KF1) CHROMIC CATION 6 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains						

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:37662- 0409-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/08/2022				
2	NDC:37662- 0409-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				
3	NDC:37662- 0409-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/08/2022				

Marketing Information							
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				

unapproved homeopathic	06/08/2022

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0409, 37662-0410, 37662-0411, 37662-0412, 37662-0413, 37662-0414, 37662-0415, 37662-0416)	

Revised: 6/2022 Hahnemann Laboratories, INC.