

**AEKYUNGLUNA LONG LASTING CONCEAL FIXING CUSHION 23M MEDIUM
BEIGE- titanium dioxide, zinc oxide cream
Aekyung Industrial Co., Ltd.**

**67225-3022-2 | AEKYUNGLUNA LONG LASTING CONCEAL FIXING CUSHION
23M MEDIUM BEIGE**

Active ingredients

Titanium Dioxide 6.64%

Zinc Oxide 6.83%

Purpose

Sunscreen

Uses

Helps prevent sunburn.

Warnings

For external use only.

Do not use on

damaged skin or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a poison control center right away.

Directions

- Apply an adequate amount and spread evenly on the skin.
- Apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor.
 - Reapply at least every 2 hours.
 - Use a water-resistant sunscreen if swimming or sweating.

Other information

- Protect the product in this container from excessive heat and avoid storing it under direct sun.
- Do not crush or drop product.
- Handle with care.
- Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water, Cyclopentasiloxane, Isododecane, Dimethicone, Butylene Glycol, Silica, Phenyl Trimethicone, Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone, Niacinamide, Acrylates/Dimethicone Copolymer, Sodium Chloride, Mica, Stearic Acid, Aluminum Hydroxide, 1,2-Hexanediol, PEG-10 Dimethicone, Aloe Barbadensis Leaf Extract, Distearidimonium Hectorite, p-Anisic Acid, Triethoxycaprylylsilane, PPG-17/IPDI/DMPA Copolymer, Propanediol, Dimer Dilinoleyl Diisostearate, Glyceryl Caprylate, Palmitic Acid, PEG/PPG-10/30 Copolymer, Glycerin, Adenosine, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Calendula Officinalis Flower Extract, Chamomilla Recutita (Matricaria) Flower Extract, Chamaecyparis Obtusa Leaf Extract, Thymus Vulgaris (Thyme) Leaf Extract, Pinus Koraiensis Seed Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Pinus Sylvestris Cone Extract, Limonene, Linalool, Fragrance, +/- may contain (Titanium Dioxide (CI 77891), Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499))



AEKYUNGLUNA LONG LASTING CONCEAL FIXING CUSHION 23M MEDIUM BEIGE

titanium dioxide, zinc oxide cream

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:67225-3022 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|------------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 0.8196 g in 12 g |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 0.7968 g in 12 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---------------------------------|----------|
| WATER (UNII: 059QF0KO0R) | |

| |
|--|
| CYCLOMETHICONE 7 (UNII: KCK5L8VU47) |
| ISODODECANE (UNII: A8289P68Y2) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R) |
| NIACINAMIDE (UNII: 25X51I8RD4) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| ROSEMARY (UNII: IJ67X351P9) |
| LINALOOL, (+)- (UNII: F4VNO44C09) |
| DIMETHICONE (UNII: 92RU3N3Y1O) |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) |
| CHAMAECYPARIS OBTUSA LEAF (UNII: 7OL154J5XB) |
| LIMONENE, (+)- (UNII: GFD7C86Q1W) |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) |
| GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A) |
| ADENOSINE (UNII: K72T3FS567) |
| TRIETHOXSILYLETHYL POLYDIMETHYLSILOXYETHYL HEXYL DIMETHICONE (UNII: X75PL53TZJ) |
| DIMER DILINOLEYL DIISOSTEARATE (UNII: A4788E5790) |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) |
| CHAMOMILE (UNII: FGL3685T2X) |
| THYMUS VULGARIS LEAF (UNII: GRX3499643) |
| FERROSFERRIC OXIDE (UNII: XM0M87F357) |
| 1,2-HEXANEDIOL (UNII: TR046Y3K1G) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| STEARIC ACID (UNII: 4ELV7Z65AP) |
| P-ANISIC ACID (UNII: 4SB6Y7DMM3) |
| PINUS KORAIENSIS SEED OIL (UNII: 08F703RHY3) |
| PINUS SYLVESTRIS CONE (UNII: 856B44M480) |
| MICA (UNII: V8A1AW0880) |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) |
| ALOE VERA LEAF (UNII: ZY81Z83H0X) |
| PROPANEDIOL (UNII: 5965N8W85T) |
| PALMITIC ACID (UNII: 2V16EO95H1) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:67225-3022-2 | 2 in 1 BOX | 06/09/2022 | |
| 1 | NDC:67225-3022-1 | 12 g in 1 CASE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
|--------------------|--|----------------------|--------------------|

| | | | |
|--------------------|------|------------|--|
| OTC Monograph Drug | M020 | 06/09/2022 | |
|--------------------|------|------------|--|

Labeler - Aekyung Industrial Co., Ltd. (690511126)

Establishment

| Name | Address | ID/FEI | Business Operations |
|------------------------------|---------|-----------|-------------------------|
| Aekyung Industrial Co., Ltd. | | 690511126 | manufacture(67225-3022) |

Revised: 12/2023

Aekyung Industrial Co., Ltd.