

# **POLYSPORIN FIRST AID ANTIBIOTIC- bacitracin zinc and polymyxin b sulfate ointment**

**Johnson & Johnson Consumer Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Polysporin® First Aid Antibiotic Ointment**

### **Drug Facts**

<b>Active ingredients (in each gram)</b>	<b>Purpose</b>
Bacitracin Zinc 500 units	First aid antibiotic
Polymyxin B Sulfate 10,000 units	First aid antibiotic

### **Use**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

### **Warnings**

**For external use only.**

#### **Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

#### **Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

#### **Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Centre right away.

### **Directions**

- clean the affected area

- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

### **Other information**

- store at 20° to 25°C (68° to 77°F)

### **Inactive ingredient**

petrolatum

### **Questions?**

call **800-223-0182** or **215-273-8755** (collect)

Distributed by:

**JOHNSON & JOHNSON CONSUMER INC.**

Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 28.3 g Tube Carton**

#### **#1 DERMATOLOGIST RECOMMENDED**

**Polysporin®**

#### **ANTIBIOTIC OINTMENT**

#1 Dermatologist  
Recommended for  
Infection Protection

Helps prevent  
Infection in Minor Cuts,  
Scrapes, and Burns

#### **OINTMENT**

**FIRST AID ANTIBIOTIC OINTMENT**  
**Bacitracin Zinc - Polymyxin B Sulfate**

**NET WT. 1 OZ (28.3 g)**

#1 DERMATOLOGIST  
RECOMMENDED

# ANTIBIOTIC OINTMENT

#1 Dermatologist  
Recommended for  
Infection Protection  
Helps Prevent  
Infection in Minor Cuts,  
Scrapes, and Burns



OINTMENT

FIRST AID ANTIBIOTIC OINTMENT  
Bacitracin Zinc- Polymyxin B Sulfate

NET WT. 1 OZ (28.3 g)

# Polysporin®



30047881



3

The POLYSPORIN® brand name  
on your purchase assures that  
this product was made with the  
highest quality standards.

how2recycle.info



**Polysporin®**  
ANTIBIOTIC  
OINTMENT

**Drug Facts (continued)**

**Stop use and ask a doctor if**

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Questions?**  
call 800-223-0182 or 215-273-8755 (collect)

**Inactive ingredient** petroleum

**Other information**

- store at 20° to 25° C (68° to 77° F)

**Drug Facts (continued)**

EXP  
LOT  
CODE AREA

**Drug Facts (continued)**

**Active ingredients (in each gram)**

Bacitracin Zinc 500 units.....First aid antibiotic  
Polymyxin B Sulfate 10,000 units.....First aid antibiotic

**Purpose**

Use first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

For external use only.

- serious burns
- animal bites
- deep or puncture wounds

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- cuts
- scrapes
- burns

**Drug Facts (continued)**

Distributed by:  
JOHNSON & JOHNSON CONSUMER INC.  
Skillman, NJ 08558  
© J&JCI 2020 www.neosporin.com

:ST)

# POLYSPORIN FIRST AID ANTIBIOTIC

bacitracin zinc and polymyxin b sulfate ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0060
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:69968-0060-2	1 in 1 CARTON	07/09/2013	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0060-1	0.9 g in 1 PACKET; Type 0: Not a Combination Product	07/09/2013	
3	NDC:69968-0060-3	1 in 1 CARTON	07/09/2013	
3		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:69968-0060-9	144 in 1 CARTON	07/09/2013	
4		0.9 g in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part333B	07/09/2013	

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

