

**MEIJER TRIPLE ANTIBIOTIC PLUS PAIN RELIEF- bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment**  
**Meijer Distribution Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**meijer™**

**Triple Antibiotic plus Pain Relief**

**Drug Facts**

<b>Active ingredients (each gram contains)</b>	<b>Purpose</b>
Bacitracin zinc 500 units	First aid antibiotic
Neomycin sulfate 3.5 mg	First aid antibiotic
Polymyxin B sulfate 10,000 units	First aid antibiotic
Pramoxine hydrochloride 10 mg	External analgesic

**Uses**

first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- a rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults and children 2 years of age and older:

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- Children under 2 years of age: ask a doctor

**Other information**

- To open: unscrew cap, pull tab to remove foil seal
- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call 1-866-923-4914

**DIST. BY MEIJER DISTRIBUTION, INC.  
2929 WALKER AVE NW  
GRAND RAPIDS, MI 49544**

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

**Compare to the active ingredients in Neosporin<sup>®</sup> + Pain Relief\***

**meijer<sup>™</sup>**

**Maximum Strength****Triple Antibiotic Ointment + Pain Relief**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

NET WT 1 OZ (28.4 g)

meijer

Compare to the active ingredients in Neosporin® + Pain Relief\*

**Triple Antibiotic Ointment + Pain Relief**

Soothes Painful Cuts, Scrapes and Burns While Preventing Infection

Maximum Strength Pain Relief

meijer

Maximum Strength

**Triple Antibiotic Ointment + Pain Relief**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

L.P.K.-3507-3  
0311-3  
M130

T 51

Compare to the active ingredients in Neosporin® + Pain Relief\*

meijer

Maximum Strength

**Triple Antibiotic Ointment + Pain Relief**

Bacitracin Zinc • Neomycin Sulfate • Polymyxin B Sulfate • Pramoxine Hydrochloride

NET WT 1 OZ (28.4 g)



**Drug Facts (continued)**  
**Other information**  
• To open, unscrew cap, pull tab to remove foil seal.  
• Store at 20° to 25°C (68° to 77°F).  
• See carton or tube crimp for lot number and expiration date.  
**Inactive ingredient** Write petroleum  
**Questions?** Call 1-866-923-4914



NO COPY  
NO COLOR

DIST. BY MEIJER  
DISTRIBUTION, INC.  
2029 WALKER AVE NW  
GRAND RAPIDS, MI 49544  
www.meijer.com  
Made in Canada.

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® + Pain Relief.

**Drug Facts (each gram contains)**  
**Active ingredients**  
Bacitracin zinc 500 units.....First aid antibiotic  
Neomycin sulfate 3.5 mg.....First aid antibiotic  
Polymyxin B sulfate 10,000 units.....First aid antibiotic  
Pramoxine hydrochloride 1.0 mg.....External analgesic  
**Uses** first aid to help prevent infection and for the temporary relief of pain or discomfort in minor:  
• cuts • scrapes • burns  
**Warnings**  
For external use only.  
Do not use • In the eyes • over large areas of the body  
• If you are allergic to any of the ingredients  
Ask a doctor before use if you have  
• deep or puncture wounds • animal bites • serious burns  
**Stop use and ask a doctor if**  
• condition persists or gets worse  
• you need to use longer than 1 week  
• symptoms persist for more than 1 week, or clear up and occur again within a few days  
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.  
**Directions**  
• Adults and children 2 years of age and older:  
• clean the affected area and dry thoroughly  
• apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily  
• may be covered with a sterile bandage  
• Children under 2 years of age: ask a doctor

**MEIJER TRIPLE ANTIBIOTIC PLUS PAIN RELIEF**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, and pramoxine hydrochloride ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-504
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Bacitracin zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	500 [iU] in 1 g
<b>Neomycin sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:II6QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	10000 [iU] in 1 g
<b>Pramoxine hydrochloride</b> (UNII: 88AYB867L5) (Pramoxine - UNII:068X84E056)	Pramoxine hydrochloride	10 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-504-02	1 in 1 CARTON		
1		28.4 g in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333B	03/31/2012	

**Labeler** - Meijer Distribution Inc (006959555)

**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)

### Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(41250-504)

Revised: 2/2013

Meijer Distribution Inc