

30C AND 200C HOMEOPATHIC REMEDY KIT- 50 remedy kit
Washington Homeopathic Products

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

30C & 200C Homeopathic Remedy Kit

ACTIVE INGREDIENTS

ACONITUM NAP

ALLIUM CEPA

ANTIMON TART

APIS MEL

ARG NIT

ARNICA

ARSENICUM ALB

BELLADONNA

BRYONIA

CALC CARB

CALC PHOS

CALENDULA

CANTHARIS

CARBO VEG

CAULOPHYLLUM

CAUSTICUM

CHAMOMILLA

CINCHONA

COCCULUS

COFFEA CRUDA

COLOCYNTHIS

EUPHRASIA

FERRUM PHOS

GELSEMIUM

GLONOINUM

HEPAR SULPH CALC

HYPERICUM

IGNATIA

IPECAC

KALI BIC

LACHESIS

LEDUM

LYCOPODIUM

MAG PHOS

MERC VIV

NAT MUR

NUX VOMICA

PHOSPHORUS

PHYTOLACCA

PULSATILLA

PYROGENIUM

RHUS TOX

RUTA

SEPIA

SILICEA

SPONGIA

STAPHYSAG

SULPHUR

SYMPHYTUM

THUJA OCC

USES

To relieve the symptoms of fear, head cold, loose cough, stings, impulsiveness, trauma, food poisoning, fever, worse motion, overwork, stiffness, wounds, urinary tract, exhaustion, cramps, hoarseness, irritability, debility, motion sickness, sleeplessness, colic-like pain, eye irritation, low fever, lethargy, throbbing, croupiness, shooting pain, sadness, nausea, sinuses, sore throat, black eyes, digestion, cramps, sore throat, sneezing, vomiting, hoarseness, breast pain, weeping, abscesses, better motion, bruised feeling, indifference, formation of pus, wheezing, anger, skin problems, prickling pain and warts.

KEEP OUT OF REACH OF CHILDREN

Keep this and all medicines out of reach of children.

INDICATIONS

Indications:

ACONITUM NAPELLUS Fear

ALLIUM CEPA Head cold

ANTIMONIUM TART Loose cough

APIS MELLIFICA Stings

ARGENTUM NITRICUM Impulsiveness

ARNICA MONTANA Trauma

ARSENICUM ALBUM Food poisoning

BELLADONNA Fever

BRYONIA ALBA Worse motion

CALCAREA CARBONICA Overwork

CALCAREA PHOSPHORICA Stiffness

CALENDULA OFFICINALIS Wounds

CANTHARIS Urinary tract

CARBO VEGETABILIS Exhaustion

CAULOPHYLLUM THAL Cramps

CAUSTICUM Hoarseness

CHAMOMILLA Irritability

CINCHONA OFFICINALIS Debility

COCCULUS INDICUS Motion sickness

COFFEA CRUDA Sleeplessness

COLOCYNTHIS Colic-like pain

EUPHRASIA OFFICINALIS Eye irritation

FERRUM PHOSPHORICUM Low fever

GELSEMIUM SEMPERVIRENS Lethargy

GLONOINUM Throbbing

HEPAR SULPHURIS CALCAREUM Croupiness

HYPERICUM PERFORATUM Shooting pain

IGNATIA AMARA Sadness

IPECACUANHA Nausea

KALI BICHROMICUM Sinuses

LACHESIS MUTUS Sore throat

LEDUM PALUSTRE Black eyes

LYCOPODIUM Digestion

MAGNESIA PHOSPHORICA Cramps

MERCURIUS VIVUS Sore throat

NATRUM MURIATICUM Sneezing

NUX VOMICA Vomiting

PHOSPHORUS Hoarseness

PHYTOLACCA Breast pain

PULSATILLA Weeping

PYROGENIUM Abscesses

RHUS TOXICODENDRON Better motion

RUTA GRAVEOLENS Bruised feeling

SEPIA Indifference

SILICEA Formation of pus

SPONGIA TOSTA Wheezing

STAPHYSAGRIA Anger

SULFUR Skin problems

SYMPHYTUM OFFICINALE Prickling pain

THUJA OCCIDENTALIS Warts

STOP USE AND ASK DOCTOR

If symptoms persist/worsen or if pregnant/nursing, stop use and consult your practitioner.

DIRECTIONS

Adults: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

Children: Dissolve 3 to 5 under the tongue three times a day or as directed by Lic. Practitioner. Take at greater intervals as condition subsides.

INACTIVE INGREDIENTS

Sucrose/Lactose

PRINCIPAL DISPLAY PANEL



Enter section text here

30C AND 200C HOMEOPATHIC REMEDY KIT

50 remedy kit kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71919-772
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-772-18	50 in 1 KIT	06/10/2022	
1	NDC:71919-772-01	1 in 1 VIAL, GLASS; Type 0: Not a Combination Product		

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 VIAL, GLASS	750
Part 2	1 VIAL, GLASS	750
Part 3	1 VIAL, GLASS	350
Part 4	1 VIAL, GLASS	750
Part 5	1 VIAL, GLASS	750

Part 6	1 VIAL, GLASS	750
Part 7	1 VIAL, GLASS	350
Part 8	1 VIAL, GLASS	750
Part 9	1 VIAL, GLASS	750
Part 10	1 VIAL, GLASS	750
Part 11	1 VIAL, GLASS	750
Part 12	1 VIAL, GLASS	750
Part 13	1 VIAL, GLASS	750
Part 14	1 VIAL, GLASS	350
Part 15	1 VIAL, GLASS	750
Part 16	1 VIAL, GLASS	750
Part 17	1 VIAL, GLASS	750
Part 18	1 VIAL, GLASS	750
Part 19	1 VIAL, GLASS	750
Part 20	1 VIAL, GLASS	750
Part 21	1 VIAL, GLASS	750
Part 22	1 VIAL, GLASS	750
Part 23	1 VIAL, GLASS	750
Part 24	1 VIAL, GLASS	750
Part 25	1 VIAL, GLASS	750
Part 26	1 VIAL, GLASS	750
Part 27	1 VIAL, GLASS	750
Part 28	1 VIAL, GLASS	750
Part 29	1 VIAL, GLASS	750
Part 30	1 VIAL, GLASS	750
Part 31	1 VIAL, GLASS	750
Part 32	1 VIAL, GLASS	750
Part 33	1 VIAL, GLASS	750
Part 34	1 VIAL, GLASS	750
Part 35	1 VIAL, GLASS	350
Part 36	1 VIAL, GLASS	750
Part 37	1 VIAL, GLASS	750
Part 38	1 VIAL, GLASS	350
Part 39	1 VIAL, GLASS	750
Part 40	1 VIAL, GLASS	750
Part 41	1 VIAL, GLASS	750
Part 42	1 VIAL, GLASS	750
Part 43	1 VIAL, GLASS	750
Part 44	1 VIAL, GLASS	350
Part 45	1 VIAL, GLASS	750
Part 46	1 VIAL, GLASS	350
Part 47	1 VIAL, GLASS	750
Part 48	1 VIAL, GLASS	350
Part 49	1 VIAL, GLASS	750
Part 50	1 VIAL, GLASS	750

apis mellifera pellet

Product Information

Item Code (Source)	NDC:68428-080
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-080-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Apis Mellifica 30c
Stings

Since 1873

Original

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 2 of 50

CIMICIFUGA RACEMOSA KIT REFILL

black cohosh pellet

Product Information

Item Code (Source)	NDC:68428-138
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK COHOSH (UNII: K73E24S6X9) (BLACK COHOSH - UNII:K73E24S6X9)	BLACK COHOSH	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-138-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Cimicifuga Racemosa 30c
Minor Back Pains

SINCE 1873

MINOR BACK REFILL

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/13/2011	

Part 3 of 50**AESCULUS HIPP KIT REFILL**

horse chestnut pellet

Product Information

Item Code (Source)	NDC:71919-759
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HORSE CHESTNUT (UNII: 3C18L6RJAZ) (HORSE CHESTNUT - UNII:3C18L6RJAZ)	HORSE CHESTNUT	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-759-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Since 1873

HEALTHWORKS

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/05/2022	

Part 4 of 50**KALI BICHROMICUM KIT REFILL**

potassium dichromate pellet

Product Information

Item Code (Source)	NDC:68428-105
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LK44BFN2V)	POTASSIUM DICHROMATE	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-105-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Kali Bichromicum 30c
Sinuses

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 5 of 50

ALLIUM CEPA KIT REFILL

onion pellet

Product Information

Item Code (Source)	NDC:68428-028
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-028-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Allium Cepa 200c
Head Cold

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 6 of 50

BRYONIA ALBA KIT REFILL

bryonia alba root pellet

Product Information

Item Code (Source) NDC:68428-035

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-035-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 7 of 50

HAMAMELIS VIRGINIANA KIT REFILL

hamamelis virginiana root bark/stem bark pellet

Product Information

Item Code (Source) NDC:71919-760

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS) (HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK - UNII:T7S323PKJS)	HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-760-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Hamamelis 200c
Varicose Veins

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/10/2022	

Part 8 of 50

COFFEA CRUDA KIT REFILL

arabica coffee bean pellet

Product Information

Item Code (Source)	NDC:68428-045
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72)	ARABICA COFFEE BEAN	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-045-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Coffea Cruda 200c

Sleeplessness

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 9 of 50

AESCULUS HIPPIKIT REFILL

horse chestnut pellet

Product Information

Item Code (Source)	NDC:68428-127
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HORSE CHESTNUT (UNII: 3C18L6RJAZ) (HORSE CHESTNUT - UNII:3C18L6RJAZ)	HORSE CHESTNUT	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-127-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Aesculus Hipp 30c
Hemorrhoids

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/10/2011	

Part 10 of 50

ARNICA MONTANA KIT REFILL

arnica montana pellet

Product Information

Item Code (Source)	NDC:68428-082
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-082-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Arnica Montana 30c

Since 1873

Bruises

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 11 of 50

NATRUM MURIATICUM KIT REFILL

sodium chloride pellet

Product Information

Item Code (Source)	NDC:68428-061
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-061-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Natrum Muriaticum 200c
Sneezing

Since 1873

Crucial

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 12 of 50

PODOPHYLLUM PELT KIT REFILL

podophyllum pellet

Product Information

Item Code (Source)	NDC:68428-156
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-156-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Podophyllum Pelt 30c
Diarrhea

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/20/2011	

Part 13 of 50

THUJA OCCIDENTALIS KIT REFILL

thuja occidentalis leafy twig pellet

Product Information

Item Code (Source)	NDC:68428-075
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-075-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Thuja Occidentalis 200c
Warts

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411
www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 14 of 50

BELLIS PERENNIS KIT REFILL

bellis perennis pellet

Product Information

Item Code (Source)	NDC:71919-773
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-773-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.


WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Since 1873

BRUISED SORENESS

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/10/2022	

Part 15 of 50

THUJA OCCIDENTALIS KIT REFILL

thuja occidentalis leafy twig pellet

Product Information

Item Code (Source)	NDC:68428-125
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-125-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Thuja Occidentalis 30c

warts

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 16 of 50

EUPATORIUM PERF KIT REFILL

eupatorium perfoliatum flowering top pellet

Product Information

Item Code (Source)	NDC:68428-144
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-144-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

**Eupatorium Perf 30c
Flu-like Symptoms**

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2022	

Part 17 of 50

HAMAMELIS VIRGINIANA KIT REFILL

hamamelis virginiana root bark/stem bark pellet

Product Information

Item Code (Source)	NDC:68428-146
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS) (HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK - UNII:T7S323PKJS)	HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-146-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Hamamelis Virginiana 30c
Varicose Veins

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/20/2011	

Part 18 of 50

HYPERICUM PERF KIT REFILL

hypericum perforatum pellet

Product Information

Item Code (Source) NDC:68428-052

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-052-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Hypericum 200c
Shooting Pain

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 19 of 50

RUTA GRAVEOLENS KIT REFILL

ruta graveolens flowering top pellet

Product Information

Item Code (Source) NDC:68428-118

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-118-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 20 of 50

STAPHYSAGRIA KIT REFILL

delphinium staphisagria seed pellet

Product Information

Item Code (Source)	NDC:68428-122
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:68428-122-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		
----------	------------------	---	--	--



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

Staphysagria 30c

Anger

Washington Homeopathic Products, Inc.
 260 J R Hawvermale Way, Berkeley Springs, WV 25411
 www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 21 of 50

HYPERICUM PERF KIT REFILL

hypericum perforatum pellet

Product Information

Item Code (Source)	NDC:68428-102
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-102-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.


WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 22 of 50

DROSELA ROTUNDIFOLIA KIT REFILL

drosera rotundifolia pellet

Product Information

Item Code (Source)	NDC:68428-142
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DROSELA ROTUNDIFOLIA FLOWERING TOP (UNII: 75O014T1HG) (DROSELA ROTUNDIFOLIA FLOWERING TOP - UNII:75O014T1HG)	DROSELA ROTUNDIFOLIA FLOWERING TOP	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-142-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Drosera Rotundifolia 30c
Cough

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/13/2011	

Part 23 of 50

PULSATILLA KIT REFILL

pulsatilla vulgaris pellet

Product Information

Item Code (Source) NDC:68428-065

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-065-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Pulsatilla 200c
Weeping

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 24 of 50

SULPHUR KIT REFILL

sulfur pellet

Product Information

Item Code (Source)	NDC:68428-073
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII: 70FD1KFU70)	SULFUR	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-073-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

**Sulphur 200c
Skin Problems**

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 25 of 50

SULPHUR KIT REFILL

sulfur pellet

Product Information

Item Code (Source)	NDC:68428-123
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-123-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

Sulphur 30c

Skin Problems

Washington Homeopathic Products, Inc.
 260 J R Hawvermale Way, Berkeley Springs, WV 25411
 www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 26 of 50

SYMPHYTUM OFF KIT REFILL

comfrey root pellet

Product Information

Item Code (Source)	NDC:68428-074
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COMFREY ROOT (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII: M9VVZ08EKQ)	COMFREY ROOT	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-074-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Symphytum Off 200c
Prickling Pain

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 27 of 50

KALI BICHROMICUM KIT REFILL

potassium dichromate pellet

Product Information

Item Code (Source)	NDC:68428-055
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM DICHROMATE (UNII: T4423S18FM) (DICHROMATE ION - UNII:9LKY4BFN2V)	POTASSIUM DICHROMATE	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-055-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Kali Bichromicum 200c
Sinuses

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 28 of 50

NATRUM MURIATICUM KIT REFILL

sodium chloride pellet

Product Information

Item Code (Source)	NDC:68428-111
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-111-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Natrum Muriaticum 30c
Sneezing

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 29 of 50

RHUS TOX KIT REFILL

toxicodendron radicans leaf pellet

Product Information

Item Code (Source)	NDC:68428-067
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOXICODENDRON RADICANS LEAF (UNII: CDH3461U7L) (TOXICODENDRON RADICANS LEAF - UNII:CDH3461U7L)	TOXICODENDRON RADICANS LEAF	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-067-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

**Rhus Tox 200c
Better Motion**

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 30 of 50

ARNICA MONTANA KIT REFILL

arnica montana pellet

Product Information

Item Code (Source)	NDC:68428-032
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-032-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Arnica Montana 200c
Bruises

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 31 of 50

ALLIUM CEPA KIT REFILL

onion pellet

Product Information

Item Code (Source)	NDC:68428-078
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-078-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 32 of 50

APIS MELLIFICA KIT REFILL

apis mellifera pellet

Product Information

Item Code (Source)	NDC:68428-030
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII: 7S82P3R43Z)	APIS MELLIFERA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-030-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Apis Mellifica 200c
Stinas

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 33 of 50

KALI CARBONICUM KIT REFILL

potassium carbonate pellet

Product Information

Item Code (Source)	NDC:68428-147
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM CARBONATE (UNII: BQN1B9B9HA) (CARBONATE ION - UNII:7UJQ5OPE7D)	POTASSIUM CARBONATE	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-147-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.


WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.


*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS





Rail Carbonium 300
Sour Belching

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/20/2011	

Part 34 of 50

RUTA GRAVEOLENS KIT REFILL

ruta graveolens flowering top pellet

Product Information

Item Code (Source)	NDC:68428-068
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-068-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Ruta Graveolens 200c
Bruised Feeling

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411
www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 35 of 50

PODOPHYLLUM PELT KIT REFILL

podophyllum pellet

Product Information

Item Code (Source)	NDC:71919-771
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-771-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.


WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2022	

Part 36 of 50

COFFEA CRUDA KIT REFILL

arabica coffee bean pellet

Product Information

Item Code (Source) NDC:68428-095

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARABICA COFFEE BEAN (UNII: 3SW678MX72) (ARABICA COFFEE BEAN - UNII:3SW678MX72)	ARABICA COFFEE BEAN	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-095-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Coffea Cruda 200c

Sleeplessness

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 37 of 50

EUPHRASIA OFFICINALIS KIT REFILL

euphrasia stricta pellet

Product Information

Item Code (Source)	NDC:68428-047
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-047-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products

Euphrasia Officinalis 200c
Eye Irritation

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 38 of 50

KALI CARBONICUM KIT REFILL

potassium carbonate pellet

Product Information

Item Code (Source)	NDC:71919-769
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POTASSIUM CARBONATE (UNII: BQN1B9B9HA) (CARBONATE ION - UNII:7UJQ5OPE7D)	POTASSIUM CARBONATE	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-769-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Kali Carbonicum 200c
Sour Belching

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2022	

Part 39 of 50

PULSATILLA KIT REFILL

pulsatilla vulgaris pellet

Product Information

Item Code (Source)	NDC:68428-115
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PULSATILLA VULGARIS (UNII: I76KB35JEV) (PULSATILLA VULGARIS - UNII:I76KB35JEV)	PULSATILLA VULGARIS	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-115-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 40 of 50

SYMPHYTUM OFF KIT REFILL

comfrey root pellet

Product Information

Item Code (Source)	NDC:68428-124
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COMFREY ROOT (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII: M9VVZ08EKQ)	COMFREY ROOT	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:68428-124-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		
----------	------------------	---	--	--



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Symphytum Off 30c
Drickling Pain

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 41 of 50

BELLIS PERENNIS KIT REFILL

bellis perennis pellet

Product Information

Item Code (Source)	NDC:68428-133
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-133-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

*The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Bellis Perennis 30c

Since 1873

Bruised Soreness

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/13/2011	

Part 42 of 50

CHAMOMILLA KIT REFILL

matricaria recutita pellet

Product Information

Item Code (Source)	NDC:68428-042
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-042-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Chamomilla 200c
Irritability

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 43 of 50

CHAMOMILLA KIT REFILL

matricaria recutita pellet

Product Information

Item Code (Source)	NDC:68428-092
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MATRICARIA RECUTITA (UNII: G0R4UBI2ZZ) (MATRICARIA RECUTITA - UNII:G0R4UBI2ZZ)	MATRICARIA RECUTITA	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-092-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Chamomilla 30c
Irritability

Washington Homeopathic Products, Inc.
 260 J R Hawvermale Way, Berkeley Springs, WV 25411
 www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 44 of 50

CIMICIFUGA RACEMOSA KIT REFILL

black cohosh pellet

Product Information

Item Code (Source)	NDC:71919-767
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BLACK COHOSH (UNII: K73E24S6X9) (BLACK COHOSH - UNII:K73E24S6X9)	BLACK COHOSH	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-767-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Cimicifuga 200c
Minor Back Pains

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2022	

Part 45 of 50

STAPHYSAGRIA KIT REFILL

delphinium staphisagria seed pellet

Product Information

Item Code (Source)	NDC:68428-072
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-072-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		12/06/2010	

Part 46 of 50

DROSELA ROTUNDIFOLIA KIT REFILL

drosera rotundifolia pellet

Product Information

Item Code (Source)	NDC:71919-761
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DROSELA ROTUNDIFOLIA (UNII: 75O014T1HG) (DROSELA ROTUNDIFOLIA - UNII:75O014T1HG)	DROSELA ROTUNDIFOLIA	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:71919-761-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Drosera Rotundifolia 200c
Cough

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/10/2022	

Part 47 of 50

BRYONIA ALBA KIT REFILL

bryonia alba root pellet

Product Information

Item Code (Source)	NDC:68428-085
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BRYONIA ALBA ROOT (UNII: T7J046Y12B) (BRYONIA ALBA ROOT - UNII:T7J046Y12B)	BRYONIA ALBA ROOT	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-085-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Bryonia Alba 30c
Worse Motion

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 48 of 50

EUPATORIUM PERF KIT REFILL

eupatorium perfoliatum flowering top pellet

Product Information

Item Code (Source) NDC:71919-766

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPATORIUM PERFOLIATUM FLOWERING TOP (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	200 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71919-766-01	350 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Eupatorium Perf 200c
Flu-like Symptoms

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411

www.homeopathyworks.com

EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/25/2022	

Part 49 of 50

EUPHRASIA OFFICINALIS KIT REFILL

euphrasia stricta pellet

Product Information

Item Code (Source)	NDC:68428-097
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
EUPHRASIA STRICTA (UNII: C9642I91WL) (EUPHRASIA STRICTA - UNII:C9642I91WL)	EUPHRASIA STRICTA	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-097-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner. Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner. Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Euphrasia Officinalis 30c
Eye Irritation

Washington Homeopathic Products, Inc.

260 J R Hawvermale Way, Berkeley Springs, WV 25411
www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Part 50 of 50

RHUS TOX KIT REFILL

toxicodendron radicans leaf pellet

Product Information

Item Code (Source)	NDC:68428-117
Route of Administration	ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOXICODENDRON RADICANS LEAF (UNII: CDH3461U7L) (TOXICODENDRON RADICANS LEAF - UNII:CDH3461U7L)	TOXICODENDRON RADICANS LEAF	30 [hp_C]

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)	

Product Characteristics

Color	white (white)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68428-117-01	750 in 1 VIAL, GLASS; Type 0: Not a Combination Product		



1/2
DRAM

CONTENTS:
**HOMEOPATHIC
MEDICINE (HPUS*)**

DIRECTIONS: (Adults or Children): Dissolve 3 to 5 pellets under the tongue 3 times a day or as directed by a licensed practitioner.
Take at greater intervals as condition subsides.

WARNING: If symptoms worsen or persist for more than 7 days, or if pregnant or nursing, consult your practitioner.
Keep out of reach of children.

* The letters 'HPUS' indicate that the component in this product is officially monographed in the Homeopathic Pharmacopoeia of the United States.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

DO NOT USE IF SEAL IS BROKEN.

SUCROSE/LACTOSE PELLETS



Washington Homeopathic Products
Rhus Toxicodendron 30c
Better Motion

Washington Homeopathic Products, Inc.
 260 J R Hawvermale Way, Berkeley Springs, WV 25411
 www.homeopathyworks.com EST. # 3006489197

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/05/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/10/2022	

Labeler - Washington Homeopathic Products (084929389)

Establishment

Name	Address	ID/FEI	Business Operations
Washington Homeopathic Products		084929389	manufacture(71919-772)

Revised: 6/2022

Washington Homeopathic Products