

PREMIER VALUE ARTHRITIS PAIN RELIEVER- acetaminophen tablet, extended release
Chain Drug Consortium, LLC

Drug Facts

ACTIVE INGREDIENT (IN EACH GELTAB)

Acetaminophen USP, 650 mg

PURPOSE

Pain reliever/fever reducer

USES

- temporarily relieves minor aches and pains due to:
 - muscular aches
 - backache
 - headache
 - toothache
 - the common cold
 - minor pain of arthritis
 - premenstrual and menstrual cramps

- temporarily reduces fever

WARNINGS

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 geltabs in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have

Liver disease.

Ask a doctor or pharmacist before use if you are

Taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- the tablet got stuck in your throat

These could be signs of a serious condition.

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none">▪ take 2 geltabs every 8 hours. Swallow only one geltab at a time.▪ take a sip of water before swallowing each geltab and wash each geltab down with water (up to a full 8 oz. glass).▪ swallow whole - do not crush, chew, split or dissolve▪ do not take more than 6 geltabs in 24 hours▪ do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none">▪ ask a doctor

OTHER INFORMATION

- store at 20 - 25° C (68 - 77° F). Avoid high humidity.
- see end panel for batch number and expiration date
- **TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.**

INACTIVE INGREDIENTS

Croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

QUESTIONS?

Call **1-800-406-7984**

PRINCIPAL DISPLAY PANEL

Premier Value®

NDC 68016-340-08

Use only as directed.

See New Warnings Information

EASY TO OPEN BOTTLE

Lasts up to 8 hours

Arthritis Pain Relief

Acetaminophen Extended-Release Tablets, USP 650 mg

Pain Reliever/Fever Reducer

For the Temporary Relief of Minor Arthritis Pain

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

80 GELTABS* 650 mg EACH

(*Gelatin-Coated Tablets)

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® ARTHRITIS PAIN†

DISTRIBUTED BY CHAIN DRUG CONSORTIUM

5095711/0512

Non Varnish Area

Batch No.

Expiration Date:



Drug Facts
Active Ingredient (in each gellab)
 Acetaminophen USP 650 mg.....
Purpose
 Pain reliever/
 fever reducer

Uses
 temporarily relieves minor aches and pains due to:
 ■ muscular aches ■ backache
 ■ headache ■ toothache
 ■ the common cold ■ minor pain of arthritis
 ■ fever and ■ menstrual cramps
 ■ temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take
 ■ more than 6 gellabs in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen
 ■ 3 or more alcoholic drinks every day while using this product

Do not use
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have difficulty swallowing large tablets or capsules. People over 65 may have difficulty swallowing these tablets.
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

NDC 68016-340-08
 COMPARE TO THE ACTIVE INGREDIENT OF
 TYLENOL® ARTHRITIS PAIN
 EASY TO OPEN BOTTLE

NDC 68016-340-08
 Use only as directed.
 EASY TO OPEN BOTTLE

Use only as directed.
See New Warnings Information
 Lasts up to 8 Hours **Arthritis Pain Relief**
Acetaminophen
 Extended-Release Tablets, USP 650 mg
 Pain Reliever/Fever Reducer
 ✓ For the Temporary Relief of Minor Arthritis Pain

80 GELTABS* 650 mg EACH
 (*Gelatin-Coated Tablets)

THIS PACKAGE FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Lasts up to 8 Hours **Arthritis Pain Relief**
Acetaminophen
 Extended-Release Tablets, USP 650 mg
 Pain Reliever/Fever Reducer
 ✓ For the Temporary Relief of Minor Arthritis Pain

80 GELTABS* 650 mg EACH
 (*Gelatin-Coated Tablets)

Drug Facts (continued)
Other information
 ■ store at 20° - 25° C (68° - 77° F). Avoid high humidity.
 ■ see end panel for batch number and expiration date

Inactive Ingredients
 croscarmellose sodium, gelatin, glycerin, hypromellose, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, sodium lauryl sulfate, starch, titanium dioxide

Questions? call 1-800-406-7984

Keep the carton.
 It contains important information.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SEAL IS BROKEN OR MISSING FROM BOTTLE.

This product is not manufactured or distributed by McNeil Consumer Healthcare, Inc. The owner of the registered trademark, Tylenol® is The Tylenol Company.

0512

DISTRIBUTED BY
 CHAIN DRUG CONSORTIUM
 3301 NW BOCA RATON BLVD
 SUITE 101, BOCA RATON, FL 33431

Drug Facts (continued)
Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ redness or swelling is present
 ■ the tablet got stuck in your throat
 These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than directed (see overdose warning)

adults

- take 2 gellabs every 8 hours. Swallow only one gellab at a time.
- take a sip of water before swallowing each gellab and wash each gellab down with water (up to a full 8 oz. glass).
- swallow whole - do not crush, chew, split or dissolve
- do not take more than 6 gellabs in 24 hours
- do not use for more than 10 days unless directed by a doctor
- ask a doctor

under 18 years of age



PREMIER VALUE ARTHRITIS PAIN RELIEVER			
acetaminophen tablet, extended release			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68016-340

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POVIDONES (UNII: FZ989GH94E)	

Product Characteristics

Color	white (White to Yellow)	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	350
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-340-08	80 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68016-340-40	40 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078569	12/21/2012	

Labeler - Chain Drug Consortium, LLC (101668460)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment			
Name	Address	ID/FEI	Business Operations
Ohm Laboratories Limited		184769029	MANUFACTURE(68016-340)

Revised: 10/2015

Chain Drug Consortium, LLC