

**ANTI-DIARRHEAL LOPERAMIDE HCL- loperamide hydrochloride capsule, liquid filled
EQUATE (Wal-Mart Stores, Inc.)**

Drug Facts

Active ingredient (in each capsule)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have

- fever
- mucus in the stool
- a history of liver disease

Ask a doctor or pharmacist before use if you are

taking antibiotics.

When using this product

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- store at 20°-25°C (68°-77°F). Protect from light.
- avoid excessive heat above 40°C (104°F).
- do not use if carton or blister unit is open or torn
- see side panel for lot number and expiration date

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1 , gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water

Questions or comments?

Call 1-888-287-1915

Principal Display Panel

Compare to Imodium® A-D* Active Ingredient*

Loperamide HCl

Soft Gelatin Capsules, 2 mg

Anti-Diarrheal

- Controls the Symptoms of Diarrhea
- Suitable for adults and children 12 years and older

SOFTGELS**

**Each Liquid-filled capsule contains 2 mg Loperamide HCl

Distributed by: Wal-Mart Stores, Inc., Bentonville, AR 72716

*This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE, USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Product Label

<p>Questions or comments? 1-888-287-1915</p>	<p>◀ signs of a serious condition. ■ you get abdominal swelling or bulging. These may be ■ diarrhea lasts for more than 2 days ■ symptoms get worse Stop use and ask a doctor if</p>
<p>Inactive ingredients butylated hydroxyanisole, edible ink, FD&C blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water</p>	<p>When using this product tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.</p>
<p>Other information ■ store at 20°-25°C (68°-77°F). Protect from light. ■ avoid excessive heat above 40°C (104°F) ■ do not use if carton or blister unit is open or torn ■ see side panel for lot number and expiration date</p>	<p>Ask a doctor or pharmacist before use if you are taking antibiotics. Ask a doctor before use if you have ■ fever ■ mucus in the stool ■ a history of liver disease ■ if you have bloody or black stool ■ in children under 12 years of age</p>
<p>Directions ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea ■ not for use in children under 12 years of age ■ adults and children 12 years of age and over: 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours</p>	<p>Do not use ■ if you have had a rash or other allergic reaction to loperamide HCl. Heart alert: Taking more than directed can cause serious heart problems or death. Allergy alert: Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.</p>
<p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Use Controls symptoms of diarrhea, including Travelers' Diarrhea.</p>
<p>Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p>	<p>Active ingredient (in each capsule) Loperamide HCl 2 mg.....Anti-diarrheal</p>
<p>Purpose</p>	<p>Warnings ■ if you have bloody or black stool ■ in children under 12 years of age</p>

equate™

Loperamide HCl
 Soft Gelatin Capsules, 2mg
Anti-Diarrheal

NDC 49035-520-12

equate™



Loperamide HCl
 Soft Gelatin Capsules, 2mg

Anti-Diarrheal

ASSISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.
 FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

- Controls the symptoms of diarrhea
- Suitable for adults and children 12 years and over

**Each liquid-filled capsule contains 2mg Loperamide HCl



Actual Size

THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT CONTAINER. KEEP OUTER CARTON F

Lot No.:
Exp. Date:

Satisfaction guaranteed - For questions or comments please call 1-888-287-1915

DISTRIBUTED BY: Wal-Mart Stores, Inc., Bentonville, AR 72716
 PRODUCT OF ITALY
 *This product is not manufactured or distributed by McNeil Consumer & Specialty Pharmaceuticals, distributor of Imodium® A-D.

REV # 9/16 PLD-C45J FC003591



EQUATE Anti-Diarrheal

ANTI-DIARRHEAL LOPERAMIDE HCL

loperamide hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49035-520
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOCAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	10mm

Flavor		Imprint Code	P13
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-520-12	1 in 1 CARTON	01/15/2013	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:49035-520-48	4 in 1 CARTON	01/15/2013	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:49035-520-02	120 in 1 CARTON	01/15/2013	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	01/15/2013	

Labeler - EQUATE (Wal-Mart Stores, Inc.) (051957769)

Revised: 12/2019

EQUATE (Wal-Mart Stores, Inc.)