CONDURANGO- condurango pellet Hahnemann Laboratories, INC.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CONDURANGO 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

TWIST TO OPEN - USE ONLY IF SEALED

CONDURANGO 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CONDU-**RANGO 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE HPUS Active ingredient: Listed above Use: Traditional use such as vomiting. Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

CONDURANGO 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CONDU-RANGO 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

CONDURANGO 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CONDU-RANGO 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

Inactive ingredients:

sucrose

emann Labs Inc. 1940 Fourth St. San Rafael
TWIST TO OPEN - USE ONLY IF SE!

CONDURANGO 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CONDU-RANGO 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael,
TWIST TO OPEN - USE ONLY IF SEAI

CONDURANGO 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



CONDURANGO 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

CONDU-RANGO 1M

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as vomiting.
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

nemann Labs Inc. 1940 Fourth St. San Rafael, (
TWIST TO OPEN - USE ONLY IF SEAL

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

CONDURANGO LM1

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for vomiting.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

CONDURANGO

condurango pellet

Product Information

Product Type HUMAN (

HUMAN OTC DRUG

Item Code (Source)

NDC:37662-0538

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	MARS DENIA CONDURANGO BARK	6 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains	Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:37662- 0538-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022		
2	NDC:37662- 0538-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022		
3	NDC:37662- 0538-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/14/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0542	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARS DENIA CONDURANGO BARK	200 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0542-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
2	NDC:37662- 0542-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
3	NDC:37662- 0542-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			
4	NDC:37662- 0542-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		06/14/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0543	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARS DENIA CONDURANGO BARK	500 [hp_C]		

Inactive Ingredients		
	Ingredient Name	Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date		
1	NDC:37662- 0543-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
2	NDC:37662- 0543-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
3	NDC:37662- 0543-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			
4	NDC:37662- 0543-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			

Marketing Information			
Marketing Application Number or Monograph Category Citation		Marketing Start Date	Marketing End Date
unapproved homeopathic		06/14/2022	

CONDURANGO

condurango pellet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0544	
Route of Administration	ORAL			

Active Ingredient/Active Moiety Ingredient Name MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA) CONDURANGO BARK - UNII:R23QIR6YBA) Basis of Strength MARSDENIA CONDURANGO BARK 1 [hp_M]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging					
#	# Item Code Package Description		Marketing Start Date	Marketing End Date	
1	NDC:37662- 0544-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022		
2	NDC:37662- 0544-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022		
3	NDC:37662- 0544-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022		
4	NDC:37662- 0544-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022		

Marketing End Date

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0545
Route of Administration	ORAL		

l	Active Ingredient/Active Moiety			
l	Ingredient Name	Basis of Strength	Strength	
	MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARS DENIA CONDURANGO BARK	1 [hp_Q]	

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	

Shape	ROUND	Size	1mm
Flavor		Imprint Code	
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:37662- 0545-1	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	aph Marketing Start Marketing En Date Date		
unapproved homeopathic		06/14/2022		

Product Information	Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0541	
Route of Administration	ORAL			

	Active Ingredient/Active Moiety		
ı	Ingredient Name	Basis of Strength	Strength
	MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARS DENIA CONDURANGO BARK	100 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

Packaging				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:37662- 0541-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022
2	NDC:37662- 0541-2	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022
3	NDC:37662- 0541-3	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022
4	NDC:37662- 0541-4	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/14/2022		

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37662-0540	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA CONDURANGO BARK - UNII:R23QIR6YBA)	MARS DENIA CONDURANGO BARK	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

F	Packaging					
#	t Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:37662- 0540-1	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
-	NDC:37662-	200 in 1 VIAL, GLASS; Type 0: Not a Combination	06/14/2022			

I	4	0540-2	Product	UU/ 14/ 2UZZ	
	. 5		1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022	
	4		4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/14/2022	
		06/14/2022	

condurango pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:37662-0539

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

MARSDENIA CONDURANGO BARK (UNII: R23QIR6YBA) (MARSDENIA

MARSDENIA

MARSDENIA

13 [bp. C]

CONDURANGO BARK - UNII:R23QIR6YBA)

CONDURANGO BARK

12 [hp_C]

Inactive Ingredients

Ingredient Name Strength
SUCROSE (UNII: C151H8M554)

Product Characteristics

ColorwhiteScoreno scoreShapeROUNDSize3mmFlavorImprint CodeContains

Packaging

ш							
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:37662- 0539-1	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/14/2022			
	2	NDC:37662- 0539-2	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			
	3	NDC:37662- 0539-3	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/14/2022			

nformation		
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
	06/14/2022	
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date

Labeler - Hahnemann Laboratories, INC. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, INC.		147098081	manufacture(37662-0538, 37662-0539, 37662-0540, 37662-0541, 37662-0542, 37662-0543, 37662-0544, 37662-0545)

Revised: 6/2022 Hahnemann Laboratories, INC.