

DHS TAR GEL- coal tar shampoo

Person and Covey

DHS TAR GEL

Purpose

Controls symptoms of Psoriasis, Seborrheic Dermatitis and Dandruff.

Indications and use

Helps prevent recurrence of scalp itching and flaking associated with Psoriasis, Seborrheic Dermatitis and Dandruff.

Dosage and administration

Wet hair thoroughly, apply a liberal amount of shampoo and massage into lather. Allow lather to remain on scalp for several minutes. Rinse hair well and repeat application. For best results use at least twice a week or as directed by a physician.

OTC - ACTIVE INGREDIENT SECTION

Coal Tar

INACTIVE INGREDIENT SECTION

Purified Water

Triethanolamine Laurel Sulfite

Cocamidopropyl Hydroxysultaint

Sodium Chloride

PEG-8 Distearate

Hypromellose

Citric Acid

Keep out of the reach of children

Yes. If swallowed, get medical help or contact a Poison Control Center right away.

WARNINGS AND PRECAUTIONS SECTION

For external use only. Ask a physician before use if you have Psoriasis or Seborrheic Dermatitis that covers a large area of the body. Do not get into eyes. If contact occurs,

rinse eyes thoroughly with water. Use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn for up to 24 hours after application. Do not use for prolonged periods without consulting a physician. Do not use this product with other forms of Psoriasis therapy such as ultraviolet radiation or prescription drugs, unless directed to do so by a physician. In rare instances, discoloration of gray, blond tinted or bleached hair may occur. Stop use and ask physician if condition worsens or does not improve after regular use. Store away from excessive heat or cold.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

DHS Tar Gel 8 oz.jpg

NDC 0096-0736-08

DHS™

TAR GEL SHAMPOO

2.9% SOLUBILIZED COAL TAR EXTRACT (0.5% COAL TAR)

Scented

CONTROLS SYMPTOMS OF:
Psoriasis
Seborrheic Dermatitis
Dandruff

Pleasant to use and gentle to your hair

PERSON & COVEY

8 fl. oz. (240ml)

00960736083

Drug Facts

Active Ingredient	Purpose
2.9% Solubilized Coal Tar Extract (0.5% Coal Tar)	For the control of Psoriasis, Seborrheic Dermatitis and Dandruff

Use DHS™ Tar Gel Shampoo helps prevent recurrence of scalp itching and flaking associated with Psoriasis, Seborrheic Dermatitis and Dandruff.

Warnings

For external use only

Ask a doctor before use if you have

- Psoriasis or Seborrheic Dermatitis that covers a large area of the body.

When using this product

- Do not get into eyes. If contact occurs, rinse eyes thoroughly with water.
- Use caution in exposing skin to sunlight after applying this product. It may increase your tendency to sunburn for up to 24 hours after application.
- Do not use for prolonged periods without consulting a doctor.
- Do not use this product with other forms of Psoriasis therapy such as ultraviolet radiation or prescription drugs, unless directed to do so by a doctor.
- In rare instances, discoloration of gray, blond, tinted or bleached hair may occur.

Stop use and ask a doctor if

- Condition worsens or does not improve after regular use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Wet hair thoroughly; apply a liberal amount of DHS Tar Gel Shampoo and massage into lather. Allow lather to remain on scalp for several minutes. Rinse hair well and repeat application. ■ For best results use at least twice a week or as directed by a doctor.

Other Information ■ Store away from excessive heat or cold.

Inactive Ingredients Purified Water, TEA Lauryl Sulfate, Cocamidopropyl Hydroxysultaine, Sodium Chloride, PEG-8 Distearate, Hydroxypropyl Methylcellulose, Fragrance, Citric Acid.

Questions? Please call 1 (800) 423-2341.

PERSON & COVEY, Inc., Glendale, California, 91201 U.S.A. 51
www.personandcovey.com

DHS TAR GEL

coal tar shampoo

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0096-0736
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
COAL TAR (UNII: R533ESO2EC) (COAL TAR - UNII:R533ESO2EC)	COAL TAR	0.005 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
TRIETHANOLAMINE LAURYL SULFATE (UNII: E8458C1KAA)	
COCAMIDOPROPYL HYDROXYSULTAINE (UNII: 62V75NI93W)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG-8 DISTEARATE (UNII: 7JNC8VN07M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
HYPROMELLOSE 2910 (4000 MPA.S) (UNII: RN3152OP35)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0096-0736-08	249.6 g in 1 BOTTLE; Type 0: Not a Combination Product	06/01/1996	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M032	06/01/1996	

Labeler - Person and Covey (008482473)**Establishment**

Name	Address	ID/FEI	Business Operations
Person and Covey		008482473	manufacture(0096-0736)

Revised: 1/2024

Person and Covey