

**EXTRA STRENGTH PAIN RELIEF- acetaminophen suspension**  
**Preferred Pharmaceuticals Inc.**

-----  
**GC ES apap liquid**

**Active ingredient (in each 15mL Tablespoonful)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/Fever reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver Warning:** This product contains acetaminophen. The maximum daily dose of this product is 6 tablespoonfuls in 24 hours.

Severe liver damage may occur if you take

- more than 8 tablespoonfuls (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions.

Symptoms may include: • skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product: Do not exceed recommended dose.**

**Stop use and ask a doctor if**

- new symptoms occur

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breastfeeding**, ask a health professional before use.

**Keep out of reach of children.**

### **Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults/children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than directed

---

Adults and children 12 years of age and older	Take 1-2 Tablespoons every 4 to 6 hours as needed; not more than 6 Tablespoons in 24 hours
Children under 12 years	Do not use

---

### **Other information**

- store at room temperature 15° - 30°C (59°-86°F)
- protect from freezing
- protect from light
- TAMPER-EVIDENT: Do not use if foil seal over bottle opening is torn, broken or missing.

### **Inactive ingredients**

artificial and natural cherry flavor, citric acid, FD&C Red #40, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

### **Questions or comments?**

**1-800-540-3765**

**Relabeled By: Preferred Pharmaceuticals Inc.**

# PRINCIPAL DISPLAY PANEL

**Extra Strength APAP Liquid**  
**500mg per 15mL**  
 Generic for Tylenol Liquid  
 In each 15mL: Acetaminophen 500mg...pain reliever/fever reducer

**Pkg Size:** Exp Date:  
 Lot#: Batch#: Ins:  
 Mfg: Geri-Care Pharmaceutical Corp  
 Prod#:

**Warning**  
SEE NEW DOSING INFORMATION. This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000mg in 24 hours; with other drugs containing acetaminophen. Do not use with any other product drug containing acetaminophen (prescription or nonprescription); if the user is allergic to acetaminophen or any of the inactive ingredients in this product. See bottle for complete list of drug facts and warnings. Keep out of reach of children. Alcohol Free. Aspirin Flavor, Cherry Flavor. Store at room temperature 15°-30°C (59°-86°F). Protect from light. Protect from freezing.



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed

Extra Strength APAP Liquid  
 500mg per 15mL  
 Qty: Ins:  
 Lot#: Bat#:

Prod# (NDC):

Extra Strength APAP Liquid  
 500mg per 15mL  
 Qty: Ins:  
 Lot#: Bat#:  
 Prod# (NDC):

Extra Strength APAP Liquid  
 500mg per 15mL  
 Qty:  
 Insurance NDC:  
 Lot#: Bat#:

Extra Strength APAP Liquid  
 500mg per 15mL  
 Qty: Ins:  
 Lot#: Bat#:  
 Prod# (NDC):



Directions English  
 Take \_\_\_ teaspoonful(s)  
 ) every \_\_\_ hours.



Instrucciones Espanol:  
 Toma \_\_\_ cucharadita(s)  
 ) cada \_\_\_ horas

Log  
Chart  
Billing  
Patient

## EXTRA STRENGTH PAIN RELIEF

acetaminophen suspension

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68788-8375(NDC:57896-206)
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg in 15 mL

### Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8375-2	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/24/2023	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	343	02/24/2023	

**Labeler** - Preferred Pharmaceuticals Inc. (791119022)**Registrant** - Preferred Pharmaceuticals Inc. (791119022)**Establishment**

Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	RELABEL(68788-8375)

Revised: 4/2024

Preferred Pharmaceuticals Inc.