

## **MEDERMA PM- dimethicone cream**

**Merz Pharmaceuticals, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Mederma® PM**

#### ***Drug Facts***

#### **Active Ingredients**

Dimethicone 2%

#### **Purpose**

Skin Protectant

#### **Use**

- Temporarily protects and helps relieve chapped or cracked skin

#### **Warnings**

##### **For external use only**

##### **When using this product**

- do not get into eyes

##### **Stop use and ask a doctor if**

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

##### **Do not use on**

- deep or puncture wounds
- animal bites
- serious burns

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- Apply as needed.

#### **Other Information**

Store at room temperature.

#### **Inactive Ingredients**

Water, Cetearyl Alcohol, Glycerin, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Pentylene Glycol, Cyclomethicone, Arachidyl Alcohol, Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Allium Cepae

(Onion) Bulb Extract, Copper Tripeptide-1, Aloe Barbadensis Leaf, Cetearyl Glucoside, Tocopherol Acetate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Hydrolyzed Soy Protein, Glycine, Panthenol, Hydrolyzed Collagen, PEG-400, Arginine HCL, Leucine, Lysine Hydrochloride, Alanine, Sodium Lactate, Aspartic Acid, Glucose, Glutamic Acid, Isopropyl Alcohol, Mannitol, Sorbitol, Tromethamine, Valine, Histidine Hydrochloride, Isoleucine, Phenylalanine, Tyrosine, Potassium Sorbate, Sodium Benzoate, Citric Acid, Sodium Hydroxide, Fragrance.

### **Questions or Comments?**

For more information call 1-888-925-8989 or visit [www.mederma.com](http://www.mederma.com)

### **PRINCIPAL DISPLAY PANEL - 28g Tube Box**

SKIN CARE FOR SCARS™

**MEDERMA®** PM

INTENSIVE OVERNIGHT SCAR CREAM

Formulated to work with  
your skin's nighttime  
regenerative activity

NEW

Net Wt. 1.0 oz. (28g)

SKIN CARE FOR SCARS™  
**MEDERMA<sup>®</sup> PM**  
INTENSIVE OVERNIGHT SCAR CREAM

**#1 DOCTOR & PHARMACIST**  
RECOMMENDED BRAND FOR SCARS

**MEDERMA<sup>®</sup> PM**

During sleep our bodies work harder to reverse the skin damage caused during the day, repairing and regenerating skin cells at a faster rate. **Mederma<sup>®</sup> PM Intensive Overnight Scar Cream** is formulated to complement this activity with **Tripeptol™**, a skin nourishing complex with peptides, collagen, and antioxidants to promote healthy looking skin.

Plus, the non-greasy formula is safe for sensitive skin.

**GUARANTEED RESULTS OR YOUR MONEY BACK**

Formulated with  
**CEPALIN<sup>®</sup>** and **Tripeptol™**

Manufactured for  
Merz Pharmaceuticals, LLC  
Greensboro, NC 27410  
Made in Germany  
Patent Pending  
©2013 Merz Pharmaceuticals, LLC

SKIN CARE FOR SCARS™  
**MEDERMA<sup>®</sup> PM**  
INTENSIVE OVERNIGHT SCAR CREAM

Formulated to work with your skin's nighttime regenerative activity

**NEW**

Net Wt. 1.0 oz. (28g)

**Mederma<sup>®</sup> PM Intensive Overnight Scar Cream** is clinically shown to improve the color, size, texture, and overall appearance of scars, helping them appear softer, smoother, smaller, and less visible.

**8 WEEKS** | **3-6 MONTHS**  
ON NEW SCARS | ON EXISTING SCARS

**ACTUAL PHOTOS\***

**BEFORE**



**AFTER**



\*Results after using **Mederma<sup>®</sup> PM Intensive Overnight Scar Cream** for 8 weeks.

Sign up for calendar, email, or text reminders at [mederma.com/reminder](http://mederma.com/reminder)

Glue

Glue



Hidden Text Area

Glue

Reduces the appearance of  
**OLD & NEW SCARS ON THE**

FACE & BODY WHILE YOU SLEEP

SKIN CARE FOR SCARS™  
**MEDERMA<sup>®</sup> PM**

FACE & BODY WHILE YOU SLEEP

**MEDERMA<sup>PM</sup>**  
INTENSIVE OVERNIGHT SCAR CREAM

Glue

Clinically shown to reduce the appearance of scars from:  
INJURY | SURGERY | BURNS | ACNE

Apply evenly and gently rub into the scar once nightly for 8 weeks on new scars, and once nightly for 3-6 months on existing scars. Apply Mederma<sup>®</sup> PM as soon as your wound has closed.

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Dimethicone 2%	Skin Protectant
<b>Use</b> • Temporarily protects and helps relieve chapped or cracked skin	
<b>Warnings</b>	
For external use only	
When using this product • do not get into eyes	
Stop use and ask a doctor if • condition worsens • symptoms last more than 7 days or clear up and occur again within a few days	
Do not use on • deep or puncture wounds • animal bites • serious burns	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • Apply as needed.	
<b>Other Information</b> Store at room temperature.	
<b>Inactive Ingredients</b> Water, Cetearyl Alcohol, Glycerin, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Pentylene Glycol, Cyclomethicone, Arachidyl Alcohol, Alcohol, Behenyl Alcohol, Arachidyl Glucoside, Allium Cepae (Onion) Bulb Extract, Copper Tripeptide-1, Aloe Barbadensis Leaf, Cetearyl Glucoside, Tocopherol Acetate, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Hydroxyethylcellulose, Hydrolyzed Soy Protein, Glycine, Panthenol, Hydrolyzed Collagen, PEG-400, Arginine HCL, Leucine, Lysine Hydrochloride, Alanine, Sodium Lactate, Aspartic Acid, Glucose, Glutamic Acid, Isopropyl Alcohol, Mannitol, Sorbitol, Tromethamine, Valine, Histidine Hydrochloride, Isoleucine, Phenylalanine, Tyrosine, Potassium Sorbate, Sodium Benzoate, Citric Acid, Sodium Hydroxide, Fragrance.	
<b>Questions or Comments?</b> For more information call 1-888-925-8989 or visit <a href="http://www.mederma.com">www.mederma.com</a>	

Paraben Free

Rev 07/13  
~~5012041~~  
No Tag NDF

<b>MEDERMA PM</b>			
dimethicone cream			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0259-2202
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Dimethicone</b> (UNII: 92RU3N3Y1O) (Dimethicone - UNII:92RU3N3Y1O)	Dimethicone	20 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>water</b> (UNII: 059QF0K00R)	
<b>Onion</b> (UNII: 492225Q21H)	
<b>Cetostearyl Alcohol</b> (UNII: 2DMT128M1S)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Dicaprylyl Carbonate</b> (UNII: 609A3V1SUA)	
<b>Alkyl (C12-15) Benzoate</b> (UNII: A9EJ3J61HQ)	
<b>Pentylene Glycol</b> (UNII: 50C1307PZG)	
<b>Cyclomethicone</b> (UNII: NMQ347994Z)	
<b>Arachidyl alcohol</b> (UNII: 1QR1QRA9BU)	
<b>Alcohol</b> (UNII: 3K9958V90M)	
<b>Docosanol</b> (UNII: 9G1OE216XY)	
<b>Arachidyl glucoside</b> (UNII: 6JVW35JOOJ)	
<b>Cetearyl Glucoside</b> (UNII: 09FUA47KNA)	
<b>.Alpha.-Tocopherol Acetate</b> (UNII: 9E8X80D2L0)	
<b>Hydroxyethyl acrylate/Sodium acryloyldimethyl Taurate Copolymer (45000 MPAS AT 1%)</b> (UNII: 86FQE96TZ4)	
<b>Hydroxyethyl Cellulose (2000 MPAS AT 1%)</b> (UNII: S38J6RZN16)	
<b>Sodium Hydroxide</b> (UNII: 55X04QC32I)	
<b>Aloe Vera Leaf</b> (UNII: ZY81Z83H0X)	
<b>Glycine</b> (UNII: TE7660XO1C)	
<b>Panthenol</b> (UNII: WV9CM0O67Z)	
<b>Bovine Type I Collagen</b> (UNII: FHJ3ATL51C)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>Potassium Sorbate</b> (UNII: 1VPU26JZZ4)	
<b>Sodium Benzoate</b> (UNII: OJ245FE5EU)	
<b>Citric Acid Monohydrate</b> (UNII: 2968PHW8QP)	
<b>Arginine Hydrochloride</b> (UNII: F7LTH1E20Y)	
<b>Leucine</b> (UNII: GMW67QNF9C)	
<b>Lysine Hydrochloride</b> (UNII: JNJ23Q2COM)	
<b>Alanine</b> (UNII: OF5P57N2ZX)	
<b>Sodium Lactate</b> (UNII: TU7HW0W0QT)	
<b>Aspartic Acid</b> (UNII: 30KYC7MIAI)	
<b>Dextrose</b> (UNII: IY9XDZ35W2)	
<b>Glutamic Acid</b> (UNII: 3KX376GY7L)	
<b>Isopropyl Alcohol</b> (UNII: ND2M416302)	
<b>Mannitol</b> (UNII: 3OWL53L36A)	
<b>Sorbitol</b> (UNII: 506T60A25R)	
<b>Tromethamine</b> (UNII: 023C2WHX2V)	
<b>Valine</b> (UNII: HG18B9YRS7)	
<b>Prezatide Copper</b> (UNII: 6BJQ43T1I9)	
<b>Soy Protein</b> (UNII: R44IWB3RN5)	
<b>Histidine Monohydrochloride</b> (UNII: 1D5Q932XM6)	
<b>Isoleucine</b> (UNII: 04Y7590D77)	
<b>Phenylalanine</b> (UNII: 47E5O17Y3R)	

Tyrosine (UNII: 42HK56048U)

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0259-2202-28	1 in 1 BOX		
1		28 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:0259-2202-48	1 in 1 BOX		
2		48 g in 1 JAR; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part347	11/01/2013	

**Labeler** - Merz Pharmaceuticals, LLC (126209282)

Revised: 11/2015

Merz Pharmaceuticals, LLC