

PREMIER SOLUTIONS LIQUID BANDAGE- benzethonium chloride dyclonine hydrochloride liquid
Premier Brands of America, Inc.

Premier Solutions Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

Avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- For adults and children 2 years of age and older
- Clean affected area
- apply a small amount on the area 1-3 times daily let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20C to 25C (68F to 77F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

antiseptic

liquid

bandage

helps prevent infection

for small cuts and wounds

invisible, flexible, waterproof, easy to use

NET WT 0.3 FL OZ (9 mL)

premier solutions™

LIQUID BANDAGE

TOPICAL ANALGESIC & ANTISEPTIC
SEALS TO PROTECT

0.3 FL OZ (9 mL)

USE LIQUID BANDAGE FOR:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

GREAT FOR:

Athletes, active lifestyles, outdoor sportsmen & musicians.

53-033PS

premier solutions™

FOR SMALL CUTS & WOUNDS

- + Prevents infection
- + Water-resistant
- + Invisible & flexible
- + Built-in applicator brush

NO VARNISH AREA
(WHITE ONLY)

©2022 Premier Brands of America Inc. All rights reserved.
Premier Solutions is a trademark of Premier Brands of America Inc.

DISTRIBUTED BY:
Premier Brands of America Inc.
White Plains, NY 10601
QUESTIONS? CALL 1-866-964-0939
MADE IN USA WITH U.S.
AND IMPORTED PARTS



0 34197 00538 8

■ Do not allow to come into contact with fabrics, floors, countertops or other surfaces – will stain.
■ Wipe top of bottle clean after each use.
■ Care

Questions? Call 1-866-964-0939

Inactive ingredients nitrocellulose, SD alcohol 40, acetone, amyl acetate, castor oil, ethyl acetate, Liquid Bandage and quickly wipe off

Other information ■ cap bottle tightly ■ store between 20° to 25°C (68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more

Directions ■ for adults and children 2 years of age and older ■ clean affected area may be applied for extra protection ■ children under 2 years of age: consult a doctor

■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating ■ longer than 1 week unless directed by a doctor

Warnings ■ Do not use ■ in the eye ■ over large areas of the body ■ Flammable: Keep away from fire or flame. For external use only.

When using this product ■ avoid contact with eyes ■ animal bites ■ serious burns

Ask a doctor before use if you have ■ deep or puncture wounds ■ deep cuts ■ symptoms persist for more than 7 days or clear up and occur again within a few days

Stop use and ask a doctor if ■ condition persists or gets worse ■ infection occurs

Keep out of reach of children. If swallowed, get medical help or call a Poison Control Center right away.

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns ■ for the temporary relief of pain

Drug Facts ■ Benzethonium chloride 0.2% ■ First aid antiseptic ■ Topical analgesic ■ Dicyclanil hydrochloride 0.75%

Purpose ■ First aid antiseptic ■ Topical analgesic

DO NOT USE IF NECKBAND IS BROKEN



PREMIER SOLUTIONS LIQUID BANDAGE

benzethonium chloride dyclonine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-246
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y219G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:56104-246-01	10 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	06/16/2022	
----------	------------------	--	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/16/2022	

Labeler - Premier Brands of America, Inc. (117557458)

Revised: 2/2024

Premier Brands of America, Inc.