

PREMIER SOLUTIONS LIQUID BANDAGE- benzethonium chloride dyclonine hydrochloride liquid
Premier Brands of America, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Premier Solutions Liquid Bandage

Active ingredients

Benzethonium chloride 0.2%
Dyclonine hydrochloride 0.75%

Purpose

First aid antiseptic
Topical analgesic

Uses

- first aid to prevent bacteria contamination in minor cuts and scrapes

Warnings

For external use only.

Flammable:

do not use while smoking or near heat or flame.

Do not use

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- on infected areas or wounds that are draining
- with other first aid products such as lotions and creams
- over sutures
- on mucous membranes

Ask a doctor before use if you have

- deep puncture wounds
- deep cuts
- animal bites
- serious burns

When using this product

Avoid contact with eyes

Stop use and ask a doctor if

- conditions persists or gets worse
- infection occurs
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or call a Poison Control Center right away.

Directions

- For adults and children 2 years of age and older
- Clean affected area
- apply a small amount on the area 1-3 times daily let dry
- a second coating may be applied for extra protection
- children under 2 years of age: consult a doctor

Other information

- cap bottle tightly
- store between 20C to 25C (68F to 77F)
- may temporarily sting upon application
- to remove, apply more Liquid Bandage and quickly wipe off

Inactive ingredients

acetone, amyl acetate, castor oil, ethyl acetate, nitrocellulose, SD alcohol 40

Questions

Call 1-866-964-0939

Principal Display Panel

antiseptic

liquid

bandage

helps prevent infection

for small cuts and wounds

invisible, flexible, waterproof, easy to use

NET WT 0.3 FL OZ (9 mL)

premier solutions™

LIQUID BANDAGE

TOPICAL ANALGESIC & ANTISEPTIC
SEALS TO PROTECT

0.3 FL OZ (9 mL)

USE LIQUID BANDAGE FOR:

Blisters, chapped & cracked fingertips, hangnails, paper cuts, shaving nicks & help in preventing the formation of calluses.

GREAT FOR:

Athletes, active lifestyles, outdoor sportsmen & musicians.

53-033PS

premier solutions™

FOR SMALL CUTS & WOUNDS

- + Prevents infection
- + Water-resistant
- + Invisible & flexible
- + Built-in applicator brush

NO VARNISH AREA
(WHITE ONLY)

©2022 Premier Brands of America Inc. All rights reserved.
Premier Solutions is a trademark of Premier Brands of America Inc.

DISTRIBUTED BY:
Premier Brands of America Inc.
White Plains, NY 10601
QUESTIONS? CALL 1-866-964-0939
MADE IN USA WITH U.S.
AND IMPORTED PARTS



0 34197 00538 8

Care
■ Do not allow to come into contact with fabrics, floors, countertops or other surfaces -- will stain.
■ Wipe top of bottle clean after each use.

Questions? Call 1-866-964-0939
Intracellose, 5D alcohol 40

Inactive ingredients acetone, amyl acetate, castor oil, ethyl acetate, microcellulose, SD alcohol 40

Liquid Bandage and quickly wipe off
(68° to 77°F) ■ may temporarily sting upon application ■ to remove, apply more

Other information ■ cap bottle tightly ■ store between 20° to 25°C

■ apply a small amount on the area 1 to 3 times daily and let dry ■ a second coating may be applied for extra protection ■ children under 2 years of age: consult a doctor

Directions ■ for adults and children 2 years of age and older ■ clean affected area

Control Center right away.
Keep out of reach of children. If swallowed, get medical help or call a Poison

Stop use and ask a doctor if ■ condition persists or gets worse ■ infection occurs

When using this product ■ avoid contact with eyes

Ask a doctor before use if you have ■ deep or puncture wounds ■ deep cuts

Do not use ■ in the eye ■ over large areas of the body

Flammable: Keep away from fire or flame.
For external use only.

Warnings

Uses ■ first aid to prevent bacterial contamination in minor cuts, scrapes and burns

Dydomine hydrochloride 0.75% ■ Topical analgesic

Drug Facts
Benzethonium chloride 0.2% ■ First aid antiseptic

Purpose

NECKBAND IS BROKEN

DO NOT USE IF



PREMIER SOLUTIONS LIQUID BANDAGE

benzethonium chloride dyclonine hydrochloride liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56104-246
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.2 mg in 10 mL
DYCLONINE HYDROCHLORIDE (UNII: ZEC193879Q) (DYCLONINE - UNII:078A24Q30O)	DYCLONINE HYDROCHLORIDE	0.75 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
AMYL ACETATE (UNII: 92Q24NH7AS)	
CASTOR OIL (UNII: D5340Y219G)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
PYROXYLIN (UNII: KYR8BR2X6O)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:56104-246-01	10 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	06/16/2022	
----------	------------------	--	------------	--

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	06/16/2022	

Labeler - Premier Brands of America, Inc. (117557458)

Revised: 1/2023

Premier Brands of America, Inc.