# BASIC CARE DAYTIME COLD AND FLU- acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled Amazon.com Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Amazon Daytime Cold & Flu Drug Facts

#### Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

#### **Purpose**

Pain reliever/fever reducer Cough suppressant Nasal decongestant

#### Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

skin reddening

- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

#### Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

#### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

## When using this product

#### do not use more than directed

#### Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- take only as directed see overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

#### Other information

store at 20-25°C (68-77°F)

#### Inactive ingredients

edible ink\*, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution \*may contain this ingredient

#### **Questions or comments?**

1-800-719-9260

#### **Principal Display Panel**

Multi-Symptom Relief

Non-Drowsy

Compare to Vicks® DayQuil® Cold & Flu active ingredients

Daytime Cold &Flu

Acetaminophen, Dextromethorphan HBr, Phenylephrine HCl

Pain Reliver/Fever Reducer

Nasal Decongestant

Cough Suppressant

Alcohol Free

Antihistamine Free

#### actual size





### so you can get through the day Relieves major flu symptoms

#### Drug Facts

DO NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Active ingredients (in each softgel) Purpose .Pain reliever/fever reducer ......Cough suppressant Phenylephrine HCl 5 mg...... .....Nasal decongestant

Uses temporarily relieves common cold/flu symptoms:

■ nasal congestion ■ cough due to minor fireat and bronchial irritation

■ headache ■ min or aches and pains ■ fever ■ sore throat

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

■ more than 4,000 mg of acetaminophen in 24 hours

with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warming: If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease, or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients
- Ask a doctor before use if you have liver disease heart disease
- diabetes high blood pressure th yroid disease
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharm acist before use if you are taking the blood thinning drug warfarin

#### When using this product do not use more than directed

Stop use and ask a doctor if ■ new symptoms occur ■ you get nervous, dizzy or sleepless

- redness or swelling is present
- fever gets worse or lasts more than 3 days
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### OPEN OTHER END



■ take only as directed – see overdose warn ing ■ don ot exceed 4d os esper 24 hrs

adults & children 12 yrs & over

children 4 to under 12 yrs

children under 4 yrs

Drug Facts (continued)

2softgels with water every 4hrs

ask a doctor do not us e

www.StopMedicineAbuse.org

DISTRIBUTED BY:
AMAZON.COM SERVICES LLC
410 TERRY AVENUE N.
SEATTLE, WA 981 09 MADE IN CANADA

Inactive Ingradients edible ink\*, FD&C red no.40, FD&C yellowno. 6, qe katin, polyetin, polyetivjene glycol, povidore, propylene glycol, purified water, sorbi bl sorbi i solution \*may contain this ingredient

Questions or comments?1-80 0-719-9260

ídks®i DayQuil® Cold & Flu

■store at 20-25°C (68-77°F)

Other Information

© 2020 AMAZ ON COM, INC OR ITS AFFILIATES. ALL RIGHTS RESERVED. \*This product is not manufactured or distributed by Procter & Gamble, distributor of



### **BASIC CARE DAYTIME COLD AND FLU**

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-994
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients		
Ingredient Name	Strength	
FD&C RED NO. 40 (UNII: WZB9127XOA)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
SORBITAN (UNII: 6092ICV9RU)		

Product Characteristics			
Color	ORANGE	Score	no score
Shape	OVAL	Size	20mm
Flavor		Imprint Code	L994
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
NDC 70000 004			

1	NDC: /2288-994-	12 in 1 CARTON	09/14/2021
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product	
2	NDC:72288-994- 67	24 in 1 CARTON	09/03/2021
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	09/03/2021	

## Labeler - Amazon.com Services LLC (128990418)

Revised: 9/2021 Amazon.com Services LLC