

**LEADER ANTI ITCH- diphenhydramine hydrochloride, zinc acetate cream
Cardinal Health 110, LLC. dba Leader**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Anti-Itch Cream Drug Facts

Active ingredients

Diphenhydramine hydrochloride 2%

Zinc acetate 0.1%

Purpose

Topical analgesic

Skin protectant

Uses

- temporarily relieves pain and itching associated with:
- insect bites
- minor burns
- sunburn
- minor skin irritations
- minor cuts
- scrapes
- rashes due to poison ivy, poison oak and poison sumac
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings

For external use only

Do not use

- on large areas of the body
- with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use

- on chicken pox
- on measles

When using this product

- avoid contact with the eyes

Stop use and ask a doctor if

- condition worsens or does not improve within 7 days
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- do not use more than directed
- adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
- children under 2 years of age: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)

Inactive ingredients

cetyl alcohol, diazolidinyl urea, methylparaben, PEG-2 stearate, PEG-20 stearate, propylene glycol, propylparaben, purified water

Questions or comments?

1-800-719-9260

Principal Display Panel

LEADER™

Extra Strength Anti-Itch Cream

Diphenhydramine Hydrochloride, 2% | Zinc Acetate, 0.1%

Topical Analgesic | Skin Protectant

Itch Stopping Cream

COMPARE TO EXTRA STRENGTH BENADRYL® CREAM active ingredients

100% Money Back Guarantee

NET WT 1 OZ (28 g)

LEADER™

NDC 70000-0388-1

Extra Strength
Anti-Itch Cream

Diphenhydramine Hydrochloride, 2% | Zinc Acetate, 0.1%
Topical Analgesic | Skin Protectant

Itch Stopping Cream

COMPARE TO
EXTRA STRENGTH
BENADRYL® CREAM
active ingredients*

100% Money Back Guarantee

NET WT 1 OZ (28 g)

DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43017
www.myLeader.com 1-800-200-6313
Essential to Care™ since 1979



Return to place of purchase if not satisfied.

CIN 5453899 REV. 11/18



© 2018 Cardinal Health. All Rights Reserved. CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners.

*This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, the distributor of Extra Strength Benadryl® Cream.

Drug Facts

Active ingredients
Diphenhydramine hydrochloride 2%.....Topical analgesic
Zinc acetate 0.1%.....Skin protectant

Uses
Temporarily relieves pain and itching associated with:
■ insect bites ■ minor burns ■ sunburn
■ minor skin irritations ■ minor cuts ■ scrapes
■ rashes due to poison ivy, poison oak and poison sumac
■ dries the oozing and weeping of poison ivy, poison oak and poison sumac

Warnings
For external use only
Do not use
■ on large areas of the body
■ with any other product containing diphenhydramine,
even one taken by mouth
Ask a doctor before use
■ on chicken pox ■ on measles
When using this product ■ avoid contact with the eyes

Directions
■ do not use more than directed
■ adults and children 2 years of age and older: apply to affected area no more than 3 to 4 times daily
■ children under 2 years of age: ask a doctor

Other information
■ store at 20°-25°C (68°-77°F)

Inactive ingredients
methylparaben, PEG-2 stearyl, PEG-20 stearyl, propylene glycol, propylparaben, purified water

Questions or comments? 1-800-719-9250

Drug Facts (continued)
Stop use and ask a doctor if
■ condition worsens or does not improve within 7 days
■ symptoms persist for more than 7 days or clear up and occur again within a few days
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

LEADER ANTI ITCH

diphenhydramine hydrochloride, zinc acetate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0388
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	2 g in 100 g
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	0.1 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0K00R)	
PEG-2 STEARATE (UNII: 94YQ11Y95F)	
PEG-20 STEARATE (UNII: NBX892EA57)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0388-1	1 in 1 CARTON	12/13/2018	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/13/2018	

Labeler - Cardinal Health 110, LLC. dba Leader (063997360)

Revised: 3/2022

Cardinal Health 110, LLC. dba Leader