

**FIBER LAX- fiber lax tablet**  
**Contract Pharmacy Services-PA**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Fiber-Lax**

**DRUG FACTS**

**ACTIVE INGREDIENT (IN EACH TABLET)**

Calcium Polycarbophil 625mg (equivalent to polycarbophil 500mg)

**PURPOSE**

Bulk-Forming Laxative

**USES**

- relieves occasional constipation
- generally produces bowel movement in 12 to 72 hours

**WARNINGS**

Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate attention.

**Do not use**

for longer than one week

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- noticed a sudden change in bowel habits that lasts over two weeks

**Ask a doctor or pharmacist before use if**

you are taking any other drug. Take Fiber-Lax two or more hours before or after other drugs. Laxatives may affect how other drugs work.

**Stop use and ask a doctor if**

- you have rectal bleeding
- you fail to have a bowel movement after using this product. These may indicate a serious condition.

**Keep out of reach of children.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Center right away.

## **DIRECTIONS**

Take Fiber-Lax with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning.

-take dose 1-4 times daily - do not take more than 4 doses in 24 hours.

-adults & children 12 years and over: 2 captabs

-children under 12 years: ask a doctor

## **OTHER INFORMATION**

each captab contains: calcium 140mg

## **STORAGE**

-store below 30 degrees C (86 degrees F)

-do not refrigerate

-protect from humidity

## **INACTIVE INGREDIENTS**

Anhydrous lactose, caramel powder, colloidal silicon dioxide, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl and stearic acid.

## **QUESTIONS OR COMMENTS?**

Questions and Comments?

Call 1-800-645-2158, 9am - 5pm ET, Monday - Friday

Repackaged by:


Contract Pharmacy Services-PA

125 Titus Ave Suite 200

Warrington, PA 18976 USA

Original--08/2010--NJW

## **Package Label**



Blister of 30

## FIBER LAX

fiber lax tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67046-205(NDC:0536-4306)
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (CALCIUM - UNII:S7YQ814VUP)	CALCIUM POLYCARBOPHIL	500 mg

### Product Characteristics

Color	WHITE (Beige)	Score	2 pieces
Shape	CAPSULE	Size	19mm
Flavor		Imprint Code	
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67046-205-30	30 in 1 BLISTER PACK		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/09/2010	

**Labeler** - Contract Pharmacy Services-PA (945429777)

Revised: 7/2010

Contract Pharmacy Services-PA