DR JOE LAB ARTHRITIS EXTRA STRENGTH- trolamine salicylate gel DR JOE LAB

Dr Joe lab ARTHRITIS EXTRA STRENGTH with 10% TROLAMINE SALICYLATE PAIN RELIEF GEL

Active Ingredients

Trolamine Salicylate 10%

Purpose

Topical Analgesic

Warnings

For External Use Only

Allergy alert

if prone to allergic reaction from aspirin or salucylates, consult a doctor before use.

When using this product

- use only as directed, do not bandage ightly or use with a heating pad.
- Avoid contact with eyes or mucous membranes
- Do not apply on wounds or damaged broken or irritated skin.
- Do not use at the same time as other topical analgesic product

Ask doctor if

Condition Worsen - Symptoms persist for more than 7 days or clear up and occur again within a few days- redness is present- irritation develops

If Pregnant or Breast -feeding

Ask a health professional before use

Keep out of reach of children

If Swallowed get medical help or contact poison control center right away.

Apply generously to affected area

- massage into painful area until throughly absorbed into skin
- repeat as necessary but no more than 3-4 times daily

Water, Disodium EDTA, Aloe vera extract, Arnica Montana Extract, Ammonium Polyacryloyldimethyl Taurate, Xanthan gum. Calendula Officinalis Extract, D-Glucosamin Hcl, Willow Bark Extract, Glycerine, Citric acid, propylene glycol, Dehydroacetic Acid, Benzyl Alcohol, Sodium hyaluronate, Pro Vitamin B5, Acrylates/Palmeth-25

Drug Facts

Active ingredient

Purpose

Trolamine salicylate 10%......Topical Analgesic

Uses

For the temporary relief of minor aches and pain associated with simple strains, backaches, arthritis, bruises, and sprains.

Warnings

For external use only

Allergy Alert

If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product

- Use only as directed, do not bandage tightly or use with a heating pad.
- Avoid contact with eyes or mucous membranes.
- Do not apply to wounds or damaged, broken or irritated skin
- Do not use at the same time as other topical analgesics product.

Stop use and ask a doctor if

Condition worsens - Symptoms persist for more than 7 days or clear up and occur again within a few days - Redness is present - Irritation develops.

If Pregnant or breast-feeding

Ask a health professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously to affected area.
- Massage into painful area until thoroughly absorbed into skin.
- Repeat as necessary, but no more than 3 to 4 times daily.

Inactive Ingredients

Water, Disodium EDTA, Aloe vera extract, Arnica Montana Extract, Ammonium Polyacryloyldimethyl Taurate, Xanthan gum, Calendula Officinalis Extract, D-Glucosamine HCl, Willow Bark Extract, glycerin, citric acid, propylene glycol, Dehydroacetic Acid, Benzyl Alcohol, sodium hyaluronate, Pro Vitamin B5, Acrylates/Palmeth-25

Questions or Comments?

1-855-349-7735 or visit www.drjoelab.com to report serious adverse events associated with use of the product.

Dr Joe Lab Inc 1720E Garry Ave, Ste 119 Santa Ana, CA 92705 www.drjoelab.com





WITH 10% TROLAMINE SALICYLATE
PAIN RELIEF GEL

STRAINS
BRUISES
ARTHRITIS
SPRAINS
BACKACHE
MENSTRUAL PAIN

10% Trolamine Salicylate

ANALGESIC &
ARTHRITIS PAIN
RELIEF
UNSCENTED

4 fl oz / 118 ml



Drug Facts

Active ingredient Trolamine salicylate 10%

Purpose Topical Analgesic

For the temporary relief of minor aches and pain associated with simple strains, backaches, arthritis, bruises, and sprains.

Warnings

For external use only

Allergy Alert

If prone to allergic reaction from aspirin or salicylates, consult a doctor before use.

When using this product

- · Use only as directed, do not bandage tightly or use with a heating pad.
- · Avoid contact with eyes or mucous membranes.
- Do not apply to wounds or damaged, broken or irritated
- . Do not use at the same time as other topical analgesics product.

Stop use and ask a doctor if

Condition worsens - Symptoms persist for more than 7 days or clear up and occur again within a few days Redness is present - Irritation develops.

If Pregnant or breast-feeding

Ask a health professional before use.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply generously to affected area.
- · Massage into painful area until thoroughly absorbed into
- Repeat as necessary, but no more than 3 to 4 times daily.

Inactive Ingredients

Water, Disodium EDTA, Aloe vera extract, Arnica Montana Extract, Ammonium Polyacryloyldimethyl Taurate, Xanthan gum, Calendula Officinalis Extract, D-Glucosamine HCl, Willow Bark Extract, glycerin, citric acid, propylene glycol, Dehydroacetic Acid, Benzyl Alcohol, sodium hyaluronate, Pro Vitamin B5, Acrylates/Palmeth-25

Questions or Comments?

1-855-349-7735 or visit www.drjoelab.com to report serious adverse events associated with use of the product.

Pain Relief You Can Feel

MADE WITH

PRO VITAMIN B5 HYALURONIC ALOE VERA **CALENDULA** ARNICA **WILLOW BARK**

MAXIMUM STRENGTH

GLUCOSAMINE

PARABEN FREE OIL FREE **ODOR FREE**



WITH 10% TROLAMINE SALICYLATE PAIN RELIEF GEL

> **STRAINS** BRUISES **ARTHRITIS SPRAINS** BACKACHE **MENSTRUAL PAIN**

Trolamine Salicylate

ANALGESIC & ARTHRITIS PAIN RELIEF UNSCENTED

4 fl oz / 118 ml

TARGETED PAIN RELIEF



BACK, NECK & SHOULDER



KNEE & ELBOW



HAND & WRIST



FOOT, ANKLE & LEG

Manufactured by Despina Pharma Inc Distributed by:

Dr Joe Lab Inc 1720E Garry Ave, Ste 119 Santa Ana, CA 92705 www.drjoelab.com

barcode here

DR JOE LAB ARTHRITIS EXTRA STRENGTH

trolamine salicylate gel

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:82557-401

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
TROLAMINE SALICYLATE (UNII: H8O4040BHD) (SALICYLIC ACID - UNII: O414PZ4LPZ)	TROLAMINE SALICYLATE	10 g in 100 mL	

Inactive Ingredients	
Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ARNICA MONTANA (UNII: O80TY208ZW)	
AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S) (UNII: F01RIY4371)	
XANTHAN GUM (UNII: TTV12P4NEE)	
CALENDULA OFFICINALIS WHOLE (UNII: PFR03EBU0H)	
GLUCOSAMINE HYDROCHLORIDE (UNII: 750W5330FY)	
WILLOW BARK (UNII: S883J9JDYX)	
GLYCERIN (UNII: PDC6A3C0OX)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
DEXPANTHENOL (UNII: 106C93RI7Z)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	

Packaging				
# Item Code Package Description		Marketing Start Date	Marketing End Date	
	NDC:82557-401- 01	118 mL in 1 TUBE; Type 0: Not a Combination Product	06/01/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	06/01/2022	

Labeler - DR JOE LAB (122311139)

Establishment				
Name	Address	ID/FEI	Business Operations	
Despina Pharma Inc		112281681	manufacture(82557-401)	

Revised: 12/2023 DR JOE LAB